

# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>Accredited to IQIPS Standard</b>	<b>Barnstaple Specsavers Hearcare Limited</b>	
	<b>Issue No: 002      Issue date: 22 June 2020</b>	
	<b>Registered Office</b> Forum 6 Parkway Solent Business Park Whiteley Fareham PO15 7PA	<b>Contact: Mr Frank Holden</b> <b>Tel: +44 (0) 20 8881 5000</b> <b>E-Mail: Frank.holden@specsavers.com</b> <b>Website: <a href="https://www.specsavers.co.uk/stores/">https://www.specsavers.co.uk/stores/</a></b>

**Examinations performed by the Organisation at the locations specified below**

### Locations covered by the organisation and their relevant activities

#### Service locations:

Primary location details	Activity	Location code
<b>Address with full postcode</b> Barnstaple Specsavers Hearcare Limited Gammon Walk Barnstaple	<b>Local contact</b> Frank Holden  Audiology	A

#### Activities performed away from the primary location listed above:

Other location details with full postcode	Activity	Location code
Barnstaple Specsavers Hearcare (Sainsbury's) Gratton Way Barnstaple EX31 1DJ	Audiology	B
Bideford Specsavers High Street EX39 2AA	Audiology	C



Accredited to  
IQIPS Standard

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Barnstaple Specsavers Hearcare Limited**

**Issue No:** 002      **Issue date:** 22 June 2020

**Examinations performed by the Organisation at the locations specified below**

DETAIL OF ACCREDITATION

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Adult Hearing Services - Assessment:  Otoscopy History Taking Pure Tone Audiometry Loudness Discomfort Levels	Heine Mini 3000 Sycle software Audiometer: Interacoustics Callisto	A
Audiology	Adult Hearing Services - Rehabilitation:  Otoscopy Glasgow Hearing Aid Benefit Profile Impression Taking Hearing Aid Fitting Real Ear Measurement Hearing Aid Diagnostics and Adjustments Aural Rehabilitation counselling	Heine Mini 3000 Sycle software Hearing aid manufacturers software Interacoustics Callisto (REM module)	A





Accredited to  
IQIPS Standard

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Barnstaple Specsavers Hearcare Limited**

**Issue No:** 002      **Issue date:** 22 June 2020

**Examinations performed by the Organisation at the locations specified below**

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Adult Hearing Services - Assessment:	Heine Mini 3000 Cycle software Audiometer: Interacoustics Callisto	B
Audiology	Otoscopy History Taking Pure Tone Audiometry Loudness Discomfort Levels		
Audiology	Adult Hearing Services - Rehabilitation:	Heine Mini 3000 Cycle software Hearing aid manufacturers software Interacoustics Callisto (REM module)	B
Audiology	Otoscopy Glasgow Hearing Aid Benefit Profile Impression Taking Hearing Aid Fitting Real Ear Measurement Hearing Aid Diagnostics and Adjustments Aural Rehabilitation counselling		
Audiology	Adult Hearing Services - Assessment:	Heine Mini 3000 Cycle software Audiometer: Interacoustics Callisto	C
Audiology	Otoscopy History Taking Pure Tone Audiometry Loudness Discomfort Levels		
Audiology	Adult Hearing Services - Rehabilitation:	Heine Mini 3000 Cycle software Hearing aid manufacturers software Interacoustics Callisto (REM module)	C
Audiology	Otoscopy Glasgow Hearing Aid Benefit Profile Impression Taking Hearing Aid Fitting Real Ear Measurement Hearing Aid Diagnostics and Adjustments Aural Rehabilitation counselling		
END			





Accredited to  
IQIPS Standard

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Barnstaple Specsavers Hearcare Limited**

**Issue No:** 002      **Issue date:** 22 June 2020

**Examinations performed by the Organisation at the locations specified below**

