


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>0126</p> <p>Accredited to ISO/IEC 17025:2017</p>	<p>Terra Tek Limited trading as Igne</p> <p>Issue No: 096 Issue date: 23 June 2026</p>	
	<p>Whistleberry Road Hamilton Glasgow Scotland ML3 0HP</p>	<p>Contact: Mr L Sorrentino Tel: +44 (0)1327 225200 E-Mail: Luigi.Sorrentino@igne.com Website: www.igne.com</p>
<p>Testing performed by the Organisation at the locations specified below</p>		

Terra Tek Limited t/a Igne is accredited for a flexible scope in accordance with UKAS publication GEN 4 to conduct the activities detailed below, in accordance with their documented in-house procedure: QP026a [Revision 5 dated 28/05/2026].- Transfer currently accredited test methods between the accredited locations listed on this schedule

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
<p>Address The New Forge College Road North Aston Clinton Aylesbury Buckinghamshire HP22 5EZ</p> <p>Local contact Miss J Hopkins Tel: +44 (0)1494 810136 Email: julie.hopkins@igne.com</p>	<p>Testing: Aggregates Soils</p>	Aston Clinton
<p>Address Unit 1 Mitchells Enterprise Centre Bradberry Balk Lane Wombwell Barnsley S73 8HR</p> <p>Local contact Mr R Hobson Tel: +44 (0) 7714 619222 Email: ryan.hobson@igne.com</p>	<p>Testing: Fresh Concrete Hardened Concrete</p>	Barnsley
<p>Address Unit 6, Belgrave Street Bellshill Industrial Estate Bellshill ML4 3NP</p> <p>Local contact Mr S. Gilchrist Tel: +44 (0)1236 747949 Email: scott.gilchrist@igne.com</p>	<p>Testing: Aggregates Bituminous Mixtures Fresh Concrete Hardened Concrete Rock Soils Unbound and hydraulically bound materials</p>	Bellshill



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Location details	Activity	Location code
<p>Address Unit 1 Caxton Close Daventry Northamptonshire NN11 8RT</p> <p>Local contact Mrs M Chandler Tel: +44 (0) 371 789 1000 Email: maria.chandler@igne.com</p>	<p>Testing: Aggregates Bituminous Mixtures Fresh Concrete Hardened Concrete Soils Unbound and hydraulically bound materials</p>	<p>Daventry</p>

Site activities performed away from the locations listed above:

Location details	Activity	Location code
<p>All locations suitable for the activities listed</p>	<p>Sampling & Testing: Aggregates Bituminous Mixtures Fresh Concrete Road Pavement Surfaces Soils</p>	<p>Site</p>



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Ten per cent fines value - dry - particle size 10mm and greater	BS 812-111:1990	Bellshill
	Ten per cent fines value – soaked - particle size 10mm and greater	BS 812-111:1990	Bellshill
	Aggregate crushing value - particle size 10 mm and greater	BS 812-110:1990	Bellshill
	Sampling stockpiles of fine aggregates by hand	BS EN 932-1:1997	Site
	Sampling stockpiles of coarse aggregates by hand	BS EN 932-1:1997	Site
	Sample reduction by quartering	BS EN 932-2:1999	Bellshill Daventry
	Sample reduction using a riffle box	BS EN 932-2:1999	Bellshill Daventry
	Sample reduction to a specified mass within a small tolerance	BS EN 932-2:1999	Bellshill
	Particle size distribution - sieving method	BS EN 933-1:2012	Aston Clinton Bellshill Daventry
	Particle shape - flakiness index	BS EN 933-3:2012	Bellshill
	Uniformity coefficient	Specification for Highway Works table 6/1 footnote 5	Aston Clinton Bellshill
	Constituents of coarse recycled aggregate	BS EN 933-11:2009	Aston Clinton Daventry



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES (cont'd)	Magnesium Sulphate Test	BS EN 1367-2:2009	Bellshill
	Resistance to fragmentation by the Los Angeles Method	EN 1097-2:2020	Bellshill
	Determination of water content by drying in a ventilated oven	BS EN 1097-5:2008	Bellshill Daventry
	Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm	BS EN 1097-6:2022	Bellshill Daventry
BITUMINOUS MIXTURES for roads and other paved areas	Soluble binder content - Soluble binder content by difference using bottle rotation machine and pressure filter method	BS EN 12697-1:2020	Bellshill
	Determination of particle size distribution	BS EN 12697-2:2024	Bellshill
	Determination of the maximum density - Procedure A: Volumetric procedure	BS EN 12697-5:2018	Bellshill
	Determination of the bulk density - Dry - Saturated Surface Dry - Sealed Specimen - By Dimensions	BS EN 12697-6:2020	Daventry Bellshill
	Determination of void characteristics	BS EN 12697-8:2018	Daventry Bellshill
	Temperature Measurement Using - Contact Thermometer -on laid but not rolled materials - Infrared Thermometer - at the augers of the paver	BS EN 12697-13:2017	Site



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas (cont'd)	Sampling of bituminous mixtures -Sampling from the material around the augers of the paver -Sampling of workable material in heaps -Sampling coated chippings from stockpiles -Sampling of laid and compacted materials by coring	BS EN 12697-27:2017	Site
	Preparation of samples for determining binder content, water content and binding	BS EN 12697-28:2020	Bellshill
	Determination of the thickness of bituminous pavement -Destructive measurement	BS EN 12697-36:2022	Daventry Bellshill
CONCRETE - fresh	Sampling fresh concrete on site - composite sample - spot sample	BS EN 12350-1:2019	Site
	Making cubic specimens for strength tests – including initial curing	BS EN 12390-2:2019	Site
	Slump test	BS EN 12350-2:2019	Site
	Flow table	BS EN 12350-5:2019	Site
	Air Test	BS EN 12350-7:2019	Site
CONCRETE - hardened	Shape and dimensions for cubic specimens and moulds	BS EN 12390-1:2021	Bellshill Barnsley Daventry
	Making and curing cubic specimens	BS EN 12390-2:2019	Bellshill Barnsley Daventry
	Compressive strength of cubic specimens	BS EN 12390-3:2019	Bellshill Barnsley Daventry



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – hardened (cont'd)	Density	BS EN 12390-7:2019	Bellshill Barnsley Daventry
ROAD PAVEMENT SURFACES	Measurement of pavement surface macrotexture depth using a volumetric patch technique	BS EN 13036-1:2010	Site
	Insitu Density Nuclear Method	Documented in-house method No TP029	Site
	Insitu Density Non-Nuclear Method	Documented in-house method No TP030	Site
	Surface regularity using a rolling straight-edge	TRRL Supplementary Report 290:1977	Site
	Drilling of concrete cores in paved surfaces (vertical only)	BS EN 12504-1:2019	Site
	Sampling - of laid and compacted materials by coring	BS EN 12697-27: 2019	Site
ROCK	Water content	The Complete ISRM Suggested Methods – Rock Characterization Testing and Monitoring 1974 – 2006, Editors: R Ulusay & J A Hudson	Bellshill
	Point load strength and anisotropy indices	ISRM Commission on Testing Methods, Suggested Method for Determining Point Load Strength 1985	Bellshill
	Slake Durability Index	The Complete ISRM Suggested Methods – Rock Characterization Testing and Monitoring 1974 – 2006, Editors: R Ulusay & J A Hudson	Bellshill



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ROCK (cont'd)	Porosity and density-by saturation and caliper techniques	The Complete ISRM Suggested Methods – Rock Characterization Testing and Monitoring 1974 – 2006, Editors: R Ulusay & J A Hudson	Bellshill
	End preparation of rock specimens for compressive strength	ASTM D 4543-19	Bellshill
	Unconfined compressive strength	ASTM D 7012-23	Bellshill
	Unconfined compressive strength	The Complete ISRM Suggested Methods – Rock Characterization Testing and Monitoring 1974 – 2006, Editors: R Ulusay & J A Hudson	Bellshill
GEOTECHNICAL INVESTIGATION and TESTING - Laboratory testing of soil	Water content	BS EN ISO 17892-1:2014 +A1:2022	Aston Clinton Bellshill Daventry Barnsley
	Bulk density - linear measurement method	BS EN ISO 17892-2:2014	Aston Clinton Bellshill
	Particle density – fluid pycnometer	BS EN ISO 17892-3:2015	Aston Clinton
	Determination of particle size distribution -sieving method	BS EN ISO 17892-4:2016	Aston Clinton Bellshill Daventry Barnsley
	Determination of particle size distribution -pipette method	BS EN ISO 17892-4:2016	Aston Clinton Bellshill
Determination of particle size distribution - hydrometer method	BS EN ISO 17892-4:2016	Aston Clinton Daventry	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
GEOTECHNICAL INVESTIGATION and TESTING - Laboratory testing of soil (cont'd)	Incremental loading oedometer test	BS EN ISO 17892-5: 2017	Aston Clinton Bellshill
	Unconfined Compression Test	BS EN ISO 17892-7:2018	Aston Clinton
	Unconsolidated Undrained Triaxial	BS EN ISO 17892-8:2018	Aston Clinton Bellshill
	Isotropically consolidated triaxial compression tests on water saturated soils	BS EN ISO 17892-9:2018	Aston Clinton
	Determination of shear strength by direct shear – shearbox	BS EN ISO 17892-10:2018	Aston Clinton Bellshill Daventry
	Determination of permeability in a flexible wall permeameter	BS EN ISO 17892-11:2019	Aston Clinton
	Determination of permeability in a cylindrical permeameter	BS EN ISO 17892-11:2019	Aston Clinton
	Determination of liquid limit by the fall cone method	BS EN ISO 17892-12 2018 +A2:2022	Aston Clinton Bellshill Daventry Barnsley
	Determination of plastic limit	BS EN ISO 17892-12 2018 +A2:2022	Aston Clinton Bellshill Daventry Barnsley
Plasticity Index and Liquidity Index	BS EN ISO 17892-12 2018 +A2:2022	Aston Clinton Bellshill Daventry Barnsley	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Aston Clinton Bellshill Daventry Barnsley
	Water content - oven drying method	BS 1377-2:2022	Aston Clinton Bellshill Daventry Barnsley
	Saturation moisture content of chalk	BS 1377-2:1990	Aston Clinton
	Liquid limit - cone penetrometer	BS 1377-2:1990	Aston Clinton Bellshill
	Liquid limit - cone penetrometer	BS 1377-2:2022	Aston Clinton Bellshill Daventry Barnsley
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990	Aston Clinton
	Liquid limit - cone penetrometer - one point	BS 1377-2:2022	Aston Clinton Daventry Barnsley
	Plastic limit	BS 1377-2:1990	Aston Clinton Bellshill
	Plastic limit	BS 1377-2:2022	Aston Clinton Bellshill Daventry Barnsley
	Plasticity index and liquidity index	BS 1377-2:1990	Aston Clinton Bellshill



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Plasticity index and liquidity index	BS 1377-2:2022	Aston Clinton Bellshill Daventry Barnsley
	Linear shrinkage	BS 1377-2:1990	Aston Clinton
	Linear shrinkage	BS 1377-2:2022	Aston Clinton
	Density – linear measurement	BS 1377-2:1990	Aston Clinton Bellshill
	Density – linear measurement	BS 1377-2:2022	Bellshill
	Particle density - gas jar	BS 1377-2:1990	Aston Clinton Bellshill
	Particle density - gas jar	BS 1377-2:2022	Bellshill Daventry
	Particle density - fluid pycnometer	BS 1377-2:2022	Aston Clinton
	Particle size distribution - wet sieving	BS 1377-2:1990	Aston Clinton Bellshill
	Particle size distribution - wet sieving	BS 1377-2:2022	Aston Clinton Bellshill Daventry
	Particle size distribution - dry sieving	BS 1377-2:1990	Aston Clinton Bellshill
	Particle size distribution - dry sieving	BS 1377-2:2022	Aston Clinton Bellshill Daventry



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle size distribution - sedimentation - pipette method	BS 1377-2:1990	Aston Clinton Bellshill
	Particle size distribution - sedimentation - hydrometer method	BS 1377-2:2022	Daventry
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	Aston Clinton Bellshill Daventry
	Dry density/water content relationship (2.5 kg rammer)	BS 1377-2:2022	Daventry Bellshill Barnsley
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	Aston Clinton Bellshill Daventry
	Dry density/water content relationship (4.5 kg rammer)	BS 1377-2:2022	Daventry Bellshill Barnsley
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-4:1990	Aston Clinton Bellshill Daventry
	Dry density/water content relationship (vibrating hammer)	BS 1377-2:2022	Daventry Bellshill Barnsley
	California Bearing Ratio (CBR)	BS 1377-4:1990	Aston Clinton Bellshill
	California Bearing Ratio (CBR)	BS 1377-2:2022	Bellshill Daventry
Measurement of swelling of soaked CBR specimen	BS 1377-2:2022	Daventry	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Moisture condition value (MCV) – natural moisture content	BS 1377-4:1990	Aston Clinton Bellshill
	Moisture condition value (MCV) – natural water content	BS 1377-2:2022	Aston Clinton Bellshill Daventry
	MCV/moisture content relation	BS 1377-4:1990	Aston Clinton Bellshill
	MCV/water content relation	BS 1377-2:2022	Aston Clinton Bellshill Daventry
	Chalk crushing value	BS 1377-4:1990	Aston Clinton
	One-dimensional consolidation properties	BS 1377-5:1990	Aston Clinton
	Swelling and collapse characteristics	BS 1377-5:1990	Aston Clinton Bellshill
	Permeability - constant head method	BS 1377-5:1990	Aston Clinton
	Dispersibility - pinhole method	BS 1377-5:1990	Aston Clinton
	Permeability in a triaxial cell	BS 1377-6:1990	Aston Clinton
	Shear strength – small shearbox	BS 1377-7:1990	Aston Clinton Bellshill
Shear strength – small shearbox	BS 1377-2:2022	Bellshill	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Shear strength – large shearbox	BS 1377-7:1990	Aston Clinton Bellshill Daventry
	Unconfined compressive strength - load frame method	BS 1377-7:1990	Aston Clinton
	Unconfined Compression Test	BS 1377-2:2022	Aston Clinton
	Hand Held Shear Vane	NZ Geotechnical Society Inc Aug 2001	Site
	Undrained shear strength - triaxial compression without measurement of pore pressure	BS 1377-7:1990	Aston Clinton Bellshill
	Unconsolidated Undrained Triaxial	BS 1377-2:2022	Aston Clinton Bellshill
	Undrained shear strength – triaxial compression with multistage loading and without measurement of pore pressure	BS 1377-7:1990	Aston Clinton Bellshill
	Effective shear strength - consolidated-undrained triaxial compression test with measurement of pore pressure	BS 1377-8:1990	Aston Clinton
	Effective shear strength - consolidated-drained triaxial compression test with measurement of volume change	BS 1377-8:1990	Aston Clinton
	Uniformity coefficient	Specification for Highway Works table 6/1 footnote 5	Aston Clinton Bellshill
Effective angle of internal friction and effective cohesion	Specification for Highway Works, HMSO February 2016 Clause 636 using Large Shearbox	Aston Clinton Bellshill Daventry	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Coefficient of friction and adhesion between fill and reinforcing elements or anchor elements	Specification for Highway Works, HMSO February 2016 Clause 639 using Large Shearbox	Aston Clinton
	Effective shear strength - (isotropically) consolidated undrained multistage triaxial compression test with measurement of pore pressure	Documented in-house method No TP 120	Aston Clinton
	Effective shear strength - (isotropically) consolidated drained multistage triaxial compression test with measurement of volume change	Documented in-house method No TP 120	Aston Clinton
	Horizontal permeability of road drainage layers - using the permeability box	DMRB CD 225 Design for new pavement foundations, Revision 1	Aston Clinton
	Determination of Thermal Conductivity of Soil and Soft Rock by Thermal Needle Probe Procedure	ASTM D5334-22a	Aston Clinton Bellshill Site
	Moisture condition value – at natural moisture content	SDD Tech Memo SH7/83. SDD Appls Guide No1 (Rev 1989)	Aston Clinton Bellshill
	In-situ density - sand replacement method (small pouring cylinder)	BS 1377-9:1990	Site
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377-9:1990	Site
	In-situ density - core cutter method	BS 1377-9:1990	Site
In-situ bulk density - nuclear method - comparative tests	BS 1377-9:1990	Site	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	In-situ bulk density - nuclear method - absolute tests	BS 1377-9:1990	Site
	In-situ bulk density - nuclear method - compliance tests	BS 1377-9:1990	Site
	In-situ moisture density - nuclear method - comparative tests	BS 1377-9:1990	Site
	In-situ moisture density - nuclear method - absolute tests	BS 1377-9:1990	Site
	In-situ moisture density - nuclear method - compliance tests	BS 1377-9:1990	Site
	In-situ California Bearing Ratio (CBR)	BS 1377-9:1990	Site
	Vertical deformation and strength characteristics of soil by the plate loading test	BS 1377-9:1990	Site
	Determination of equivalent CBR value using the plate bearing test (loads from 1 to 500 kN)	Design Manual for Roads and Bridges, Interim Advice Note 73/06, Rev 1: 2009	Site
	Dynamic cone penetration test	Design Manual for Roads and Bridges CS229 Revision 0.1.0, Sept 2025 BS1377-9:2025	Site
	Calculation of nominal CBR value using the dynamic cone penetrometer test (DCP)	Design Manual for Roads and Bridges CS229 Revision 0.1.0, Sept 2025 BS1377-9:2025	Daventry
Moisture condition value – at natural moisture content	SDD Tech Memo SH7/83. SDD Appls Guide No1 (Rev 1989)	Site	



0126
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Terra Tek Limited trading as Igne

Issue No: 096 Issue date: 23 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
UNBOUND AND HYDRAULICALLY BOUND MATERIALS	Laboratory reference density and water content – Proctor compaction	BS EN 13286-2:2010	Bellshill Daventry
	Laboratory reference density and water content – Vibrating hammer	BS EN 13286-4:2021	Bellshill Daventry Barnsley
	Test method for the determination of the moisture condition value	BS EN 13286-46:2003	Bellshill
	Test method for the determination of California bearing ratio, immediate bearing index and linear swelling	BS EN 13286-47:2021	Bellshill Daventry
	Test method for the determination of the degree of pulverisation	BS EN 13286-48:2005	Bellshill
END			