

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 0327 Accredited to ISO/IEC 17025:2017	CSA Group Testing UK Ltd	
	Issue No: 052	Issue date: 12 October 2026
	Unit 6 Hawarden Industrial Park Hawarden Deeside CH5 3US	Contact: Mr Wayne Thomas Tel: +44 (0)1244 670900 E-Mail: wayne.thomas@csagroup.org Website: www.csagroupuk.org
Testing performed at the above address only		

Flexible Scope:- In house method: CSA Group Testing UK Ltd Quality manual Appendix 6 and Flexible Scope Master List 17025

The laboratory is accredited to ISO/IEC17025:2017 for testing activities in accordance with the standards included in the section highlighted below. This may also include tests on the same or similar product types against standards, or customer-specified methods, that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined within the standard specifications already accredited and detailed within this Schedule of Accreditation.

Information about flexible scopes of accreditation is available in UKAS document GEN 4:EA 2/15 M:2019 and ILAC document G18:04/2010

All sections are covered by this flexible scope



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres	<u>Electrical Product Tests</u>	
Electrical Apparatus for explosive gas atmospheres and explosive dust atmospheres: General requirements,	Construction, safety and marking Thermal Stability min temp – 80°C Max enclosure size for Thermal Stability test 1500 x 1000 x 1000 mm	IEC 60079-0:2017 IEC 60079-0:2011 (withdrawn) EN60079-0:2012/A11:2013 Excluding: Resistance to light on Non-metallic enclosures
Tests for Apparatus in Flameproof Enclosures (Exd)	Construction, safety and marking Clause 15.1.2/15.1.3, min temp - 80 °C Clause 15.2, max temp 300 °C	IEC 60079-1:2014 IEC 60079-1:2007 (withdrawn) EN 60079-1:2014 EN60079-1:2014/A11:2024 UL 60079-1 Edition 7 CSA C22.2 No. 60079-1:15 Excluding: Flammability tests
Tests for Pressurised and Purged Apparatus (Exp)	Construction, safety and marking	IEC 60079-2:2014 IEC 60079-2:2007 (withdrawn) EN 60079-2 :2014/AC:2015 UL 60079-2 Edition 6 CSA C22.2 No. 60079-2:16
Tests for Sand Filled Apparatus (Exq)	Construction, safety and marking	IEC 60079-5:2015/AMD1:2022 IEC 60079-5:2015 (withdrawn) EN 60079-5:2015 EN 60079-5;2015/A1:2024 UL 60079-5 Edition 4 CSA C22.2 No. 60079-5:16
Tests for Liquid Immersed Apparatus (Exo)	Construction, safety and marking	IEC 60079-6:2015+AMD1:2020 IEC 60079-6:2015 EN 60079-6;2015/A1:2025 UL 60079-6 Edition 4 CSA C22.2 No. 60079-6:17



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd) Tests for Increased Safety Apparatus (Exe) Tests for Intrinsically Safe Apparatus, Associated Apparatus and Systems (Exi) Equipment Protection by 2-Wire Intrinsically Safe Ethernet Concept (2-WISE) Tests for Electrical Apparatus for Explosive Atmospheres with Type of Protection n (Exn)	<u>Electrical Product Tests</u> (cont'd) Construction, safety and marking Construction, safety and marking Construction, safety and marking	IEC 60079-7:2017 IEC 60079-7:2015 (withdrawn) EN 60079-7:2015/A1:2018 UL 60079-5 Edition 5 CSA C22.2 No. 60079-7:16 Excluding: Interturn voltage test as IEC 60044-6 Mechanical shock tests Sulphur dioxide tests Vibration tests Tests for high-voltage machines EN IEC 60079-11:2024 IEC 60079-11:2011 IEC 60079-11:2006 (withdrawn) EN 60079-11:2012 UL 60079-11 Edition 7 CSA C22.2 No. 60079-11:14 IEC TS 60079-47:2021 UL 60079-47 Edition 1 CSA C22.2 No. 60079-47:22 IEC 60079-15:2017 IEC 60079-15:2010 (withdrawn) EN 60079-15:2010 UL 60079-15 Edition 5 CSA C22.2 No. 60079-15:18 Excluding: Tests for ballasts in circuits with ignitors Mechanical shock for batteries Ignition tests for large high-voltage machines



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd)	<u>Electrical Product Tests</u> (cont'd)	
Tests for Encapsulated Apparatus (Exm)	Construction, safety and marking	IEC 60079-18:2025 EN IEC 60079-18:2025 IEC 60079-18:2017 IEC 60079-18:2014 (withdrawn) EN 60079-18:2019 EN 60079-18:2015 UL 60079-18 Edition 4 CSA C22.2 No. 60079-18:16
Intrinsically safe systems	Construction, safety and markings	IEC 60079-25:2020 IEC 60079-25:2010 (withdrawn) EN 60079-25: 2010/AC: 2013 EN IEC 60079-25:2022 UL 60079-25 Edition 3 CSA C22.2 No. 60079-25: 21
Special requirements for construction, Test and Marking of Electrical Apparatus of Equipment Group II, Category 1G	Construction, safety and markings	IEC 60079-26:2021 IEC 60079-26:2014 (withdrawn) EN 60079-26:2015 EN IEC 60079-26:2024 UL 60079-26 Edition 3 CSA C22.2 No. 60079-26:15
Protection of equipment and transmission systems using optical radiation	Construction, safety and markings	IEC 60079-28:2025 IEC 60079-28:2015 EN IEC 60079-28: 2015+A11:2024 EN 60079-28:2015 UL 60079-28 Edition 3 CSA C22.2 No. 60079-28:16 Excluding: Clause 6, Ignition tests



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd

Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd)	<u>Electrical Product Tests</u> (cont'd)	
Electrical Trace Heating Tapes	Tests to demonstrate compliance with constructional requirements and prove thermal performance Clause 5.1.7 Min temp - 80 °C	IEC/IEEE 60079-30-1:2025 IEC/IEEE 60079-30-1:2015IEC 62086-1:2001 (withdrawn) EN 60079-30-1:2017 UL 60079-30-1 Edition 1 CSA C22.2 No. 60079-30-1:15 Excluding: Flammability test Verification of rated output (Method b)
Equipment dust ignition protection by enclosure "t"	Construction, safety and marking	IEC 60079-31:2022 IEC 60079-31:2013 (withdrawn) EN 60079-31:2014 EN IEC 60079-31:2022 UL 60079-31 Edition 3 CSA C22.2 No. 60079-31:14
Caplights for use in mines susceptible to firedamp	Construction, safety and marking	IEC 60079-35-1:2011EN 60079-35-1:2011/AC:2011 CSA C22.2 No. 60079-35-1:14 Excluding: Resistance to fire
Petrol filling stations - Construction and performance of automatic nozzles for use on fuel dispensers	Construction and performance	EN 13012:2021 Excluding: Clauses B5, B7, B8, B9, B10, B12, B13
Petrol filling stations Part 1: Safety requirements for construction and performance of metering pumps, dispensers and remote pumping units	Construction and performance	EN 13617-1:2021 Excluding: Stability test



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd)	<u>Electrical Product Tests</u> (cont'd)	
Petrol filling stations Part 2: Safety requirements for construction and performance of safe breaks for use on metering pumps and dispensers.	Construction and performance	EN 13617-2:2021 Excluding: Clauses B.7, B.8, B.9, B.10, B.11, B.12, B.13
Petrol filling stations Part 3: Safety requirements for construction and performance of shear valves.	Construction and performance	EN 13617-3:2021 Excluding : Clauses B.12, B.13
Petrol filling stations Part 4: Safety requirements for construction and performance of swivels for use on metering pumps and dispensers.	Construction and performance	EN 13617-4:2021 Excluding: Endurance
General requirements – Canadian Electrical Code, Part II	Construction, safety and marking	CSA C22.2 No. 0-10
Bonding of electrical equipment	Construction, safety and marking	CSA C22.2 No. 0.4-04 (R 2013) CSA C22.2 No. 0.4-17 (R 2022)
Explosion-proof enclosures for use in class I hazardous locations	Construction, safety and marking	C22.2 No. 30 – M1986 (R 2020) Excluding: Arc-Rupturing Flammability Gastight Joints – Type Test
Enclosures for electrical equipment, non-environmental conditions	Construction, safety and marking	C22.2 No 94.1-07 (R 2015) CSA C22.2 No. 94.1:15CSA C22.2 No. 94.1:15 (R 2020) CSA C22.2 No. 94.1:2024 UL 50:2012 UL 50:2015 Excluding: Crushing resistance tests for both listed standards



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd)	<u>Electrical Product Tests</u> (cont'd)	
Enclosures for electrical equipment, environmental conditions	Construction, safety and marking	C22.2 No 94.2-07 (R 2012) CSA C22.2 No. 94.2-07 (R 2020) UL 50E:2012 UL 50E:2020Clauses 8.6, 8.10, 8.11, 8.14 & 8.15 for both listed standards
Process Control Equipment	Construction, safety and marking	C22.2 No 142-M1987 (R 2009) C22.2 No.142-M1987 (R2014) Excluding: Overload (Control Devices) Endurance (Control Devices) Flammability of Polymeric Enclosures Flaming Oil (Perforated Panels)
Electrical Equipment for Use in Hazardous (Classified) Locations General Requirements	Construction, safety and marking	FM 3600:2022 FM 3600:2018 FM 3600:2011 Excluding: Rubber or neoprene tests
Explosionproof Electrical Equipment General Requirements	Construction, safety and marking	FM 3615:2022 FM 3615:2018 FM 3615:2006 Excluding: Flammability tests
Dust-Ignitionproof Electrical Equipment General Requirements	Construction, safety and marking	FM 3616:2022 FM 3616:2011
Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations	Construction, safety and marking	UL 1203:2013 Excluding: Clauses 21.5, 21.6, 21.7, 21.8, 21.9, 24, 31, 34, 41, 43.9, 44.9, 45 & 56



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd

Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 1: Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres (cont'd) Non-electrical equipment for explosive atmospheres - Basic method and requirements Explosive atmospheres. Non-electrical equipment for explosive atmospheres. Non-electrical type of protection constructional safety "c", control of ignition sources "b", liquid immersion "k"	<u>Non-Electrical Product Tests</u> Construction, safety and marking Construction, safety and marking	ISO 80079-36:2016 EN ISO 80079-36:2016 UL 80079-36 Edition 1 CSA C80079-36:22 ISO 80079-37:2016 EN ISO 80079-37:2016 UL 80079-37 Edition 1 CSA C80079-37:2022
In the above Section 1, where IEC or EN standards have exact equivalents in BS, EN or BS EN, CSA, UL, ISA or UL/ANSI standards, these BS, EN or BS EN, CSA, UL, ISA or UL/ANSI standards are also included in the accreditation.		



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 2: INGRESS PROTECTION TESTS (cont'd) Enclosures for Electrical Equipment (cont'd)	<u>Ingress Protection Tests (cont'd)</u> IPX5 Protected against water jets IPX6 Protected against heavy seas IPX7 Protected against the effects of immersion Excluding: Objects greater than 1800 x 950 x 1300 mm IPX8 Protected against submersion Excluding: Objects greater than Ø 350 x 500 mm Dust chamber dimensions 1800 x 870 x 860 mm	

In the above Section 2, where IEC standards have exact equivalents in BS, EN or BS EN, CSA, UL, ISA or UL/ANSI standards, these BS, EN or BS EN, CSA, UL, ISA or UL/ANSI standards are also included in the accreditation.

0327

**Accredited to
ISO/IEC 17025:2017**

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd

Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 3: GAS DETECTORS	<u>Performance Tests</u>	
ELECTRICAL APPARATUS FOR THE DETECTION AND MEASUREMENT OF FLAMMABLE GASES		
Performance requirements of detectors for flammable gases	Performance tests	IEC 60079-29-0:2026 EN IEC 60079-29-0:2026 IEC 60079-29-1:2016/AMD1:2020 EN 60079-29-1:2016/A1:2022 CSA-C22.2 No. 60079-29-1:2017 UL 60079-29-1 Edition 2 ANSI/ISA-60079-19 (12.13.01) Excluding: Vibration Electromagnetic compatibility Software function
Electrical apparatus for the detection of combustible gases in domestic products	Performance tests	BS EN 50194-1:2009 Excluding: Electromagnetic compatibility Alarm sound level Mechanical strength
Test Methods and performance requirements	Performance tests	BS EN 50104:2010 Excluding: Vibration Electromagnetic compatibility Verification of software and digital components EN 50104:2019+A1: 2023 Excluding: Vibration Electromagnetic compatibility Verification of software and digital components



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 3: GAS DETECTORS ELECTRICAL APPARATUS USED FOR THE DIRECT DETECTION AND DIRECT CONCENTRATION MEASUREMENT OF TOXIC GASES AND VAPOURS Electrical apparatus for the detection of carbon monoxide in domestic premises	<u>Performance Tests</u> (cont'd) Performance tests	BS EN 50291-1:2018 Excluding: Electromagnetic compatibility Alarm sound level Inter-connectable apparatus Apparatus using radio links BS EN 50291-1:2010 Excluding: Electromagnetic compatibility Alarm sound level Mechanical strength



0327

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

CSA Group Testing UK Ltd
Issue No: 052 Issue date: 12 October 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SECTION 4: Safety requirements for electrical equipment for measurement, control, and laboratory use	mechanical, electrical protection and insulation, temperature, pressure, fire.	IEC 61010-1:2010. IEC 61010-1:2010/AMD1:2016. CSA C22.2 No. 61010-1-12. UPD1:2015, UPD2:2016, AMD1:2018. UPD3:2023. UL 61010-1 3rd ed (Rev. Jun 6, 2023). Exclusions: Conformal coating qualification test, Annex H , Sharp edge assessment using test device, Clause 7.2 , Flammability test (constructional verification), Clause 9.3.2 , Vicat softening temperature test (ISO 306), Clause 10.5.3.2 , Ionizing radiation measurement, Clause(s) 12.2.1.2, 12.2.1.3 Sound level measurement, Clause 12.5.1, Ultrasonic pressure measurement, Clause 12.5.2
In the above Section 3, where IEC or EN standards have exact equivalents in BS, EN or BS EN, CSA, UL, ISA or UL/ANSI standards, these BS, EN or BS EN CSA, UL, ISA or UL/ANSI standards are also included in the accreditation.		
END		