


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 10263 Accredited to ISO/IEC 17025:2017	Healthy Abode Ltd trading as HA Acoustics	
	Issue No: 005	Issue date: 28 November 2025
	HIC113 ARU Arise Science Park Maypole Boulevard Harlow Essex CM17 9TX	Contact: Mr Stuart Nixon Tel: +44 (0) 1245 206 250 E-Mail: info@ha-acoustics.co.uk Website: www.ha-acoustics.co.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Any suitable customer premises	Sound Insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010.	Site
	- Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). For use in England.	Site
	- Approved Document E (2003 Edition incorporating 2004 & 2010 amendments). For use in Wales	Site
	Building Bulletin 93 – Version 17 Feb 2015	Site
	HTM 08-01	Site



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Healthy Abode Ltd
trading as **HA Acoustics**

Issue No: 005 Issue date: 28 November 2025

Testing performed at main address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Acoustics Buildings - elements such as partitions, walls, floors.	Field measurement of airborne sound insulation, ie, Level Difference and related factors 50 Hz – 5 KHz	Sound Insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010. - Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). For use in England. - Approved Document E (2003 Edition incorporating 2004 & 2010 amendments). For use in Wales
	50 Hz – 5 KHz	BS EN ISO 140-4:1998 (Withdrawn) BS EN ISO 717-1:1997 (Withdrawn)
	50 Hz – 5 KHz	Building Bulletin 93 – Version 17 Feb 2015 Tables 3a & 3b
	50 Hz – 5 KHz	HTM 08-01 - 2013
	50 Hz – 5 KHz	BS EN ISO 16283-1:2014+A1:2017 BS EN ISO 717-1:2020
Buildings - floors	Field measurement of impact sound insulation of floors between rooms, ie, Impact Sound Pressure Level and related factors. 50 Hz – 5 KHz	Sound Insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010. - Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). For use in England. - Approved Document E (2003 Edition incorporating 2004 & 2010 amendments). For use in Wales
	50 Hz – 5 KHz	BS EN ISO 140-7:1998 (Withdrawn) BS EN ISO 717-2:1997 (Withdrawn)
	50 Hz – 5 KHz	Building Bulletin 93 – Version 17 Feb 2015 Table 5



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Healthy Abode Ltd
trading as **HA Acoustics**
Issue No: 005 Issue date: 28 November 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<u>Acoustics (Cont.)</u>		
Buildings – floors (Cont.)	50 Hz – 5 KHz	HTM 08-01 - 2013
	50 Hz – 5 KHz	BS EN ISO 16283-2:2020 BS EN ISO 717-2:2020
Rooms	Field measurements of reverberation time 50 Hz – 5 KHz	Building Bulletin 93 – Version 17 Feb 2015 Tables 6 & 7
	50 Hz – 5 KHz	HTM 08-01 - 2013
	50 Hz – 5 KHz Internal ambient noise levels in unoccupied spaces from both external and mechanical sources. Excluding operational noise, rain noise or noise from ventilator actuators and dampers.	BS EN ISO 3382-2:2008 Building Bulletin 93 – Version 17 Feb 2015 Tables 1 & 2
		HTM 08-01 - 2013
END		