Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

10369

Accredited to ISO/IEC 17025:2017

IDIADA Automotive Technology UK Ltd

Issue No: 009 **Issue date:** 19 June 2026

IDIADA Automotive Technology UK Ltd
Bermuda Industrial Estate
St Georges Way
Nuneaton
CV10 7JS

Contact: Jacob Frape
Tel: +44 (0) 2476 328083
E-Mail: idiada_UK@idiada.com
Website: www.idiada.com

Testing performed at the above address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Dyno testing of vehicle braking systems for vehicle categories: M1, M2, M3, N1, N2, N3, O1 O2, O3, O4 (Annex 12 only), L1, L2, L3. L4, and L5. Products: Brake Discs & Drums Brake Pads & linings Brake calliper	<u>Mechanical Testing</u> Dynamometer dynamic and static brake system testing. Types of tests include: Brake Performance Testing. Brake Wear Testing. Brake Integrity Testing. Properties Measured-Range: Resulting Torque 0 – 26000 Nm Hydraulic Pressure 0–200 bar Pneumatic Pressure 0 –10 bar Temperature 0 - 600°C Speed 0 – 3000 rpm Displacement 0 – 300 mm Dynamometer References: PC1, PC2 and CV1	UN Regulation 90.02 - Annex 3, 4 (excluding static test for parking performance), 9 Part A, 11, 12 & 14.

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
	Facilities Three Dynamometers with the following specifications: PC1: Speed - to 3000 rpm Inertia - to 164 kgm² Torque - to 4000 Nm Hydraulic Pressure – to 200 bar Direction – LH & RH PC2: Speed - to 2400 rpm Inertia - to 157 kgm² Torque - to 4000 Nm Hydraulic Pressure – to 200 bar Direction – LH & RH CV1: Speed to 950 & 1900rpm Inertia to 2000 & 466 kgm² Torque to 10000 & 26000 Nm Hydraulic Pressure to 200 bar Pneumatic Pressure to 10 bar Direction – LH & RH	
END		