


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>10532</b> Accredited to ISO/IEC 17025:2017	<b>Wiltshire Ballistic Services Limited</b>	
	<b>Issue No:</b> 002 <b>Issue date:</b> 13 December 2024	
	<b>The Ranges</b> Station Road Devizes SN10 1BZ	<b>Contact:</b> Jason Laird <b>Tel:</b> 07743 453573 <b>E-Mail:</b> jason.laird@globalballisticsolutions.com <b>Website:</b> www.globalballisticsolutions.com
Testing performed at the above address only		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
Security Glazing, Windows, Doors, Shutters and Blinds	Indoor Range with monitored temperature.  Pre-conditioning -50°C to +50°C (+/-1°C)  Projectile Velocity 70 ms <sup>-1</sup> to 1750 ms <sup>-1</sup> (+/- 0.27%)  Calibre of Bullets : 5.56, 7.62 & 9 mm 0.22. 0.357, 0.44 & 0.5in  Calibre of Fragments : 5.5, 7.62, 12.7 & 20mm  12-gauge slug  Bullet (or Fragment) Mass 1g to 10g (+/- 25mg) 10g to 60g (+/- 62mg)	Security glazing. Testing and classification of resistance against bullet attack BS EN 1063:2000  Windows, Doors, Shutters and Blinds, Bullet Resistance Test Method BS EN 1523 :1999  Windows, Doors, Shutters and Blinds, Bullet Resistance requirements and classifications BS EN 1522 :1999
END		