


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 UKAS TESTING 1291 Accredited to ISO/IEC 17025:2017	ALS Laboratories (UK) Limited	
	Issue No: 148 Issue date: 16 June 2026	
	Units 7-8 Hawarden Business Park Manor Lane Flintshire CH5 3US	Contact: Mrs Kath Burns Tel: +44 (0)7811 180164 E-Mail: Kathleen.burns@alsglobal.com Website: www.alsenvironmental.co.uk
Testing performed at main address only		

This schedule is ordered as follows:

[Section 1 Asbestos](#)

[Section 2 Gases – Chemical Testing](#)

[Section 3 Soils and Sludge - Chemical Testing](#)

[Section 4 Waters – Chemical Testing](#)

Note: Accreditation to MCERTS automatically confers an equivalent accreditation to ISO/IEC17025.



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SECTION 1

DETAIL OF ACCREDITATION FOR ASBESTOS ANALYSIS

[Main Menu](#)

Asbestos

[Identification](#)

[Quantification](#)

Asbestos Identification in Bulk Materials and Identification of Asbestos fibres in bulk samples of Soil

Stereo-microscopy, polarised light optical microscopy and dispersion staining

Documented In-House Method based on "Health and Safety Executive – Asbestos: The Analysts' Guide (HSG248) - 2021

TM048

Analyte	Bulk Materials (including materials and products suspected of containing asbestos)	Bulk Samples of Soil (Specifically: Soil, Aggregate)
Amosite	ISO/IEC 17025	ISO/IEC 17025
Chrysotile	ISO/IEC 17025	ISO/IEC 17025
Crocidolite	ISO/IEC 17025	ISO/IEC 17025
Fibrous Actinolite	ISO/IEC 17025	ISO/IEC 17025
Fibrous Anthophyllite	ISO/IEC 17025	ISO/IEC 17025
Fibrous Tremolite	ISO/IEC 17025	ISO/IEC 17025

Quantification of Asbestos fibres in bulk samples of Soil (Following Identification by TM048)

Stereo-microscopy, polarised light optical microscopy and dispersion staining

Documented In-House Method

TM304

Analyte	Bulk Samples of Soil (Specifically: Soil)
Amosite	ISO/IEC 17025
Chrysotile	ISO/IEC 17025
Crocidolite	ISO/IEC 17025
Fibrous Actinolite	ISO/IEC 17025
Fibrous Anthophyllite	ISO/IEC 17025
Fibrous Tremolite	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SECTION 2

DETAIL OF ACCREDITATION FOR GAS ANALYSIS

[Main Menu](#)

Gases

[Volatile Organic Compounds](#)

Volatile Organic Compounds in Gases

VOC by GCMS

Documented In-House Method based on US EPA TO-15

TM330

Analyte	Atmospheric, Sub-Slab and Soil Gases
1,1,1-Trichloroethane	ISO/IEC 17025
1,1,2,2-Tetrachloroethane	ISO/IEC 17025
1,1,2-Trichloroethane	ISO/IEC 17025
1,1-Dichloroethane	ISO/IEC 17025
1,1-Dichloroethene	ISO/IEC 17025
1,2,3-Trimethylbenzene	ISO/IEC 17025
1,2,4-Trichlorobenzene	ISO/IEC 17025
1,2,4-Trimethylbenzene	ISO/IEC 17025
1,2-Dibromoethane	ISO/IEC 17025
1,2-Dichlorobenzene	ISO/IEC 17025
1,2-Dichloroethane	ISO/IEC 17025
1,2-Dichloropropane	ISO/IEC 17025
1,2-Dichlorotetrafluoroethane	ISO/IEC 17025
1,3,5-Trimethylbenzene	ISO/IEC 17025
1,3-Butadiene	ISO/IEC 17025
1,4-Dichlorobenzene	ISO/IEC 17025
2-Butanone (MEK)	ISO/IEC 17025
2-Hexanone	ISO/IEC 17025
4-Methyl-2-pentanone	ISO/IEC 17025
Acrolein	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Organic Compounds in Gases

VOC by GCMS

Documented In-House Method based on US EPA TO-15

TM330

Analyte	Atmospheric, Sub-Slab and Soil Gases
Benzene	ISO/IEC 17025
Benzyl Chloride	ISO/IEC 17025
Bromodichloromethane	ISO/IEC 17025
Bromoform	ISO/IEC 17025
Bromomethane	ISO/IEC 17025
Carbon Disulfide	ISO/IEC 17025
Carbon Tetrachloride	ISO/IEC 17025
Chlorobenzene	ISO/IEC 17025
Chloroethane	ISO/IEC 17025
Chloroform	ISO/IEC 17025
Chloromethane	ISO/IEC 17025
cis-1,2-Dichloroethene	ISO/IEC 17025
cis-1,3-Dichloropropene	ISO/IEC 17025
Cyclohexane	ISO/IEC 17025
Dichlorodifluoromethane	ISO/IEC 17025
Ethylbenzene	ISO/IEC 17025
Hexane	ISO/IEC 17025
m/p-Xylene	ISO/IEC 17025
Methylene Chloride	ISO/IEC 17025
MTBE	ISO/IEC 17025
o-Xylene	ISO/IEC 17025
Styrene	ISO/IEC 17025
Tetrachloroethene	ISO/IEC 17025
Toluene	ISO/IEC 17025
trans-1,2-Dichloroethene	ISO/IEC 17025
trans-1,3-Dichloropropene	ISO/IEC 17025
Trichloroethene	ISO/IEC 17025
Trichlorofluoromethane	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Organic Compounds in Gases

VOC by GCMS

Documented In-House Method based on US EPA TO-15

TM330

Analyte	Atmospheric, Sub-Slab and Soil Gases
Trichlorotrifluoroethane	ISO/IEC 17025
Vinyl Acetate	ISO/IEC 17025
Vinyl Chloride	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SECTION 3

DETAIL OF ACCREDITATION FOR SOILS AND SLUDGE ANALYSIS

[Main Menu](#)

<u>Inorganics</u>			
Acid Extractable Fluoride	Acid Extractable Sulphate	Ammonium	Anions (Discrete Analyser)
Anions (IC)	Cyanide	Elemental Sulphur	Extractable Phosphorous (Olsen's Phosphorous)
Hexavalent Chromium	Loss On ignition	pH	Sulphide
Total Organic Carbon, Total Carbon and Sulphur	Total Solids & Total Ash Solids		

<u>Metals</u>			
Exchangeable Magnesium and Potassium	Mercury	Metals	Water Soluble Boron (10:1)

<u>Organics</u>			
Dichloromethane Extractable Compounds	Extractable Petroleum Hydrocarbons (EPH), in the range >C8 to C40	Gasoline Range Hydrocarbons, Total in the range >C5 to C12	Monohydric Phenols
PCB Congeners	Petroleum Hydrocarbons in the range >C8-C40	Polynuclear Aromatic Hydrocarbons (PAH)	Speciated Extractable Petroleum Hydrocarbons
Volatile Hydrocarbons			



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SOILS AND SLUDGE - INORGANICS TESTS

Acid Extractable Fluoride
Acid Extraction and Ion Selective Electrode
Documented In-House Method
TM397

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil	Sludge
ISO/IEC 17025	ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Acid Extractable Sulphate
By ICP OES
Documented In-House Method
TM221

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil
MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Exchangeable Ammonium
By Steam Distillation and Titration
Documented In-House Method
TM024

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil
MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Water Soluble Anions (2:1)
By Automated Discrete Analyser
Documented In-House Method
TM243

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Chloride	MCERTS
Sulphate	MCERTS

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 **Issue date:** 16 June 2026

Testing performed by the Organisation at the locations specified

Water Soluble Anions (2:1)
By Ion Chromatography (IC)
Documented In-House Method
TM019

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Chloride	MCERTS
Bromide	MCERTS
Nitrate	MCERTS
Sulphate	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Cyanide

By segmented flow analyser
Documented In-House Method based on AWWA/APHA 20th Edition – Method 4500
TM153

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Total Cyanide	MCERTS
Thiocyanate	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Elemental Sulphur

By HPLC
Documented In-House Method
TM136

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil
MCERTS

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 **Issue date:** 16 June 2026

Testing performed by the Organisation at the locations specified

Extractable Phosphorous (Olsen's Phosphorous)

By Discrete Analyser

Documented In-House Method based upon The Analysis of Agricultural Materials, MAFF, Third edition, 1986

TM229

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Hexavalent Chromium

By Discrete Analyser

Documented In-House Method

TM151

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

Sludge

MCERTS

ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Loss on Ignition

By Gravimetry

Documented In-House Method

TM018

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

MCERTS

[Main Menu](#)

[Soil/Sludge](#)

pH

By automated pH probe

Documented In-House Method

TM133

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

Sludge

MCERTS

ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 **Issue date:** 16 June 2026

Testing performed by the Organisation at the locations specified

Sulphide

By Ion Selective Electrode
Documented In-House Method

TM180

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Total Organic Carbon (TOC), Total Carbon and Sulphur

By Combustion Method
Documented In-House Method

TM132

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil	Sludge
Total Organic Carbon (TOC)	MCERTS	ISO/IEC 17025
Total Carbon	ISO/IEC 17025	None
Sulphur	ISO/IEC 17025	None

[Main Menu](#)

[Soil/Sludge](#)

The Determination of Dry Solids residue at 105°C and the Total Ash after ignition at 550°C

By Gravimetric
Documented In-House Method

TM236

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil	Sludge
Dry Matter at 105°C	ISO/IEC 17025	ISO/IEC 17025
Total Ash at 550°C	ISO/IEC 17025	ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SOILS AND SLUDGE - METALS TESTS

Exchangeable Magnesium and Potassium

By ICP OES

Documented In-House Method based on BS 3882:2015

TM244

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Exchangeable Magnesium	ISO/IEC 17025
Exchangeable Potassium	ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Mercury

By Cold Vapour Atomic Fluorescence Spectroscopy

Documented In-House Method

TM418

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Mercury	ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Metals

By ICP-OES

Documented In-House Method

TM181

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Antimony	ISO/IEC 17025
Arsenic	MCERTS
Barium	ISO/IEC 17025
Beryllium	MCERTS
Boron	ISO/IEC 17025
Cadmium	MCERTS
Cobalt	MCERTS
Chromium	MCERTS
Copper	MCERTS



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Metals

By ICP-OES

Documented In-House Method

TM181

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Iron	ISO/IEC 17025
Lead	MCERTS
Manganese	MCERTS
Mercury	MCERTS
Molybdenum	ISO/IEC 17025
Nickel	MCERTS
Selenium	ISO/IEC 17025
Strontium	ISO/IEC 17025
Thallium	ISO/IEC 17025
Tin	ISO/IEC 17025
Vanadium	ISO/IEC 17025
Zinc	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Water Soluble Boron (10:1)

By ICP-OES

Documented In-House Method

TM222

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil
MCERTS

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 **Issue date:** 16 June 2026

Testing performed by the Organisation at the locations specified

SOILS AND SLUDGE - ORGANIC TESTS

Dichloromethane Extractable Compounds

By Solvent Extraction Apparatus
Documented In-House Method

TM004

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)

Extractable Petroleum Hydrocarbons (EPH), in the range >C8 to C40

By Solvent Extraction and GCxGC-FID
Documented In-House Method

TM415

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Gasoline Range Hydrocarbons, Total in the range >C5 to C12

By Headspace GC-FID
Documented In-House Method based on USEPA Methods 8020 and 602

TM089

Where quoted MCERTS performance standard - chemical testing of SOILS

Soil

MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Monohydric Phenols

By HPLC
Documented In-House Method based on MEWAM Book 124-1988/Second Site Property, March 2003, Method 17.7

TM062

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte

Soil

phenol

MCERTS



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Monohydric Phenols

By HPLC

Documented In-House Method based on MEWAM Book 124-1988/Second Site Property, March 2003, Method 17.7

TM062

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
cresols	MCERTS
xynolns	MCERTS
2,3,5-trimethyl phenol	MCERTS
2-isopropylphenol	MCERTS
Total - Sum of the above 5 Monohydric Phenols	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

PCB Congeners

By GC-MS

Documented In-House Method

TM168

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
PCB 28	MCERTS
PCB 52	MCERTS
PCB 77	MCERTS
PCB 81	MCERTS
PCB 101	MCERTS
PCB 105	MCERTS
PCB 114	MCERTS
PCB 118	MCERTS
PCB 123	MCERTS
PCB 126	MCERTS
PCB 138	MCERTS
PCB 153	MCERTS
PCB 156	MCERTS
PCB 157	MCERTS
PCB 167	MCERTS
PCB 169	MCERTS



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

PCB Congeners

By GC-MS
Documented In-House Method
TM168

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
PCB 180	MCERTS
PCB 189	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Petroleum Hydrocarbons in the range >C8 to C40

By GC-FID
Documented In-House Method
TM154

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
ISO/IEC 17025	

[Main Menu](#)

[Soil/Sludge](#)

Polynuclear Aromatic Hydrocarbons (PAH)

By Solvent Extraction and GC-MS
Documented In-House Method
TM218

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Naphthalene	MCERTS
Acenaphthylene	MCERTS
Acenaphthene	MCERTS
Fluorene	MCERTS
Phenanthrene	MCERTS
Anthracene	MCERTS
Fluoranthene	MCERTS
Pyrene	MCERTS
Benz(a)anthracene	MCERTS
Chrysene	MCERTS
Benzo(b)fluoranthene	MCERTS



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Polynuclear Aromatic Hydrocarbons (PAH)

By Solvent Extraction and GC-MS
Documented In-House Method

TM218

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Benzo(k)fluoranthene	MCERTS
Benzo(a)pyrene	MCERTS
Indeno(123cd)pyrene	MCERTS
Dibenzo(ah)anthracene	MCERTS
Benzo(ghi)perylene	MCERTS

[Main Menu](#)

[Soil/Sludge](#)

Speciated Extractable Petroleum Hydrocarbons:

By GCxGC-FID
Documented In-House Method

TM414

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Total EPH >C10-C40	ISO/IEC 17025
Aliphatic >C10-C12	ISO/IEC 17025
Aliphatic >C12-C16	ISO/IEC 17025
Aliphatic >C16-C21	ISO/IEC 17025
Aliphatic >C21-C35	ISO/IEC 17025
Aliphatic >C35-C40	ISO/IEC 17025
Aromatic >C10-C12	ISO/IEC 17025
Aromatic >C12-C16	ISO/IEC 17025
Aromatic >C16-C21	ISO/IEC 17025
Aromatic >C21-C35	ISO/IEC 17025
Aromatic >C35-C40	ISO/IEC 17025
Total Aliphatic >C10-C40	ISO/IEC 17025
Total Aromatic >C10-C40	ISO/IEC 17025

[Main Menu](#)

[Soil/Sludge](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons

By Headspace GC-MS

Documented In-House Method based on USEPA Methods 8240, 8120, 8020, 624, 610 and 602

TM116

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
Dichlorodifluoromethane	ISO/IEC 17025
Chloromethane	ISO/IEC 17025
Vinyl Chloride	MCERTS
Bromomethane	MCERTS
Chloroethane	MCERTS
Trichlorofluoromethane	MCERTS
Trans-1,2-dichloroethene	MCERTS
Dichloromethane	ISO/IEC 17025
Chloroform	MCERTS
1,1,1-trichloroethane	MCERTS
1,1-dichloropropene	MCERTS
Benzene	MCERTS
carbon tetrachloride	MCERTS
dibromomethane	MCERTS
1,2-dichloropropane	MCERTS
bromodichloromethane	MCERTS
trichloroethene	ISO/IEC 17025
cis-1,3dichloropropene	MCERTS
1,1,2-trichloroethane	MCERTS
Toluene	MCERTS
1,3-dichloropropane	MCERTS
dibromochloromethane	MCERTS
tetrachloroethene	MCERTS
1,1,1,2-tetrachloroethane	MCERTS
chlorobenzene	MCERTS
ethylbenzene	MCERTS
m/p-xylene	ISO/IEC 17025
Bromoform	MCERTS



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons

By Headspace GC-MS

Documented In-House Method based on USEPA Methods 8240, 8120, 8020, 624, 610 and 602

TM116

Where quoted MCERTS performance standard - chemical testing of SOILS

Analyte	Soil
o-xylene	MCERTS
1,2,3-trichloropropane	MCERTS
isopropylbenzene	ISO/IEC 17025
bromobenzene	MCERTS
2-chlorotoluene	MCERTS
propylbenzene	MCERTS
4-chlorotoluene	MCERTS
1,2,4-trimethylbenzene	ISO/IEC 17025
1,3-dichlorobenzene	MCERTS
1,4-dichlorobenzene	MCERTS
Carbon disulphide	MCERTS
1,1-dichloroethene	ISO/IEC 17025
1,1-dichloroethane	MCERTS
cis-1,2-dichloroethene	MCERTS
bromochloromethane	MCERTS
1,2-dibromoethane	MCERTS
Styrene	ISO/IEC 17025
1,3,5-trimethylbenzene	MCERTS
tert-butylbenzene	ISO/IEC 17025
1,2-dichlorobenzene	MCERTS
naphthalene	MCERTS
1,2,3-trichlorobenzene	ISO/IEC 17025
Tert-butyl methyl ether	MCERTS
1,2-Dichloroethane	MCERTS
Tert-amyl methyl ether	ISO/IEC 17025
1,1,2,2-Tetrachloroethane	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

SECTION 4

DETAIL OF ACCREDITATION FOR WATERS ANALYSIS

[Main Menu](#)

<u>Inorganics</u>			
Ferrous Iron	Ammonium	Anions (IC)	Anions (Discrete Analyser)
Hexavalent Chromium	Low Level Hexavalent Chromium	Total Oxidised Nitrogen (TON)	Fluoride
Sulphide	Dissolved Oxygen	Biochemical Oxygen Demand (BOD)	Chemical Oxygen Demand (COD)
pH, EC, Total Dissolved Solids and Alkalinity	Suspended Solids	Total Dissolved Solids (Gravimetric)	Turbidity
Cyanide	Cyanide (Low Level)	Total Organic/Inorganic Carbon	Total Nitrogen

<u>Metals</u>			
Dissolved and Total Metals	Dissolved and Total Mercury	Dissolved and Total Metals (MCert)	

<u>Organics</u>			
Gasoline Hydrocarbons	TPH- IR	Extractable Petroleum Hydrocarbons	Semi-Volatile Organic Compounds
Volatile Hydrocarbons	Volatile Fatty Acids	Monohydric Phenols	Polynuclear Aromatic Hydrocarbons
Volatile Hydrocarbons (Low Level)	Cypermethrin	Perfluorinated substances (PFAS)	Poly & Perfluorinated Alkyl Substances (PFAS)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

WATERS - INORGANICS TESTS

[Main Menu](#)

[Waters](#)

<p align="center">Ammonium Ammonium by Automated Discrete Analyser based on BS 2690 Part 7:1968/ BS 6068:Part 2.11:1984 Documented In-House Method TM099 Where quoted MCERTS performance standard - chemical testing of WATERS</p>							
Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Ammoniacal Nitrogen as N and NH3	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)

<p align="center">Anions (IC) Anions by ion chromatography Documented In-House Method TM226 Where quoted MCERTS performance standard - chemical testing of WATERS</p>							
Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Bromide	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Chloride	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Fluoride	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Nitrate	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Nitrate as N and NO3	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Nitrite	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Nitrite as N and NO2	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Total Oxidised Nitrogen (TON) as N	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Phosphate	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Sulphate	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Anions

Anions by Automated Discrete Analyser
Documented In-House Method

TM184

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Chloride	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Nitrite as N and NO ₂	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025
Total Oxidised Nitrogen (TON) as N and NO ₃	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Total Inorganic Nitrogen (by Calculation)	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Phosphate as P and PO ₄	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025
Sulphate as S and SO ₄	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025
Nitrate (Calculated) as N and NO ₃	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)

Total Oxidised Nitrogen (TON) as N and NO₃

Total Oxidised Nitrogen by Automated Discrete analyser
Documented In-House Method

TM281

Analyte	Saline Water
Total Oxidised Nitrogen (TON) as N and NO ₃	ISO/IEC 17025
Nitrate (Calculated) as N and NO ₃	ISO/IEC 17025

[Main Menu](#)

[Waters](#)

Hexavalent Chromium

Hexavalent Chromium by Automated Discrete Analyser
Documented In-House Method

TM241

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Potable Water (non-regulatory)	Saline Water
Hexavalent Chromium	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

[Main Menu](#) [Waters](#)

Low Level Hexavalent Chromium

Hexavalent Chromium by Automated Discrete Analyser
Documented In-House Method

TM331

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Potable Water (non-regulatory)	Saline Water
Hexavalent Chromium	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	ISO/IEC 17025

[Main Menu](#) [Waters](#)

Fluoride

Fluoride by Automated Discrete Analyser
Documented In-House Method

TM104

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Potable Water (non-regulatory)	Saline Water
Fluoride	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None

[Main Menu](#) [Waters](#)

Sulphide

Sulphide by Automated Discrete Analyser
Documented In-House Method

TM101

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Potable Water (non-regulatory)	Saline Water
Sulphide	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025

[Main Menu](#) [Waters](#)

Dissolved Oxygen

Dissolved Oxygen by Titration (including Auto-titrator)
Documented In-House Method

TM187

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Dissolved Oxygen	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

[Main Menu](#) [Waters](#)

Biochemical Oxygen Demand

Biochemical Oxygen Demand based on MEWAM BOD5, 2nd Edition 1988/AWWA/ APHA, 20th Edition - Method 5210B

Documented In-House Method
TM045 (PM210-Settled Prep)

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Biochemical Oxygen Demand (BOD) Total	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Biochemical Oxygen Demand (BOD) Settled	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None

[Main Menu](#) [Waters](#)

Chemical Oxygen Demand

Chemical Oxygen Demand by Tube Test

Documented In-House Method
TM107 (PM210-Settled Prep)

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Chemical Oxygen Demand (COD) Total	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None
Chemical Oxygen Demand (COD) Filtered	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Chemical Oxygen Demand (COD) Settled	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None

[Main Menu](#) [Waters](#)

pH, EC, Total Dissolved Solids and Alkalinity

Combined Skalar Automated pH and EC by meter, Total Dissolved Solids (calculation) and Alkalinity by Auto titrator
Documented In-House Method

TM256

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
pH	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

pH, EC, Total Dissolved Solids and Alkalinity

Combined Skalar Automated pH and EC by meter, Total Dissolved Solids (calculation) and Alkalinity by Auto titrator
Documented In-House Method

TM256

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Electrical Conductivity	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Alkalinity	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Total Dissolved Solids (TDS) Calculation	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None

[Main Menu](#)

[Waters](#)

Suspended Solids

Suspended Solids by Gravimetric Determination based on BS 2690:Part 120:1981
Documented In-House Method

TM022 (PM210-Settled Prep)

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Total Suspended Solids	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	None	ISO/IEC 17025	ISO/IEC 17025
Total Suspended Solids (settled)	None	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None	None
Total Neutralised Suspended Solids	None	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None	None
Total Neutralised Suspended Solids (settled)	None	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None	None
Volatile Suspended Solids at 500°C	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None	None
Non-volatile Suspended Solids at 500°C	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Total Dissolved Solids (Gravimetric)

Total Dissolved Solids by Gravimetric Determination based on BS 2690:Part 121:1981
Documented In-House Method

TM021

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Total Dissolved Solids	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None

[Main Menu](#)

[Waters](#)

Turbidity

Turbidity by nephelometry
Documented In-House Method

TM195

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Turbidity	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)

Cyanide

Cyanide by Segmented Flow Analyser
Documented In-House Method

TM227

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Total Cyanide	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025
Easily Liberated (Free) Cyanide	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025
Thiocyanate	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Cyanide (Low Level)
Cyanide by Segmented Flow Analyser
Documented In-House Method
TM279

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Total Cyanide	ISO/IEC 17025	ISO/IEC 17025	None	None	ISO/IEC 17025	ISO/IEC 17025	None	None
Easily Liberated (Free) Cyanide	ISO/IEC 17025	ISO/IEC 17025	None	None	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)

Total Organic/Inorganic Carbon
Total Organic/Inorganic Carbon by TOC analyser
Documented In-House Method
TM090

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Total Organic Carbon	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	ISO/IEC 17025
Total Inorganic Carbon	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)

Ferrous Iron
Ferrous Iron using Colorimetry
Documented In-House Method
TM125

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Ferrous Iron	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Total Nitrogen

Total Nitrogen by Skalar
Documented In-House Method

TM212

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Total Nitrogen	ISO/IEC 17025	ISO/IEC 17025	MCERTS	MCERTS	MCERTS	ISO/IEC 17025	None	None
Calculation of Kjeldahl Nitrogen	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

WATERS - METALS TESTS

Dissolved and Total Metals
Dissolved and Total Metals by ICP-MS with KED
Documented In-House Method
TM152

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Dissolved Metals:							
Aluminium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Antimony	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	ISO/IEC 17025	None
Arsenic	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Barium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Beryllium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Bismuth	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Boron	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Cadmium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Calcium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Chromium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Cobalt	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Copper	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Iron	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Lead	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Lithium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Magnesium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Manganese	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Molybdenum	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Nickel	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Potassium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Phosphorus	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Selenium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Silver	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Sodium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Dissolved and Total Metals
Dissolved and Total Metals by ICP-MS with KED
Documented In-House Method
TM152

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Strontium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Tin	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Titanium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Tungsten	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Uranium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Vanadium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Zinc	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Total Metals:							
Aluminium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Antimony	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Arsenic	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Barium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Beryllium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Bismuth	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Boron	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Cadmium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Calcium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Chromium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Cobalt	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Copper	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Iron	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Lead	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Lithium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Magnesium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Manganese	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Molybdenum	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Nickel	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Dissolved and Total Metals
Dissolved and Total Metals by ICP-MS with KED
Documented In-House Method
TM152

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Potassium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Phosphorus	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Selenium	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	ISO/IEC 17025	None
Silver	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Sodium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Strontium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Tin	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Titanium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Tungsten	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Uranium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Vanadium	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None
Zinc	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None

[Main Menu](#)

[Waters](#)

Dissolved and Total Mercury

Dissolved and Total Mercury by Cold Vapour Atomic Fluorescence Spectroscopy
Documented In-House Method

TM183

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Dissolved Mercury	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Total Mercury	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Dissolved and Total Metals (MCerts)

Dissolved and Total Metals by ICPMS with Kinetic Energy Discrimination (KED)
Documented In-House Method

TM377

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Dissolved Metals:							
Aluminium	None	None	MCERTS	MCERTS	MCERTS	None	None
Arsenic	None	None	MCERTS	MCERTS	MCERTS	None	None
Cadmium	None	None	MCERTS	MCERTS	MCERTS	None	None
Chromium	None	None	MCERTS	MCERTS	MCERTS	None	None
Cobalt	None	None	MCERTS	MCERTS	MCERTS	None	None
Copper	None	None	MCERTS	MCERTS	MCERTS	None	None
Iron	None	None	MCERTS	MCERTS	MCERTS	None	None
Lead	None	None	MCERTS	MCERTS	MCERTS	None	None
Nickel	None	None	MCERTS	MCERTS	MCERTS	None	None
Phosphorus	None	None	MCERTS	MCERTS	MCERTS	None	None
Selenium	None	None	MCERTS	MCERTS	MCERTS	None	None
Zinc	None	None	MCERTS	MCERTS	MCERTS	None	None
Total Metals:							
Aluminium	None	None	MCERTS	MCERTS	MCERTS	None	None
Arsenic	None	None	MCERTS	MCERTS	MCERTS	None	None
Cadmium	None	None	MCERTS	MCERTS	MCERTS	None	None
Chromium	None	None	MCERTS	MCERTS	MCERTS	None	None
Cobalt	None	None	MCERTS	MCERTS	MCERTS	None	None
Copper	None	None	MCERTS	MCERTS	MCERTS	None	None
Iron	None	None	MCERTS	MCERTS	MCERTS	None	None
Lead	None	None	MCERTS	MCERTS	MCERTS	None	None
Nickel	None	None	MCERTS	MCERTS	MCERTS	None	None
Phosphorus	None	None	MCERTS	MCERTS	MCERTS	None	None
Zinc	None	None	MCERTS	MCERTS	MCERTS	None	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

WATERS - ORGANICS TESTS

Gasoline Hydrocarbons Banded and Total Gasoline Hydrocarbons by Headspace GC-FID Documented In-House Method based on USEPA Methods 8020 and 602 TM245 Where quoted MCERTS performance standard - chemical testing of WATERS							
Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Total in the range >C5-C12	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
>C6-C8	None	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
>C8-C10	None	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
>C10-C12	None	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
Benzene	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
Toluene	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
Ethyl Benzene	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
o-xylene	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
m/p-xylene	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
MTBE	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None
TAME	ISO/IEC 17025	None	None	None	None	None	None

[Main Menu](#) [Waters](#)

Total Petroleum Hydrocarbons TPH by Infra-red Documented In-House Method TM235 Where quoted MCERTS performance standard - chemical testing of WATERS							
Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Total Petroleum Hydrocarbons	ISO/IEC 17025	None	None	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#) [Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Extractable Petroleum Hydrocarbons
Extractable Petroleum Hydrocarbons by GC-FID
Documented In-House Method
TM172

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
Extractable Petroleum Hydrocarbons C10-C40	ISO/IEC 17025	ISO/IEC 17025	None	ISO/IEC 17025	None	None	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)

Semi-Volatiles Organic Compounds (SVOCs)
SVOCs by GC-MS
Documented In-House Method
TM176

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
Bis(2-chloroethyl)ether	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Chlorophenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
1,4-Dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
1,3-Dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
1,2-Dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Methylphenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
N-nitrosodi-n-propylamine	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Hexachloroethane	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
4-Methylphenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Nitrobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Isophorone	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Nitrophenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,4-Dimethylphenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Bis(2-chloroethoxy)methane	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,4-Dichlorophenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
1,2,4-Trichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Naphthalene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Hexachlorobutadiene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Semi-Volatiles Organic Compounds (SVOCs)

SVOCs by GC-MS

Documented In-House Method

TM176

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
4-Chloro-3-methylphenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Methylnaphthalene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,4,6-Trichlorophenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,4,5-Trichlorophenol	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Chloronaphthalene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2-Nitroaniline	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Dimethyl phthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Acenaphthylene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,6-Dinitrotoluene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Acenaphthene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Dibenzofuran	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
2,4-Dinitrotoluene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Fluorene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Diethyl phthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
4-Chlorophenylphenylether	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
4-Nitroaniline	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Azobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
4-Bromophenylphenylether	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Hexachlorobenzene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Phenanthrene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Anthracene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Di-n-butylphthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Carbazole	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Fluoranthene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Pyrene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Butylbenzylphthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Benz(a)anthracene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Chrysene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Semi-Volatiles Organic Compounds (SVOCs)

SVOCs by GC-MS

Documented In-House Method

TM176

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
Bis(2-ethylhexyl)phthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Di-n-octylphthalate	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Benzo(b)fluoranthene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Benzo(k)fluoranthene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Benzo(a)pyrene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Indeno(1,2,3-cd)pyrene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Dibenzo(a,h)anthracene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None
Benzo(ghi)perylene	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None

[Main Menu](#)

[Waters](#)

Volatile Hydrocarbons

Volatile Hydrocarbons by Headspace GC-MS

Documented In-House Method

TM208

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
Chloromethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Vinyl Chloride	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Chloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Dichloromethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1-dichloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
tert-butyl methyl ether	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
cis-1,2-dichloroethene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
bromochloromethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
chloroform	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1,1-trichloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1-dichloropropene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
benzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
dibromomethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons

Volatile Hydrocarbons by Headspace GC-MS
Documented In-House Method

TM208

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
trichloroethene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1,2-trichloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
toluene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,3-dichloropropane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2-dibromoethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
tetrachloroethene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
chlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
m/p-xylene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
styrene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
o-xylene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2,3-trichloropropane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
isopropylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
bromobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
2-chlorotoluene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
propylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
4-chlorotoluene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
n-butylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
naphthalene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
carbon tetrachloride	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Trans-1,2-dichloroethene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
ethylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2-dichloropropane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
bromomethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Tert-amyl methyl ether	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Trichlorofluoromethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1-dichloroethene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Carbon disulphide	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Bromodichlormethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons

Volatile Hydrocarbons by Headspace GC-MS
Documented In-House Method

TM208

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate
trans-1,3-dichloropropene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Dibromchloromethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1,1,2-tetrachloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Bromoform	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,3,5-trimethylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Tert-butylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2,4-trimethylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Sec-butylbenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
4-isopropyltoluene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,3-dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,4-dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2,4-trichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2-dichloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,1,1,2-tetrachloroethane	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2-dichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Cis-1,3-dichloropropene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
Hexachlorobutadiene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025
1,2,3-trichlorobenzene	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025

[Main Menu](#)

[Waters](#)

Volatile Fatty Acids

Volatile Fatty Acids by GC-FID
Documented In-House Method

TM201

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Acetic acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Propionic Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Isobutyric Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Fatty Acids

Volatile Fatty Acids by GC-FID
Documented In-House Method

TM201

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Butyric Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Isovaleric Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Valeric Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Caproic Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None
Heptanoic Acid	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None

[Main Menu](#)

[Waters](#)

Monohydric Phenols

Monohydric Phenols by HPLC
Documented In-House Method

TM259

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Potable Non-Regulatory	Saline Water
Phenol	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Cresols	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Xylenols	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Sum of the above 3 Monohydric Phenols	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
2,3,5-trimethylphenol	None	ISO/IEC 17025	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
2-isopropylphenol	None	ISO/IEC 17025	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None
Total Speciated 5 Phenols (sum of the monhydric phenols, 2,3,5-TrimethylPhenol and 2-isopropylPhenol)	None	ISO/IEC 17025	None	ISO/IEC 17025	ISO/IEC 17025	ISO/IEC 17025	None	None

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Polynuclear Aromatic Hydrocarbons (PAHs)

PAHs by GC-MS

Documented In-House Method

TM178

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Naphthalene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Acenaphthylene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Acenaphthene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Fluorene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Phenanthrene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Anthracene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Fluoranthene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Pyrene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benz(a)anthracene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Chrysene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benzo(b)fluoranthene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benzo(k)fluoranthene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benzo(a)pyrene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Indeno(1,2,3-cd)pyrene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Dibenzo(a,h)anthracene ²	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benzo(g,h,i)perylene ^{1,2}	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Sum of "Dutch 10" PAHs (annotated ¹)	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Sum of "EPA 16" PAHs (annotated ²)	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons (Low Level)

VOC by Headspace GC-MS
Documented In-House Method

TM265

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Saline Water
Vinyl Chloride	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1,1,2-tetrachloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1,1-Trichloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1,2,2-Tetrachloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1,2-Trichloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1-Dichloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1-Dichloroethene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,1-Dichloropropene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2,3-Trichlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2,3-Trichloropropane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2,4-Trichlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2,4-Trimethylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2-Dibromo-3-Chloropropane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2-Dibromoethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2-Dichlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2-Dichloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,2-Dichloropropane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,3,5-Trimethylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,3-Dichlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,3-Dichloropropane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
1,4-Dichlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
2-Chlorotoluene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
4-Chlorotoluene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
4-Isopropyltoluene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Benzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Bromobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Bromochloromethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Bromodichloromethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Volatile Hydrocarbons (Low Level)

VOC by Headspace GC-MS
Documented In-House Method

TM265

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Saline Water
Bromoform	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Carbon tetrachloride	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Chlorobenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Chloroethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Cis-1,2-Dichloroethene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Cis-1,3-Dichloropropene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Dibromochloromethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Dibromomethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Ethylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Hexachlorobutadiene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Isopropylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Naphthalene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
n-Butylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
o-Xylene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
p/m-Xylene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Propylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Sec-Butylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Styrene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Tert-Butylbenzene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Tetrachloroethene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Toluene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Trans-1,2-Dichloroethene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Trans-1,3-Dichloropropene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Trichloroethene	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025
Trichlorofluoromethane	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Cypermethrin

Cypermethrin by LC-MS-MS
Documented In-House Method

TM422

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water
Cypermethrin	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	ISO/IEC 17025

[Main Menu](#)

[Waters](#)

Poly & Perfluorinated Alkyl Substances (PFAS)

Poly & Perfluorinated Alkyl Substances (PFAS) by SPE & LC-MS-MS
Documented In-House Method

TM434

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
PFBA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFMOPrA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
3:3FTCA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFPeA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFMOBA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
4:2FTS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
NFDHA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFBS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFHxA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
HFPO-DA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFEESA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFHpA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFPeS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
5:3FTCA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
ADONA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
6:2FTS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
FBSA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Poly & Perfluorinated Alkyl Substances (PFAS)
Poly & Perfluorinated Alkyl Substances (PFAS) by SPE & LC-MS-MS
Documented In-House Method
TM434

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
PFOA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFHxS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFNA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFecHS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFHpS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
8:2FTS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
HFPO-TA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
7:3FTCA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFDA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
MeFOSAA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFOS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
EtFOSAA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
FHxSA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFUnA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
9CI-PF3ONS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFNS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFDoA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFDS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFTTrDA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
11CI-PF3OUdS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFOSA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFUndS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFTTeA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFDoS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFTTrDS	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None



1291

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

ALS Laboratories (UK) Limited

Issue No: 148 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Poly & Perfluorinated Alkyl Substances (PFAS)

Poly & Perfluorinated Alkyl Substances (PFAS) by SPE & LC-MS-MS
Documented In-House Method

TM434

Where quoted MCERTS performance standard - chemical testing of WATERS

Analyte	Surface Water	Ground Water	Untreated Sewage	Treated Sewage	Trade Effluent	Landfill Leachate	Saline Water	Potable Non-Regulatory
MeFOSE	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFHxDA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
N-MeFOSA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
EtFOSE	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
N-EtFOSA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None
PFODA	ISO/IEC 17025	ISO/IEC 17025	None	None	None	None	None	None

[Main Menu](#)

[Waters](#)

END