Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



Accredited to ISO/IEC 17025:2017

E14 5HU

BALFOUR BEATTY PLC T/A Balfour Beatty Transport Energy Power Major Projects

Issue No: 115 Issue date: 06 May 2025

5 Churchill Place Contact: Mr G P Booker
Canary Wharf Tel: +44 (0) 7730822036

London E-Mail: Graham.Booker@balfourbeatty.com

Website: www.balfourbeatty.com

Testing performed by the Organisation at the locations specified below

Balfour Beatty TEPMP has demonstrated its competence to establish new temporary site laboratories to conduct the testing activities covered by the scope of their accreditation in accordance with their procedure ENG-PR-0212-LAB

Current locations covered by the scope of accreditation: NCL = No Current Location

Location details		Activity	Location code
Balfour Beatty Site Laboratory Hinkley Point C Marine Works Contract Wick Moor Drive Bridgewater TA5 1UD What3words: loudness.warms.quail	Local contact: Mr M Ciez Tel: +44(0) 7429 317511 Email: miroslaw.ciez@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete. Sampling of cement.	R
Balfour Beatty Site Laboratory A63 Project Office Wellington Street West Hull HU1 2DG What3words: game.rent.roofs	Local contact Mr B Walton Tel: +44 (0) 7834 544582 Email: billy.walton@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete and soils	Z
Balfour Beatty Laboratory M25 Jct 10 Project Office Portsmouth Road Ripley Woking GU23 6FN What3words: level.scary.save	Local contact Mr M Tyler Tel: +44 (0) 7880824274 Email: matthew.tyler@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete and soils and road pavement surfaces	J
Balfour Beatty Materials Laboratory M1 Jct 10-13 DHS Enhancements Chalton Farm Compound Luton Road Luton LU4 9UB What3words: Infants.husbands.intervene	Local contact Mr Thomas Short Tel: +44 (0) 7922 126707 Email: Thomas.Short2@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, and soils for civil engineering purposes	N

Assessment Manager:ND1 Page 1 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Location details		Activity	Location code
Balfour Beatty Materials Laboratory M25 South NEARS Scheme Jct 6 Compound Park Rooks Nest Streete Court Godstone Surrey RH9 8BY What3words: canny.windy.income	Local contact Mr Kieran Savage Tel: +44 (0) 7784 219409 Email: Kieran.savage@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, and soils for civil engineering purposes	0
Balfour Beatty Materials Laboratory Devonport Royal Dockyard Building N051C 5 Basin North Yard PL1 4SG What3words: swing.lock.heave	Local contact James Lockley Tel: +44 (0) 7549 211460 Email: james.lockley@balfourbeatty.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, and soils for civil engineering purposes Sampling of cement.	Т
Balfour Beatty Materials Laboratory Sizewell C Cappers Lane Laboratory BBV Site Compound Cappers Lane Lichfield WS14 9JP What3words: rising.loafing.astounded	Local contact Mr K Hill Tel: +44(0) 7870504233 Email: kevin.hill2@balfourbeatty.com	Sampling and testing of aggregates and soils for civil engineering purposes. Sampling of cement.	P

High Speed 2 Projects

Location details		Activity	Location code
Balfour Beatty Vinci HS2 Avonmouth Laboratory Royal Edward Dock Avonmouth Bristol BS11 9BW What3words: troll.huddled.filed	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, fresh and hardened concrete.	L
Balfour Beatty Laboratory HS2 N1 + N2 Bromford East Park Hall N12 Gate 1 B4118 Birmingham Road Water Orton Warwickshire B46 1TG What3words : glove.random.reform	Local contact: Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, grout, fresh and hardened concrete	M

Assessment Manager: ND1 Page 2 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Location details		Activity	Location code
Balfour Beatty Vinci HS2 Cappers Lane Laboratory BBV Site Compound Cappers Lane Lichfield WS14 9JP What3words: rising.loafing.astounded	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, road pavement surfaces and soils for civil engineering purposes	X
Balfour Beatty Vinci HS2 Washwood Heath Laboratory Drews Lane Birmingham B8 2QF What3words: herds.spit.name	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, and soils for civil engineering purposes	A
Balfour Beatty Vinci HS2 M6 Loop Laboratory N21 Gate 17 Coleshill Heath Road Coleshill B46 3HN What3words: rock.analorty.myself	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, grout, fresh and hardened concrete and soils for civil engineering purposes	Е
Balfour Beatty Vinci HS2 A46 Kenilworth Laboratory Ashow Road Stoneleigh Coventry CV8 3DJ What3words: hype.panic.brick	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of aggregates, grout, fresh and hardened concrete, road pavement surfaces and soils for civil engineering purposes	В
Balfour Beatty Laboratory HS2 N1+ Kingsbury Main Compound Kingsbury Road Warwickshire B76 0DH What3words: walls.stop.pebble	Local contact Mr A Torrance Tel: +44(0) 7811 205405 Email: Andrew.torrance@balfourbeattyvinci.com	Sampling and testing of fresh and hardened concrete.	I

Site activities performed away from the locations listed above:

Location details	Activity	Location code
All sites suitable for the activities listed	Sampling of aggregates, bituminous mixtures, fresh concrete, earthworks materials and cement. On-site testing of concrete, bituminous mixtures, paved surfaces, bituminous road surfacng, road pavement surfaces and soils for civil engineering purposes.	S

Assessment Manager: ND1 Page 3 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Sampling from conical stockpiles	BS EN 932-1:1997:Annex C	L, R, S, X, Z, A, B, E, J, N, O, T, P
	Sample reduction : using a riffle box - by quartering - to a test portion of specified mass	BS EN 932-2:1999:Clause 8, 10 & 11	L, R, S, X, Z, A, B, E, J, N, O, T, P
	Particle size distribution	BS EN 933-1:2012	L, R, X, Z, A, B, E, J, N, O, P
	Flakiness index	BS EN 933-3:2012	L, X, B, E, P
	Shape index	BS EN 933-4: 2008	E
	Shell content	BS EN 933-7:1998	NCL
	Assessment of fines - methylene blue test	BS EN 933-9:2009 BS EN 933-9:2022	X, P
	Classification for the constituents of coarse recycled aggregate	BS EN 933-11:2009	X, Z, B, E, J, O
	Resistance to wear (micro -Deval)	BS EN 1097-1:2011 BS EN 1097-1:2023	Е
	Resistance to fragmentation (Los Angeles Abrasion)	BS EN 1097-2:2010 BS EN 1097-2:2020	Е
	Loose bulk density and voids	BS EN 1097-3:1998	L, X, Z, A, B, E, N, O, T, P
	Water content by drying in a ventilated oven	BS EN 1097-5:2008	L, X, Z, A, B, E, J, I, N, O, T, P
	Particle density and water absorption	BS EN 1097-6:2013 BS EN 1097-6:2022	L, X, B, E, N, O, P, J
	Fineness Modulus - Calculation only	BS EN 12620: 2002 Annex B	NCL

Assessment Manager: ND1 Page 4 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES (cont'd)	Uniformity coefficient	BS EN 14688-2: 2018	A, B, E, L, J, X, Z, T, P
	Friability coefficient for fine aggregate	NF P18-576:1990	E
BITUMINOUS MIXTURES for roads and other paved areas	Sampling - around the augers of a paver - heaps of workable material - in laid and compacted material by coring method	BS EN 12697-27:2017	S, Z, J
	Particle size distribution	BS EN 12697-2: 2015+A1:2019	NCL
	Maximum density - volumetric procedure	BS EN 12697-5:2018	E, J
	Determination of bulk density of bituminous specimens - Dry - Saturated Surface Dry - Sealed specimen - Dimensions	BS EN 12697-6:2020	E, J
	Air voids content	BS EN 12697-8:2018	E, J
	Percentage refusal density (PRD) by vibratory compaction	BS EN 12697-9:2002	E, J
	Temperature measurement - Measurement material temperature after it has been laid and before or during rolling - Measurements of temperature in a heap	BS EN 12697-13:2017 Contact thermometer	S
	Temperature measurement - Measurements of temperature in a heap - Measurements of temperature in a paver hopper	BS EN 12697-13:2017 Infrared-thermometer	S
	Preparation of samples	BS EN 12697-28:2020	E, S, J

Assessment Manager: ND1 Page 5 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas (cont'd)	Dimensions of a specimen	BS EN 12697-29:2020	Е
areas (cont u)	Binder content by ignition	BS EN 12697-39:2004	NCL
	Laboratory compaction of bituminous mixtures by vibratory compaction	BS EN 12697-32:2019	Е
GROUT	Flow	ASTM C939-22	S, X, Z, A, B, E, J, N, O
CONCRETE - fresh	Sampling fresh concrete on site	BS EN 12350-1:2019	L, R, S, X, Z, A, B, E, J, I, M, N, O, T
	Concrete temperature	BS 8500-2 + A2:2019 Clause 5.4	S
	Slump	BS EN 12350-2:2019	L, R, S, X, Z, A, B, E, J, I, M, N, O, T
	Vebe	BS EN 12350-3:2019	S, L
	Degree of compactability	BS EN 12350-4:2019	S, J
	Flow	BS EN 12350-5:2019	R, S, X, Z, A, B, E, I, J, M, O
	Density	BS EN 12350-6:2019	L, R, S, Z, A, B, X, E, J, I, M, O, T
	Air content - pressure gauge method	BS EN 12350-7:2019	S, X, A, B, E, J, R, N, O
	Slump-flow test of self-compacting concrete	BS EN 12350-8:2019	R, S, Z, E, J, I
	L Box Test	BS EN 12350-10:2010	R, S
	Sieve Segregation	BS EN 12350-11:2010	R, S

Assessment Manager: ND1 Page 6 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – fresh (cont'd)	Making and curing specimens for strength tests	BS EN 12390-2:2019	L, R, S, X, Z, A, B, E, J, I, M, N, O, T
	Determination of bleeding (admixtures for concrete)	BS EN 480-4:2005	NCL
	Fibre content of fibre re-inforced concrete	BS EN 14488-7:2006 Method B	R, B, M
CONCRETE - hardened	Compressive strength of cubes including curing	BS EN 12390-1:2012 BS EN 12390-1:2021	L, R, X, Z, A, B, E, H, J, I, N, O, T
		BS EN 12390-2:2019	L, R, X, Z, A, B, E, J, M, O, T
		BS EN 12390-3:2019	L, R, X, Z, A, B, E, J, O, T
	Flexural strength	BS EN 12390-5:2019	NCL
	Tensile splitting strength	BS EN 12390-6:2009	L, R
	Density	BS EN 12390-7:2019 + AC 2020	L, R, X, Z, A, B, E, J, I, N, O, T
	Depth of penetration of water under pressure	BS EN 12390-8 2019	R
	Determination of the shrinkage of concrete	BS EN 12390-16 2019	R
	Cored specimens - taking, examining and testing in compression	BS EN 12504-1:2019	L, R, S, X, A, B, E, M
	Concrete rebound number	BS EN 12504-2:2021	S, R
	Length change of concrete prisms	ASTM C341-06	NCL
	Fibre content of fibre re-inforced concrete	BS EN 14488-7:2006 Method A	R

Assessment Manager: ND1 Page 7 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – reinforced	Location of reinforcement	BS 1881:Part 204:1998	S, R
	Concrete condition survey	Documented In-house Method ENG-PR-0224-LAB	S, R
MORTAR for masonry	Determination of consistence of fresh mortar (by flow table)	BS EN 1015-3:1999	R
ROAD PAVEMENT SURFACES	Surface regularity using a rolling straight-edge	Specification for Highway Works, TSO 2018, Clause 702 and TPS 25	S, J, Z
	Texture depth by the sand patch method	BS 598:Part 105:2000	S
	Macrotexture depth using a volumetric patch technique	BS EN 13036-1:2010	S, J, Z
	Description of cores from highway investigations	DIHM ENG-PR-0223-LAB Considering CS229 Revision: 0	X, B, E
BITUMINOUS ROAD SURFACING	Determination of in-situ density using a pavement Quality Indicator	DIHM ENG-PR-0225-LAB based on Annex I of BS EN 594987: 2015 clause 9.4.2	S
PAVED SURFACES	Slip resistance of a surface – the pendulum test	BS 7976:Part 2:2002+A1:2013	S
SOILS and STABILISED SOILS for civil engineering	Moisture content - oven drying method	BS 1377:Part 2:1990	X, A, B, E
purposes, UNBOUND and HYDRAULICALLY BOUND MIXTURES	Saturation moisture content of chalk	BS 1377:Part 2:1990 BS 1377:Part 2:2022	F, J
	Plastic limit	BS 1377:Part 2:1990	X, Z, B,E, J, N, O, P
	Liquid limit -cone penetrometer -cone penetrometer (one point)	BS 1377:Part 2:1990	X, B, E, N, P, J

Assessment Manager: ND1 Page 8 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS and STABILISED SOILS for civil engineering purposes, UNBOUND and HYDRAULICALLY BOUND MIXTURES (cont'd)	Plasticity index and liquidity index	BS 1377:Part 2:1990	X, B, E, N, P
WIXTORES (COIL d)	Particle size distribution - wet and dry sieving	BS 1377:Part 2:1990	X, Z, A, B, E, J, N, O, P
	Particle size distribution - sedimentation - pipette method	BS 1377:Part 2:1990	X, P
	Particle density - gas jar method	BS 1377:Part 2:1990	X, Z, B, E, N, O, P, J
	pH value	BS 1377-3: 2018 + A1:2021 Lab Clause 12	Z, X, P
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377:Part 4:1990	X, Z, B, E, J, N, O, P
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377:Part 4:1990	X, Z, B, E, J, N, O, P
	Dry density/moisture content relationship (vibrating hammer)	BS 1377:Part 4:1990	X, Z, B, E, J, N, O, P
	Moisture condition value	BS 1377:Part 4:1990	X, Z, A, B, E, J, N, O, P
	California Bearing Ratio (CBR) Including soaking	BS 1377:Part 4:1990	X, B, E, P
	In-situ density- sand replacement method (large & small cylinder)	BS 1377:Part 9:1990	S
	In-situ density - core cutter method	BS 1377:Part 9:1990	S
	In-situ density - nuclear compliance testing	BS 1377:Part 9:1990	S, X, A, B, E, J, N, O, P
	Vertical deformation and strength characteristics by the plate loading test	BS 1377:Part 9:1990	S, X, Z, A, B, E, J, N, O, T, P

Assessment Manager: ND1 Page 9 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS and STABILISED SOILS for civil engineering purposes, UNBOUND and HYDRAULICALLY BOUND MIXTURES (cont'd)	Calculation of equivalent CBR values using the plate loading test	Design Manual for Roads and Bridges V7:Pavement Design and Maintenance – Foundations	S, X, Z, A, B, E, J, N, O, T, P
WINT ONLO (COIN d)	Moisture content - oven drying method	BS 1924:Part 2:1990	NCL
	In-situ density - nuclear gauge method	BS 1924:Part 2:1990	S, X, A, B, E, P
	Initial consumption of lime	BS 1924:Part 2:2018	X, B, E
	Reference density and water content - Proctor compaction	BS EN 13286-2:2010	X, B, E, N, P
	Laboratory reference density and water content - vibrating hammer method	BS EN 13286-4:2003	X, B, E, N, P
	Indirect tensile strength	BS EN 13286-42 : 2003	Е
	Moisture condition value	BS EN 13286-46: 2003	X, A, B, E
	California bearing ratio, immediate bearing index and linear swelling	BS EN 13286-47: 2012	X, B, E, P
	Degree of pulverization	BS EN 13286-48:2005	X, A, B, E
	Manufacture of test specimens using vibrating hammer	BS EN 13286-51:2004	S, X, A, B, E, P
	Compressive strength of cubic specimens	BS EN 13286-41:2003	X, A, B, E, P
	Uniformity coefficient	SHW: Series 600:Table 6- 1:Footnote 5	R, X, Z, A, B, E, J, N, T, P
	Hand shear vane	Guideline for handheld shear vane test: New Zealand Geotechnical Society Inc August 2001	S, X, Z, A, B, E, J, N, O, T,
	Dynamic Cone Penetrometer	Documented In-house Method ENG-PR-0217-LAB	S, X, Z, A, B, E, J, N, O, P

Assessment Manager: ND1 Page 10 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS and STABILISED SOILS for civil engineering purposes, UNBOUND and HYDRAULICALLY BOUND MIXTURES (cont'd)	Sampling earthworks materials	Documented In-house Method ENG-PR-0213-LAB	S, X, Z, A, B, E, J, N, O, T, P
GEOTECHNICAL INVESTIGATION and TESTING	Water content	BS EN ISO 17892-1:2014	X, Z, A, B, E, F, J, N, O, T, P
CEMENT	Taking and preparing samples of cement and GGBS (Ground Granulated Blast-furnace Slag) – sampling from silos	BS EN 196-7:2008	R, T, P
	Compressive strength	BS EN 196-1:2016	NCL
	Setting time	BS EN 196-3:2016	NCL
	Soundness	BS EN 196-3:2016	NCL
	Fineness - air permeability (Blaine) method	BS EN 196-6:2010	NCL
	Fineness - air jet sieving method	BS EN 196-6:2010	NCL
GROUND GRANULATED BLASTFURNACE SLAG for use with Portland Cement	Activity Index	EN 15167-1:2006 BS EN 196-1	NCL
	Setting time	EN 15167-1:2006 BS EN 196-3	NCL
	Soundness	EN 15167-1:2006 BS EN 196-3	NCL
	Fineness - air permeability (Blaine) method	EN 15167-1:2006 BS EN 196-6	NCL

Assessment Manager: ND1 Page 11 of 12



Schedule of Accreditation

issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BALFOUR BEATTY PLC T/A

Balfour Beatty Transport Energy Power Major Projects Issue No: 115 Issue date:

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code	
STRUCTURAL FIXINGS	Measurement of bond strength by pull off	BS EN 1542:1999	R	
END				

Assessment Manager: ND1 Page 12 of 12