


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p><b>1636</b></p> <p>Accredited to <b>ISO/IEC 17025:2017</b></p>	<p align="center"><b>Drug Control Centre – King’s College London</b></p> <p align="center"><b>Issue No: 049    Issue date: 19 May 2025</b></p> <table border="1"> <tr> <td data-bbox="395 465 842 719"> <p><b>The Franklin-Wilkins Building</b>  <b>150 Stamford Street</b>  <b>London</b>  <b>SE1 9NH</b>  <b>United Kingdom</b></p> </td><td data-bbox="842 465 1493 719"> <p><b>Contact: Sona Rubinchik</b>  <b>Tel: +44 (0)20 7848 4849</b>  <b>E-Mail: sona.rubinchik@kcl.ac.uk</b>  <b>Website: www.kcl.ac.uk/dcc</b></p> </td></tr> </table> <p align="center"><b>Testing performed at the above address only</b></p>	<p><b>The Franklin-Wilkins Building</b>  <b>150 Stamford Street</b>  <b>London</b>  <b>SE1 9NH</b>  <b>United Kingdom</b></p>	<p><b>Contact: Sona Rubinchik</b>  <b>Tel: +44 (0)20 7848 4849</b>  <b>E-Mail: sona.rubinchik@kcl.ac.uk</b>  <b>Website: www.kcl.ac.uk/dcc</b></p>
<p><b>The Franklin-Wilkins Building</b>  <b>150 Stamford Street</b>  <b>London</b>  <b>SE1 9NH</b>  <b>United Kingdom</b></p>	<p><b>Contact: Sona Rubinchik</b>  <b>Tel: +44 (0)20 7848 4849</b>  <b>E-Mail: sona.rubinchik@kcl.ac.uk</b>  <b>Website: www.kcl.ac.uk/dcc</b></p>		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p><b>BODY FLUIDS</b></p> <p>Human Urine</p> <p>Human Urine</p>	<p><u>Physical - Chemical Analysis</u></p> <p>pH</p> <p>Specific gravity</p> <p><u>Chemical Analysis</u></p> <p>Initial Testing Procedures and Qualitative Confirmation Procedures of substances prohibited by the World Anti Doping Agency (WADA) Including:</p> <p>S0 Non-approved Substances.  S1 Anabolic agents (including 19-norandrosterone)  S3 Beta-2 Agonists (b2ag)  S2 Peptide hormones, growth factors, related substances and mimetics  S4 Hormone and metabolic modulators  S5 Diuretics and other masking agents, including plasma expanders  M1 Manipulation of Blood and Blood Components (e.g. Efaproxiral RSR13)  S6 Stimulants  S7 Narcotics  S8 Cannabinoids  S9 Glucocorticoids  P1 Beta Blockers  Alcohol Markers: (Ethyl glucuronide, Ethyl Sulphate)</p>	<p>Documented In house methods in accordance with WADA International Standard for Laboratories (ISL)</p> <p>Sample integrity check using pH strips (SOP9)</p> <p>Sample Integrity check using refractometer (SOP9)</p> <p>Flexible scope (SOP13) using LC and GC coupled to mass spectrometry e.g. LC-MS, GC-MS, LCMS/MS, GCMS/MS, using procedures SOP4, SOP5, SOP6, SOP18</p> <p>LC-MS (SOP6)</p>



1636  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Drug Control Centre – King’s College London**  
**Issue No: 049 Issue date: 19 May 2025**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BODY FLUIDS (cont'd)	<u>Chemical Analysis</u> (cont'd)	Documented In house methods In accordance with WADA International Standard for Laboratories (ISL)
Human Urine and Blood (Serum )	Initial Testing Procedures and Qualitative Confirmation Procedures of substances prohibited by the World Anti Doping Agency (WADA)Including:	Using Immunopurification, gel electrophoresis with immunoblotting and luminescence detection e.g. Sarcosyl PAGE
Human Urine	S2 Erythropoietins and agents affecting erythropoiesis e.g. Erythropoietin (EPO), darbepoetin (dEPO), CERA (Continuous Erythropoiesis Receptor Activator)	Immunopurification, gel electrophoresis with immunoblotting and luminescence detection e.g. Sarcosyl PAGE (SOP20)
Human Urine	S2 Human chorionic gonadotrophin (hCG) – Screening only.	Chemiluminescence (Immulite) for total hCG (SOP7)
Human Urine	S2 Luteinizing Hormone	Immunoassay; Chemiluminescence (Immulite) (SOP7)
Human Urine	Initial Testing Procedures and Qualitative Confirmation Procedures of substances prohibited by the World Anti Doping Agency (WADA)Including:	Using gas chromatography coupled to mass spectrometry (GC-MS and GC-MS/MS) and Gas Chromatography Combustion Isotope Ratio Mass Spectrometry (GC-C-IRMS)
Blood (Serum)	S1 Anabolic agents such as; Testosterone Epitestosterone including determination of T/E ratio (endogenous steroid profile)	GC-MS, GC-MS/MS, GC-C-IRMS (SOP5), (SOP11)
Blood (Serum)	Initial Testing Procedures and Qualitative Confirmation Procedures of substances prohibited by the World Anti Doping Agency (WADA) Including:	Flexible scope (SOP13) using liquid chromatography coupled to mass spectrometry (LC-MS and LC-MS/MS)
Blood (Serum)	S4 Hormone and Metabolic Modulators (e.g. Insulin analogue "Humalog")	LC-MS and LC-MS/MS (SOP18)



1636  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Drug Control Centre – King's College London**  
**Issue No: 049 Issue date: 19 May 2025**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BODY FLUIDS (cont'd)	<u>Chemical Analysis</u> (cont'd)	Documented In house methods In accordance with WADA International Standard for Laboratories (ISL)
Human Urine	Initial Testing Procedures and Qualitative Confirmation Procedures of substances prohibited by the World Anti Doping Agency (WADA) Including:	Flexible scope (SOP13) using liquid chromatography coupled to mass spectrometry (LC-MS and LC-MS/MS)
Human Urine	S2 Peptide hormones, Growth Factors, related substances and mimetics (e.g. Growth Hormone Releasing Factors)	LC-MS and LC-MS/MS (SOP18)
Human Urine	Quantitative Confirmation Procedures of threshold substances prohibited by the World Anti Doping Agency (WADA):	
	Salbutamol	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Formoterol	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Cathine	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Ephedrine	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Methylephedrine	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Pseudoephedrine	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)
	Morphine	liquid chromatography coupled to mass spectrometry (LC-MS/MS) (SOP6)



1636  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Drug Control Centre – King's College London**  
**Issue No: 049 Issue date: 19 May 2025**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BODY FLUIDS (cont'd)	<u>Chemical Analysis</u> (cont'd)	Documented In house methods In accordance with WADA International Standard for Laboratories (ISL)
Human Urine	Quantitative Confirmation Procedures of threshold substances prohibited by the World Anti Doping Agency (WADA):  Carboxy THC	Gas chromatography coupled to mass spectrometry (GC-MS/MS) (SOP6)
Human Blood (Serum)	Initial Testing Procedures and Quantitative Confirmation Procedures:  S2 Peptide hormones, Growth Factors, related substances and mimetics Human Growth Hormone (hGH) isoform ratio HGH biomarkers (IGF- I and P-III-NP) measurement  Quantitative Confirmation Procedures: IGF-I (Bottom-up approach)	Immunoassay: Luminescence detection Radioimmunoassay (SOP19)
Human Blood (Serum)	Initial Testing and Confirmation Procedures  Endocrine Moduel: Direct quantitative measurement of Insulin-like Growth Factor (IGF-1) through intact (top-down) measurement (Range 50 to1000 ng/ml)	liquid chromatography coupled to mass spectrometry (LC-MS-MS) (SOP19)
Dry Blood Spots	Initial Testing Procedures and Qualitative Confirmation Procedures  Anabolic Steroids	Flexible scope (SOP13) using Gas chromatography coupled to mass spectrometry (GC-MS/MS) SOP24-01



1636  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Drug Control Centre – King's College London**

**Issue No: 049 Issue date: 19 May 2025**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BODY FLUIDS (cont'd)	<u>Chemical Analysis</u> (cont'd)	Documented In house methods In accordance with WADA International Standard for Laboratories (ISL)
Human Blood	Haemetological Module: Blood parameters:  Haemoglobin concentration Percentage of reticulocytes Number of red blood cells (erythrocytes), Number of platelets, Number of reticulocytes, Number of all white blood cells (leucocytes), Haematocrit (erythrocyte ratio of total blood volume) Mean cell (erythrocyte) volume in total sample, Mean haemoglobin volume per Number of all red blood cells, Mean cell (erythrocyte) haemoglobin concentration)	Flow Cytometry (SOP17)
Human Blood (Plasma and Serum)	Initial Testing Procedures:  Detection of haemoglobin- based oxygen carriers (HBOCs)	Sysmex XN-1000 haematological analyser (SOP17-02)
Human Blood (Serum)	Initial and Confirmatory Testing Procedures:  Steroid Esters	Flexible scope (SOP13) using liquid chromatography coupled to mass spectrometry (LC-MS and LC-MS/MS Liquid chromatography mass spectrometry (LCMSMS) SOP 25-02; SOP 25-03
END		