


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

|   |   |  |
|---|---|--|
|  <p><b>1752</b><br/>Accredited to<br/>ISO/IEC 17025:2017</p> | <b>Tersus Consultancy Ltd</b><br><br><b>Issue No: 057    Issue date: 28 October 2025</b>                |  |
|   | <b>1st Floor Rainham House</b><br><b>Manor Way</b><br><b>Rainham</b><br><b>Essex</b><br><b>RM13 8RH</b> | <b>Contact: Mr C Simmonite</b><br><b>Tel: +44 (0) 1909 560673</b><br><b>E-Mail: craig.simmonite@tersusgroup.co.uk</b><br><b>Website: www.tersusgroup.co.uk</b> |
| <b>Testing performed by the Organisation at the locations specified below</b>   |   |  |

### Locations covered by the organisation and their relevant activities

#### Laboratory locations:

| Location details   |  | Activity  | Location code |
|--|--|---|---------------|
| <b>Address</b><br>1 <sup>st</sup> Floor Rainham House<br>Manor Way<br>Rainham<br>Essex<br>RM13 8RH | <b>Local contact</b><br>Mr T Rose<br><br>Tel: +44 (0)1708 555705<br>Email: Trevor.Rose@tersusgroup.co.uk<br>Website: www.tersusgroup.co.uk           | Health and Hygiene<br>Head Office<br><br>Asbestos – All<br>Support Functions  | A             |
| <b>Address</b><br>Unit 1 Manor Drive<br>Outgang Lane<br>Dinnington<br>Sheffield<br>S25 3QU         | <b>Local contact</b><br>Mrs G Purewal<br><br>Tel: +44 (0)1909 560673<br>Email: Gurpreet.Purewal@tersusgroup.co.uk<br>Website: www.tersusgroup.co.uk  | Health and Hygiene<br>Asbestos – Support<br>Functions:<br><ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | B             |
| <b>Address</b><br>Red Mill House<br>Red Mill Estate<br>Wednesbury<br>WS10 0NN                      | <b>Local contact</b><br>Mrs G Purewal<br><br>Tel: +44 (0)121 244 1828<br>Email: Gurpreet.Purewal@tersusgroup.co.uk<br>Website: www.tersusgroup.co.uk | Health and Hygiene<br>Asbestos – Support<br>Functions:<br><ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | C             |



1752

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Tersus Consultancy Ltd**  
**Issue No: 057    Issue date: 28 October 2025**

Testing performed by the Organisation at the locations specified

| Location details   | Activity  | Location code |
|--|---|---------------|
| <p><b>Address</b><br/>Unit 1, Medipark<br/>Mallard Way<br/>Strathclyde Business Park<br/>Bellshill<br/>ML4 3BF</p> <p><b>Local contact</b><br/>Mrs G Purewal<br/><br/>Tel: +44 (0)1909 560673<br/>Email: Gurpreet.Purewal@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p> | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | D             |
| <p><b>Address</b><br/>Axys House<br/>Parc Nantgarw<br/>Cardiff<br/>CF15 7TW</p> <p><b>Local contact</b><br/>Mr C Jones<br/><br/>Tel: +44 (0) 1278 654 345<br/>Email: Craig.Jones@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p>  | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | G             |
| <p><b>Address</b><br/>Health Physics<br/>R S R L Building D60<br/>Winfrith<br/>Dorchester<br/>DT2 8WQ</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 1278 654 345<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p>                | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | H             |



1752

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Tersus Consultancy Ltd**  
**Issue No: 057 Issue date: 28 October 2025**

Testing performed by the Organisation at the locations specified

| Location details  | Activity  | Location code |
|---|---|---------------|
| <p><b>Address</b><br/>10 Rutherford Avenue<br/>Didcot<br/>OX11 0DF</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 1278 654 345<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p>              | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | <p>I</p>      |
| <p><b>Address</b><br/>Hinkley Point A Power Station<br/>Bridgewater<br/>TA5 1YA</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 1278 654 345<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p> | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | <p>J</p>      |
| <p><b>Address</b><br/>Dungeness A Power Station<br/>Romney Marsh<br/>TN29 9PP</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 1278 654 345<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p>   | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | <p>K</p>      |



1752

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Tersus Consultancy Ltd**  
**Issue No: 057 Issue date: 28 October 2025**

Testing performed by the Organisation at the locations specified

| Location details  | Activity  | Location code |
|---|---|---------------|
| <p><b>Address</b><br/>Oldbury Power Station<br/>Oldbury Naite<br/>Thornbury<br/>BS35 1RQ</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 7914 668960<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p> | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | L             |
| <p><b>Address</b><br/>Berkeley Power Station<br/>Berkeley<br/>GL13 9PA</p> <p><b>Local contact</b><br/>Mr D Evans<br/><br/>Tel: +44 (0) 7921 511 417<br/>Email: David.Evans@tersusgroup.co.uk<br/>Website: www.tersusgroup.co.uk</p>                  | <p>Health and Hygiene<br/>Asbestos – Support<br/>Functions:</p> <ul style="list-style-type: none"> <li>• <i>Quality Audit Administration</i></li> <li>• <i>Contract Review</i></li> <li>• <i>Scheduling</i></li> <li>• <i>Personnel</i></li> <li>• <i>Equipment</i></li> <li>• <i>Measurement Traceability</i></li> <li>• <i>Reporting</i></li> </ul> | M             |

**Site activities performed away from the locations listed above:**

| Location details  | Activity           | Location code                |
|---|--------------------|------------------------------|
| <p>Premises including:</p> <ul style="list-style-type: none"> <li>- Domestic</li> <li>- Commercial</li> <li>- Industrial</li> </ul> | Health and Hygiene | N                            |
| <p>Mobile Testing Laboratories –<br/>Asbestos Fibres in Air</p>   | Health and Hygiene | Sheffield – O<br>Rainham - P |



1752

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Tersus Consultancy Ltd

Issue No: 057 Issue date: 28 October 2025

Testing performed by the Organisation at the locations specified

#### DETAIL OF ACCREDITATION

| Materials/Products tested  | Type of test/Properties measured/Range of measurement  | Standard specifications/ Equipment/Techniques used  | Location Code                            |
|--|--|---|--|
| ASBESTOS FIBRES IN AIR   | <u>Health and Hygiene</u>  | <p>Management of temporary facilities within an accredited scope TPS 76 Edition 1 November 2024 - to establish new temporary site laboratories to conduct the following asbestos testing activities:</p> <ul style="list-style-type: none"> <li>Fibre counting</li> <li>Identification of asbestos in bulk material</li> </ul> <p>The Site laboratories (denoted *) are set up in accordance with the Documented In-House Procedure IMSP69</p> <p>Health and Safety Executive Asbestos: The analysts' guide for sampling, analysis and clearance procedures (HSG 248)</p> | A, B, G, H*, I*, J*, K*, L*, M*, N, O, P |
|  | Sampling of air for fibre counting   | Documented In-House Method GDP4 based on HSG 248  |  |
|  | Fibre counting   | Documented In-House Method GDP4, Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248  |  |
| ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos | 4 Stage Clearance Process  | Documented In-House Method GDP4, Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248  | H*, I*, J*, K*, L*, M*, N                |
|  | Sampling of bulk materials for subsequent identification of asbestos   | Documented In-House Method GDP1 based on HSG 248  | H*, I*, J*, K*, L*, M*, N                |
|  | Identification of:<br>Amosite<br>Chrysotile<br>Crocidolite<br>Fibrous Actinolite<br>Fibrous Anthophyllite<br>Fibrous Tremolite | Documented In-House Method GDP3 using stereo-microscopy, polarised light optical microscopy and dispersion staining based on HSG 248  | A, B, C, D, G, I*, J*, K*, L*, M*, N     |
| END  |  |   |  |