

# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p><b>UKAS</b> TESTING</p> <p><b>21542</b></p> <p>Accredited to <b>ISO/IEC 17025:2017</b></p>	<p><b>United Kingdom Testing &amp; Certification Ltd</b></p> <p>Issue No: 010      Issue date: 05 June 2026</p>	
	<p><b>Cairnmuir House</b> <b>Cairnmuir Road</b> <b>East Kilbride</b> <b>Glasgow</b> <b>G74 4GY</b></p>	<p><b>Contact: Daniel Fitzsimmons</b> <b>Tel: +44 (0) 1355 433 122</b> <b>E-Mail: daniel.fitzsimmons@uktestcert.com</b> <b>Website: www.uktestcert.com</b></p>
<p><b>Testing performed at the above address only</b></p>		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
BUILDING PRODUCTS	Reaction to fire	
	Classification using data from reaction to fire tests.	BS EN 13501-1:2018 **
	Non-combustibility	BS EN ISO 1182:2020
	Ignitability	BS EN ISO 11925:2020
	Single burning item test	BS EN 13823:2020+A1:2022
	Heat of combustion	BS EN ISO 1716:2018
	Classification using data from resistance to fire tests	BS EN 13501-2:2023**
BUILDING CONSTRUCTION COMPONENTS and MATERIALS	Fire Resistance	BS EN 1363-2:1999
NON-LOAD BEARING ELEMENTS of CONSTRUCTION	Fire resistance (general)	BS 476-20:1987 BS EN 1363-1:2020 BS EN 1363-2:1999 – Section 8 BS EN 1364-1:2015
CAVITY BARRIERS	Fire Resistance - vertical specimens	EOTA Technical Report 31:2008
FLOORS and FLAT ROOFS	Fire Resistance	BS EN 1365-2:2014
MARINE CONSTRUCTIONS - bulkheads, doors and windows	Fire resistance	IMO-Resolution MSC.307(88) IMO 2010 FTP Code - Part 3
CEILING MEMBRANES	Fire Resistance	BS 476 Part 22:1987: Section 9 BS EN 1364-2:2018



Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**United Kingdom Testing & Certification Ltd**

**Issue No: 010      Issue date: 05 June 2026**

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
DOOR and SHUTTER ASSEMBLIES and ARCHITECTURAL HARDWARE	Fire resistance	BS 476-22:1987 – Sections 6, 7 & 8 BS EN 1634-1:2014 +A1:2018 BS EN 1634-2:2008 (Methods c & d)
	Smoke control test	BS EN 1634-3:2004 BS 476-31.1:1983
WALLS and PARTITIONS	Fire resistance	BS EN 476-21:1987 Section 8 - Load Bearing walls BS 476-22:1987 – Section 5 BS EN 1364-1:2015 BS EN 1365-1:2012
GLAZING	Fire resistance	BS 476-22:1987 – Section 10 BS EN 1364-1:2015
LINEAR JOINT SEALS	Fire resistance	BS EN 1366-4:2021 - excluding Annex B
PENTRATION SEALS	Fire resistance	BS EN 1366-3:2021
END		

**\*\*Appendix – BS EN 13501 Fire Classification:**

**Introduction**

**The definitive statement of the accreditation status of a testing laboratory is the Accreditation Certificate and the associated Schedule of Accreditation. This Schedule of Accreditation is a critical document as it defines the extent of the activities for which the organisation holds accreditation.**

**BS EN 13501 Fire Classification Requirements:**

**Such classifications shall be based on recognised Direct Field of Application (DIAP) or Extended Field of Application (EXAP) that refers to a standard prepared by or approved by CEN/TC 127 "Fire safety in buildings" or a product standard which includes full information on testing to support the EXAP.**

**The schedule entry does not cover any Expert judgements (i.e. an opinion that is not considered/covered by an EXAP standard and/or is only based on the experience of an individual(s)).**



Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**United Kingdom Testing & Certification Ltd**

**Issue No: 010      Issue date: 05 June 2026**

Testing performed at main address only

**Accreditation for the purpose of UK Approved Body Activity in accordance with UKCA Requirements and UKAS Publication GEN 5**

Directive / Regulation	Conformity Assessment Procedure / Module / Article	Essential Characteristics	Specification
Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020	Horizontal Approval Annex V.3 Testing Laboratory	Resistance to fire	EN 1364-1:2015 EN 1364-2:2018 EN 1365-2:2014EN 1366-4:2021 EN 1366-3:2021 EN 1634-1:2014 EN 1634-2:2008 (methods c&d)EN 1634-3:2004 EN ISO 1182:2020 EN ISO 1716:2018 EN ISO 11925-2:2020 EN 13823:2020+A1:2022
END			



Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**United Kingdom Testing & Certification Ltd**

**Issue No: 010      Issue date: 05 June 2026**

Testing performed at main address only

**Accreditation for the purpose of Notified Body Activity relating to the Northern Ireland market (CE + UKNI)  
taking into account EA-2/17**

Directive / Regulation	Conformity Assessment Procedure / Module / Article	Essential Characteristics	Specification
Construction Products Regulation 2011 (retained EU law EUR 305/2011) as amended by the Construction Products (Amendment etc.) (EU Exit) Regulations 2019 and the Construction Products (Amendment etc.) (EU Exit) Regulations 2020	Horizontal Notification Annex V.3 Testing Laboratory	Resistance to fire	EN 1364-1:2015 EN 1364-2:2018 EN 1365-2:2014 EN 1366-4:2021 EN 1366-3:2021 EN 1634-1:2014 EN 1634-2:2008 (methods c&d) EN 1634-3:2004 EN ISO 1182:2020 EN ISO 1716:2018 EN ISO 11925-2:2020 EN 13823:2020+A1:2022

END