


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>UKAS TESTING</p> <p>28772</p> <p>Accredited to ISO/IEC 17025:2017</p>	<p>Rivencore Global Solutions Limited</p> <p>Issue No: 007 Issue date: 11 May 2026</p>	
	<p>Fleets Point Willis Way Poole Dorset BH15 3SS</p>	<p>Contact: Greg Hole Tel: +44 (0)1202 119367 Tel: +44 (0)7435 549207 E-Mail: greg.hole@rivencoreglobal.com Website: https://www.rivencoreglobal.com/</p>
<p>Testing performed at the above address only</p>		

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>Non-explosive products</p> <p>Lighting equipment</p> <p>Optical projection units</p> <p>LCD units</p> <p>Control equipment</p> <p>Metrological equipment</p> <p>Electronic components</p> <p>Navigation equipment</p>	<p>ENVIRONMENTAL TESTS</p> <p>Climatic Testing</p> <p>Dry Heat</p> <p>Temp range: max +170°C</p> <p>0.9 m x 1.0 m x 1.6 m</p> <p>Low Temperature</p> <p>Temp range: min -60°C</p> <p>0.9 m x 1.0 m x 1.6 m</p> <p>Change of Temperature</p> <p>Temp range: -60°C to +170°C (max ramp rate 3°C/min)</p> <p>0.9 m x 1.0 m x 1.6 m</p> <p>Temperature with Humidity Steady State and Cyclic</p> <p>Temp range: -60°C to +170°C Humidity Range: 15%rh to 98%rh</p> <p>0.9 m x 1.0 m x 1.6</p>	<p>BS EN IEC 60068-2-2:2025 Test B</p> <p>BS EN 60068-2-2:2007 Test B</p> <p>BS EN 60945:2002 Clause 8.2</p> <p>MIL STD 810H Method 501.7</p> <p>BS EN IEC 60068-2-1:2025 Test A</p> <p>BS EN 60068-2-1:2007 Test A</p> <p>BS EN 60945:2002 Clause 8.4</p> <p>MIL STD 810H Method 502.7</p> <p>BS EN 60068-2-14:2023 Test Na</p> <p>BS EN IEC 60066-2-30:2025</p> <p>BS EN 60068-2-30:2005</p> <p>BS EN 60945:2002 Clause 8.3</p> <p>MIL STD 810H Method 507.6</p> <p>IEC 62368-1:2018 (Revised) Clause 5.4.8</p> <p>IEC 62368-1:2024+A11:2024 Clause 5.4.8</p>



28772

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Rivencore Global Solutions Limited
Issue No: 007 Issue date: 11 May 2026

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
As listed on page 1	<p>ENVIRONMENTAL TESTS</p> <p>Ingress Protection</p> <p>Solids IP1X IP2X IP3X IP4X test wire 1.0mm Dia IP5X dust protected IP6X dust tight</p> <p>Liquids IPX1 dripping water IPX2 dripping water, tilted up to 15° IPX3 spraying water IPX4 splashing water IPX5 water jets/high velocity water IPX6 powerful water jets/ strong high velocity water IPX7 immersion (1m) / temporary immersion IPX8 immersion continuous immersion</p> <p>Mechanical Tests</p> <p>Strength Tests</p> <p>Impact Tests</p> <p>Drop Tests (Free Fall) Max Mass of item: 15 kg Max Drop Height: 1.3 m</p>	<p>BS EN 60529 :1992+A2 2013</p> <p>IEC 62368-1: 2024+A11:2024 Clauses T.2, T.4 &T.5 IEC 62368-1:2018 Clauses T.2, T.4 &T.5</p> <p>IEC 62368-1: 2024+A11:2024 Clause T.6 IEC 62368-1:2018 Clause T.6</p> <p>IEC 62368-1: 2024+A11:2024 Clause T.7 IEC 62368-1:2018 Clause T.7</p>
END		