

# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

|                                                                                                                                                                                        |                                                                                                              |                                                                                                                                                                                                                                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>UKAS</b><br/>TESTING</p> <p><b>4161</b></p> <p>Accredited to<br/><b>ISO/IEC 17025:2017</b></p> | <h3>Construction Testing Solutions Ltd</h3> <p><b>Issue No: 074 Issue date: 01 May 2026</b></p>              |                                                                                                                                                                                                                                                                                                                 |
|                                                                                                                                                                                        | <p><b>4 Oak Spinney Business Park</b><br/>Ratby Lane<br/>Leicester Forest East<br/>Leicester<br/>LE3 3AW</p> | <p><b>Contact: Ms C Reynolds</b><br/>Tel: +44 (0)1302 352652<br/>Fax: +44 (0)1302 352700<br/>E-Mail: <a href="mailto:claire.reynolds@constructiontesting.co.uk">claire.reynolds@constructiontesting.co.uk</a><br/>Website: <a href="http://www.constructiontesting.co.uk">www.constructiontesting.co.uk</a></p> |
| <p><b>Testing performed by the Organisation at the locations specified below</b></p>                                                                                                   |                                                                                                              |                                                                                                                                                                                                                                                                                                                 |

Construction Testing Solutions Limited is accredited to conduct the activities detailed below, in accordance with their documented in-house procedure: Quality Procedure FXS issue 5 Rev

1. Establish Temporary Site laboratories to conduct the construction materials testing and sampling activities.
2. Transfer currently accredited test methods between the accredited locations listed on this schedule.

All testing and sampling relation to the above is references as **TEMP** under the location field on the schedule.

### Locations covered by the organisation and their relevant activities

#### Laboratory location:

| Location details                                                                                             |                                                                                                                                                                                                                        | Activity                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Doncaster<br/>Bootham Lane Industrial Estate<br/>Bootham Lane<br/>Dunscroft<br/>Doncaster<br/>DN7 4JU</p> | <p><b>Site Contact:</b><br/>Mr Richard Ward<br/>Tel: +44 (0)1302 352652<br/>Fax: +44 (0)1302 352700<br/>E-Mail: <a href="mailto:richard.ward@constructiontesting.co.uk">richard.ward@constructiontesting.co.uk</a></p> | <p>Aggregates<br/>Bituminous Mixtures<br/>Concrete – fresh &amp; hardened<br/>Reinforced &amp; structural<br/>Soil, Stabilised soils<br/>Unbound and hydraulically bound mixtures</p> |
| <p>Woodsmith<br/>Woodsmith Mine<br/>Sneaton<br/>Near Whitby<br/>North Yorkshire<br/>Y022 5JB</p>             | <p><b>Site Contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: <a href="mailto:matt.mills@constructiontesting.co.uk">matt.mills@constructiontesting.co.uk</a></p>                                   | <p>Concrete - hardened<br/>Soils</p>                                                                                                                                                  |
| <p>Bristol<br/>1280 Aztec West Business Park<br/>Bristol<br/>BS32 4SG</p>                                    | <p><b>Local Contact:</b><br/>Mr Lee Morris<br/>Tel: +44 (0)1302 352652<br/>Email: <a href="mailto:lee.morris@constructiontesting.co.uk">lee.morris@constructiontesting.co.uk</a></p>                                   | <p>Concrete – fresh &amp; hardened<br/>Soils<br/>Unbound and hydraulically bound mixtures</p>                                                                                         |
| <p>Heathrow<br/>Unit 16<br/>Britannia Industrial Estate<br/>Poyle Road<br/>Colnbrook<br/>SL3 0BH</p>         | <p><b>Local contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: <a href="mailto:matt.mills@constructiontesting.co.uk">matt.mills@constructiontesting.co.uk</a></p>                                  | <p>Aggregates<br/>Bituminous materials<br/>Concrete - fresh &amp; hardened<br/>Soils</p>                                                                                              |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Location details                                                                              |                                                                                                                                                                                                                                             | Activity                                                                   |
|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Harrietsham<br>Northdown House<br>Ashford Road<br>Harrietsham<br>Kent<br>ME17 1QW             | <b>Site Contact:</b><br>Mr Matt Butt<br>Tel: +44 (0)1622 858545<br>Email: matt.butt@constructiontesting.co.uk<br><br><b>Laboratory Contact:</b><br>Mr Matt Mills<br>Tel: +44 (0)1277 314144<br>E-mail: matt.mills@constructiontesting.co.uk | Aggregates<br>Bituminous materials<br>Concrete - fresh & hardened<br>Soils |
| East Kilbride<br>34 Hawbank Road<br>College Milton<br>East Kilbride<br>G74 5EX                | <b>Local contact:</b><br>Mr James Bennett<br>Tel: +44 (0)7598 909376<br>E-mail: james.bennett@constructiontesting.co.uk                                                                                                                     | Aggregates<br>Bituminous Mixtures<br>Concrete - fresh & hardened<br>Soils  |
| Penrith<br>Hackthorpe Hall Business<br>Centre<br>Hackthorpe<br>Penrith<br>Cumbria<br>CA10 2HX | <b>Local contact:</b><br>Mr James Bennett<br>Tel: +44 (0)7598 909376<br>E-mail: james.bennett@constructiontesting.co.uk                                                                                                                     | Aggregates<br>Bituminous Mixtures<br>Concrete - fresh & hardened<br>Soils  |
| Warrington<br>Ruby House<br>40A Hardwick Grange<br>Warrington<br>WA1 4RF                      | <b>Local contact:</b><br>Mr Lee Morris<br>Tel: +44 (0)1925 286880<br>Email: lee.morris@constructiontesting.co.uk                                                                                                                            | Aggregates<br>Bituminous Mixtures:<br>Concrete<br>Soils<br>Mortar          |
| Drigg<br>LLWR – STIM<br>Old Shore Road<br>Holmrook<br>CA19 1XP                                | <b>Local contact:</b><br>Mr James Bennett<br>Tel: +44 (0)7598 909376<br>E-mail: james.bennett@constructiontesting.co.uk                                                                                                                     | Concrete: hardened<br><br>Soils                                            |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Location details                                                                                                                                                                          | Activity                                                                                                                                                                                                                                                 |                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|
| <p>Billericay<br/>Lawness Barns<br/>Mountrissing Road<br/>Billericay<br/>CM12 0TS</p> <p>Ilse of Grain<br/>c/p Pacadar Uk Ltd<br/>Isle of Grain<br/>(Thamesport)<br/>Kent<br/>ME3 0EP</p> | <p><b>Local contacts:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: matt.mills@constructiontesting.co.uk</p> <p><b>Local contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: matt.mills@constructiontesting.co.uk</p> | <p>Soils<br/>Aggregates</p> <p>Concrete – fresh &amp; hardened</p> |
| <p>Hartlepool<br/>C/O STRABAG UK Limited<br/>Plot 2<br/>Greenland Road<br/>Hartlepool<br/>TS24 ORQ</p>                                                                                    | <p><b>Local contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: matt.mills@constructiontesting.co.uk</p>                                                                                                                              | <p>Aggregates<br/>Concrete - fresh &amp; hardened</p>              |
| <p>Black Cat Roundabout<br/>C/O Skanska Construction UK<br/>Ltd, A428 Main Site Offices<br/>(Wintringham), Loverose Way<br/>St Neots Bypass (A428)<br/>Cambridgeshire<br/>PE19 6NS</p>    | <p><b>Local contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: matt.mills@constructiontesting.co.uk</p>                                                                                                                              | <p>Aggregates<br/>Soils</p>                                        |
| <p>River Roding<br/>Shonks Mill FSA Site<br/>Shonks Mill Lane<br/>Navestock<br/>CM5 9Q</p>                                                                                                | <p><b>Local contact:</b><br/>Mr Matt Mills<br/>Tel: +44 (0)1277 314144<br/>E-mail: matt.mills@constructiontesting.co.uk</p>                                                                                                                              | <p>Soils</p>                                                       |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

**Site activities performed away from the location listed above:**

| Location details                                 |                                               | Activity                                                                                                                                                                                                                     |
|--------------------------------------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| All locations suitable for the activities listed | <b>Local contact:</b><br>Details Listed Above | Aggregates<br>Bituminous Mixtures<br>Concrete – fresh, hardened,<br>Reinforced, & Structures<br>Piling<br>Road Pavement Surfaces<br>Soils<br>Unbound and hydraulically bound mixtures<br><br>Concrete – Hardened, Structures |

**Testing covered by the scope of accreditation for the transfer currently accredited test methods between the accredited locations listed on this schedule**

| Location details                                                               |                                                                                                                         | Activity                       |
|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| East Kilbride<br>34 Hawbank Road<br>College Milton<br>East Kilbride<br>G74 5EX | <b>Local contact:</b><br>Mr James Bennett<br>Tel: +44 (0)7598 909376<br>E-mail: james.bennett@constructiontesting.co.uk | Soils<br><br>Annotated as TEMP |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| <b>Contents</b>                                         |                    |
|---------------------------------------------------------|--------------------|
| <b>Location</b>                                         | <b>Page Number</b> |
| <b>Permanent Locations</b>                              |                    |
| Doncaster                                               | 6                  |
| Bristol                                                 | 10                 |
| Harrietsham                                             | 12                 |
| Billericay                                              | 18                 |
| Heathrow                                                | 20                 |
| East Kilbride                                           | 23                 |
| Penrith                                                 | 26                 |
| Warrington                                              | 29                 |
| <b>Site Laboratories</b>                                |                    |
| Woodsmith Mine                                          | 33                 |
| Isle of Grain                                           | 34                 |
| Hartlepool                                              | 35                 |
| Black Cat Roundabout                                    | 36                 |
| River Roding                                            | 39                 |
| Drigg                                                   | 40                 |
| Activities Away from Permanent Locations                | 42                 |
| Scope for Establishing Temporary Site Laboratories      | 47                 |
| Site Laboratory currently working under temporary Scope | n/a                |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                                                    | Type of test/Properties measured/Range of measurement                                                      | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Doncaster Laboratory</b>                                                  |                                                                                                            |                                                    |               |
| AGGREGATES                                                                   | Particle size distribution - sieving method                                                                | BS EN 933-1: 2012                                  | Lab           |
|                                                                              | Flakiness index                                                                                            | BS EN 933-3:2 012                                  | Lab           |
|                                                                              | Classification test for the constituents of coarse recycled aggregate                                      | BS EN 933-11: 2009                                 | Lab           |
|                                                                              | Resistance to fragmentation - Los Angeles method                                                           | BS EN 1097-2: 2020                                 | Lab           |
|                                                                              | Resistance to fragmentation of rail ballast - Los Angeles method                                           | BS EN 1097-2: 2020 Annex A.2                       |               |
|                                                                              | Water content                                                                                              | BS EN 1097-5: 2008                                 | Lab           |
|                                                                              | Particle density and water absorption - pycnometer method for aggregates between 0.063 mm and 4 mm         | BS EN 1097-6: 2022                                 | Lab           |
|                                                                              | Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm | BS EN 1097-6: 2022                                 | Lab           |
|                                                                              | Magnesium sulfate test                                                                                     | BS EN 1367-2: 2009                                 | Lab           |
|                                                                              | Uniformity coefficient                                                                                     | BS EN ISO 14688-2: 2018                            | Lab           |
| Determination of the thickness of a bituminous pavement - destructive method | BS EN 12697-36: 2022                                                                                       | Lab                                                |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested            | Type of test/Properties measured/Range of measurement               | Standard specifications/ Equipment/Techniques used                   | Location Code |
|--------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|---------------|
| CONCRETE - fresh                     | Making concrete cubes                                               | BS EN 12390-2: 2019                                                  | Lab           |
| CONCRETE - hardened                  | Compressive strength of cubes                                       | BS EN 12390-3: 2019                                                  | Lab           |
|                                      | Curing                                                              | BS EN 12390-2: 2019                                                  | Lab           |
|                                      | Dimensions                                                          | BS EN 12390-1: 2021                                                  | Lab           |
|                                      | Density                                                             | BS EN 12390-7: 2019                                                  | Lab           |
|                                      | Cored specimens - testing in compression                            | BS EN 12504-1: 2019                                                  | Lab           |
| SOILS for civil engineering purposes | Moisture content - oven drying method                               | BS 1377-2:1990                                                       | Lab           |
|                                      | Water content - oven drying method                                  | BS 1377-2: 2022<br>BSEN ISO 17892-1:2014+A1:2022                     | Lab           |
|                                      | Liquid limit - cone penetrometer - one point                        | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2:2022 | Lab           |
|                                      | Plastic limit                                                       | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2:2022 | Lab           |
|                                      | Plasticity index                                                    | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2:2022 | Lab           |
|                                      | Particle size distribution - wet sieving                            | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014        | Lab           |
|                                      | Particle size distribution - dry sieving                            | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014        | Lab           |
|                                      | Particle size distribution - fine grained soils (hydrometer method) | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014        | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement                                                 | Standard specifications/ Equipment/Techniques used            | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Particle density<br>- gas jar                                                                         | BS 1377-2: 1990<br>BS 1377-2: 2022                            | Lab           |
|                                               | Dry density/moisture content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer | BS 1377-4: 1990                                               | Lab           |
|                                               | Dry density/water content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer    | BS 1377-2: 2022                                               | Lab           |
|                                               | Moisture condition value (MCV)                                                                        | BS 1377-4: 1990<br>BS 1377-2: 2022                            | Lab           |
|                                               | MCV<br>- natural moisture content                                                                     | BS 1377-4: 1990                                               | Lab           |
|                                               | MCV<br>- natural water content                                                                        | BS 1377-2: 2022                                               | Lab           |
|                                               | California Bearing Ratio (CBR)                                                                        | BS 1377-4: 1990<br>BS 1377-2: 2022                            | Lab           |
|                                               | Swelling of soaked CBR specimen                                                                       | BS 1377-4: 1990<br>BS 1377-2: 2022                            | Lab           |
|                                               | Undrained shear strength<br>- triaxial compression without measurement of pore pressure               | BS 1377-7: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-8: 2018 | Lab           |
| UNBOUND and HYDRALICALLY BOUND MIXTURES       | Laboratory reference density and water content<br>- vibrating hammer                                  | BS EN 13286-4: 2021                                           | Lab           |
|                                               | Moisture condition value (MCV)                                                                        | BS EN 13286-46: 2003                                          | Lab           |
|                                               | California bearing ratio, immediate bearing index and linear swelling                                 | BS EN 13286-47: 2021                                          | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested                        | Type of test/Properties measured/Range of measurement                                           | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| UNBOUND and HYDRALICALLY BOUND MIXTURES (cont'd) | Manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction | BS EN 13286-51: 2004                               | Lab           |

**End of Doncaster Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested               | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------|-------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Bristol Laboratory</b>               |                                                       |                                                    |               |
| AGGREGATES                              | Water Content                                         | BS EN 1097-5:2008                                  | Lab           |
|                                         | Particle Size Distribution                            | BS EN 933-1: 2012                                  | Lab           |
| CONCRETE – fresh                        | Curing                                                | BS EN 12390-2: 2019                                | Lab           |
| CONCRETE – hardened                     | Dimensions and shape                                  | BS EN 12390-1: 2019                                | Lab           |
|                                         | Curing                                                | BS EN 12390-2: 2019                                | Lab           |
|                                         | Compressive Strength                                  | BS EN 12390-3: 2019                                | Lab           |
|                                         | Density                                               | BS EN 12390-7: 2019                                | Lab           |
| UNBOUND and HYDRALICALLY BOUND MIXTURES | Compressive strength                                  | BS EN 13286-41: 2021                               | Lab           |
| SOILS for civil engineering purposes    | Moisture content - oven drying method                 | BS 1377-2: 1990                                    | Lab           |
|                                         | Water content - oven drying method                    | BS 1377-2: 2022<br>BSEN ISO 17892-1:2014+A1:2022   | Lab           |
|                                         | Liquid Limit- cone penetrometer - one point           | BS 1377-2: 2022<br>BS EN ISO 17892-2:2014+A2:2022  | Lab           |
|                                         | Plastic Limit                                         | BS 1377-2: 2022<br>BS EN ISO 17892-2:2014+A2:2022  | Lab           |
|                                         | Plasticity Index                                      | BS 1377-2: 2022<br>BS EN ISO 17892-2:2014+A2:2022  | Lab           |
|                                         | Particle Size Distribution                            | BS 1377-2: 2022 & BS EN ISO 17892-4: 2014          | Lab           |
|                                         | Uniformity Coefficient                                | BS EN ISO 14688-2: 2018                            | Lab           |
|                                         | Particle Density                                      | BS 1377-2: 2022                                    | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                           | Type of test/Properties measured/Range of measurement                                                              | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| SOILS for civil engineering purposes                | Moisture condition Value (MCV)<br>- Natural Water Content                                                          | BS 1377-2: 2022                                    | Lab           |
|                                                     | Dry Density/Water Content Relationship<br>2.5kg Rammer                                                             | BS 1377-2: 2022                                    | Lab           |
|                                                     | Dry Density/Water Content Relationship<br>4.5kg Rammer                                                             | BS 1377-2: 2022                                    | Lab           |
| BITUMINOUS MIXTURES for roads and other paved areas | Soluble binder content by difference, using bottle rotation machine and pressure filter                            | BS EN 12697-1: 2020                                | Lab           |
|                                                     | Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation | BS EN 12697-1: 2020                                | Lab           |
|                                                     | Particle size distribution                                                                                         | BS EN 12697-2: 2024                                | Lab           |

**End of Bristol Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

#### DETAIL OF ACCREDITATION

| Materials/Products tested    | Type of test/Properties measured/Range of measurement                                                                                                           | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Harrietsam Laboratory</b> |                                                                                                                                                                 |                                                    |               |
| AGGREGATES                   | Methods of reducing laboratory samples<br>- using a riffle box<br>- reduction by quartering<br>- to a test portion of a specified mass within a small tolerance | BS EN 932-2:1999                                   | Lab           |
|                              | Particle size distribution<br>- sieving method                                                                                                                  | BS EN 933-1: 2012                                  | Lab           |
|                              | Flakiness index                                                                                                                                                 | BS EN 933-3: 2012                                  | Lab           |
|                              | Shape index                                                                                                                                                     | BS EN 933-4: 2008                                  | Lab           |
|                              | Percentage of crushed and broken surfaces in coarse aggregate particles                                                                                         | BS EN 933-5: 1998                                  | Lab           |
|                              | Constituents of coarse recycled aggregate – Test for geometrical properties of aggregates.                                                                      | BS EN 933-11 :2009                                 | Lab           |
|                              | Micro-Deval coefficient                                                                                                                                         | BS EN 1097-1 :2011                                 | Lab           |
|                              | Micro-Deval coefficient of aggregates for railway ballast<br>- modified method                                                                                  | BS EN 1097-1: 2011 Annex A                         | Lab           |
|                              | Resistance to fragmentation of coarse aggregate<br>- Los Angeles method                                                                                         | BS EN 1097-2: 2020                                 | Lab           |
|                              | Resistance to fragmentation of aggregates for railway ballast by the Los Angeles test method                                                                    | BS EN 1097-2:2020 Annex A                          | Lab           |
| Loose bulk density and voids | BS EN 1097-3: 1998                                                                                                                                              | Lab                                                |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                           | Type of test/Properties measured/Range of measurement                                                              | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| AGGREGATES (cont'd)                                 | Water content<br>- drying in a ventilated oven                                                                     | BS EN 1097-5: 2008                                 | Lab           |
|                                                     | Particle density and water absorption – wire basket method for aggregate particles between 31.5 and 63 mm          | BS EN 1097-6: 2022                                 | Lab           |
|                                                     | Particle density and water absorption – pycnometer method for aggregate particles between 4 mm and 31.5 mm         | BS EN 1097-6: 2022                                 | Lab           |
|                                                     | Particle density and water absorption – pycnometer method for aggregate particles between 0.063 mm and 4 mm        | BS EN 1097-6: 2022                                 | Lab           |
|                                                     | Uniformity coefficient                                                                                             | BS EN ISO 14688-2: 2018                            | Lab           |
| BITUMINOUS MIXTURES for roads and other paved areas | Soluble binder content by difference, using bottle rotation machine and pressure filter                            | BS EN 12697-1: 2020                                | Lab           |
|                                                     | Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation | BS EN 12697-1 :2020                                | Lab           |
|                                                     | Particle size distribution                                                                                         | BS EN 12697-2: 2024                                | Lab           |
|                                                     | Maximum density<br>- volumetric procedure                                                                          | BS EN 12697-5: 2018                                | Lab           |
|                                                     | Bulk density<br>- saturated surface dry (SSD)<br>- sealed specimen                                                 | BS EN 12697-6: 2020                                | Lab           |
|                                                     | Air voids content                                                                                                  | BS EN 12697-8: 2018                                | Lab           |
|                                                     | Preparation of samples for the determining binder content, water content and grading                               | BS EN 12697-28: 2020                               | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                                          | Type of test/Properties measured/Range of measurement                | Standard specifications/ Equipment/Techniques used  | Location Code     |     |
|--------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------|-------------------|-----|
| BITUMINOUS MIXTURES<br>for roads and other paved<br>areas (cont'd) | Laboratory compaction of bituminous mixtures by vibratory compaction | BS EN 12697-32: 2019                                | Lab               |     |
|                                                                    | Determination of the thickness of a bituminous pavement              | BS EN 12697-36: 2022                                | Lab               |     |
|                                                                    | Core Logging                                                         | Documented In-House Method B14 issue 2              | Lab               |     |
| CONCRETE – fresh                                                   | Density                                                              | BS EN 12350-6: 2019                                 | Lab               |     |
|                                                                    | Air Content<br>-Pressure method                                      | BS EN 12350-7: 2019                                 | Lab               |     |
|                                                                    | Making test cubes and curing                                         | BS EN 12390-2: 2019                                 | Lab               |     |
|                                                                    | Making test cylinders and curing                                     | BS EN 12390-2: 2019                                 | Lab               |     |
|                                                                    | Method for Making Test Beams from Fresh Concrete                     | BS EN 12390: Pt 2:2019 & BS EN 14651:2005 + A1:2007 | Lab               |     |
|                                                                    | Fibre Content                                                        | BS EN 14488-7: 2006                                 | Lab               |     |
| CONCRETE – hardened                                                | Compressive strength of cubes                                        | BS EN 12390-3 :2019                                 | Lab               |     |
|                                                                    | Curing                                                               | BS EN 12390-2 :2019                                 | Lab               |     |
|                                                                    | Dimensions                                                           | BS EN 12390-1: 2021                                 | Lab               |     |
|                                                                    | Cored Specimens<br>- examining and testing in compression            | BS EN 12504-1: 2019                                 | Lab               |     |
|                                                                    | Density                                                              | BS EN 12390-7: 2019                                 | Lab               |     |
|                                                                    | Flexural strength                                                    | BS EN 12390-5: 2019                                 | Lab               |     |
|                                                                    | Tensile splitting strength                                           | BS EN 12390-6: 2009                                 | Lab               |     |
|                                                                    | Fibre Content                                                        | BS EN 14488-7: 2006                                 | Lab               |     |
|                                                                    | PAVED SURFACES                                                       | Skid resistance value                               | BS EN 16165: 2021 | Lab |



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested            | Type of test/Properties measured/Range of measurement       | Standard specifications/ Equipment/Techniques used                    | Location Code |
|--------------------------------------|-------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes | Moisture content<br>- oven drying method                    | BS 1377-2: 1990                                                       | Lab           |
|                                      | Water content<br>- oven drying method                       | BS 1377-2:2022<br>BSEN ISO 17892-1:2014+A1:2022                       | Lab           |
|                                      | Saturation moisture content of chalk                        | BS 1377-2: 1990                                                       | Lab           |
|                                      | Saturation water content of chalk                           | BS 1377-2: 2022<br>BSEN ISO 17892-2:2014                              | Lab           |
|                                      | Liquid limit<br>- cone penetrometer<br>(Definitive method)  | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                      | Liquid limit<br>- cone penetrometer<br>- one point          | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                      | Plastic limit                                               | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                      | Plasticity index and liquidity index                        | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                      | Plasticity index                                            | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                      | Particle size distribution<br>- wet sieving                 | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                      | Particle size distribution<br>- dry sieving                 | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                      | Particle size distribution<br>- sedimentation by hydrometer | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                               | Type of test/Properties measured/Range of measurement                                                 | Standard specifications/ Equipment/Techniques used                       | Location Code |
|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd)           | Particle Density<br>- gas jar method                                                                  | BS 1377-2: 1990<br>BS 1377-2: 2022                                       | Lab           |
|                                                         | Bulk density<br>- By Linear Measurement                                                               | BS 1377-2: 1990 Clause 7.2<br>BS 1377-2: 2022<br>BS EN ISO 17892-2: 2014 | Lab           |
|                                                         | California Bearing Ratio (CBR)                                                                        | BS 1377-4: 1990<br>BS 1377-2: 2022                                       | Lab           |
|                                                         | Swelling of soaked CBR specimen                                                                       | BS 1377-4:1990<br>BS 1377-2: 2022                                        | Lab           |
|                                                         | Dry density/moisture content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer | BS 1377-4: 1990                                                          | Lab           |
|                                                         | Dry density/water content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer    | BS 1377-2: 2022                                                          | Lab           |
|                                                         | MCV<br>- natural moisture content                                                                     | BS 1377-4: 1990                                                          | Lab           |
|                                                         | MCV<br>- natural water content                                                                        | BS1377-2: 2022                                                           | Lab           |
|                                                         | MCV / Moisture Content relationship                                                                   | BS 1377-4: 1990                                                          | Lab           |
|                                                         | MCV / Water Content relationship                                                                      | BS 1377-2: 1990                                                          | Lab           |
|                                                         | Undrained shear strength in triaxial compression without measurement of pore pressure.                | BS 1377-7 :1990 Clause 8<br>BS 1377-2: 2022<br>BS EN ISO 17892-8 2018    | Lab           |
| Undrained shear strength of remoulded cohesive material | Specification for Highway Works,<br>HMSO March 1998 Clause 633                                        | Lab                                                                      |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                                                                    | Type of test/Properties measured/Range of measurement                                           | Standard specifications/ Equipment/Techniques used                   | Location Code |
|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd)<br><br>UNBOUND and HYDRALICALLY BOUND MIXTURES | Shear strength<br>– Large shearbox                                                              | BS EN 17892-10: 2018<br>BS1377-7:1990                                | Lab           |
|                                                                                              | Effective angle of internal friction and effective cohesion                                     | Specification for Highway Works<br>Volume 1 Clause 636 February 2016 | Lab           |
|                                                                                              | Laboratory reference density and water content<br>- vibrating hammer                            | BS EN 13286-4: 2021                                                  | Lab           |
|                                                                                              | Compressive strength of hydraulically bound mixtures                                            | BS EN 13286-41: 2021                                                 | Lab           |
|                                                                                              | Moisture condition value                                                                        | BS EN 13286-46: 2003                                                 | Lab           |
|                                                                                              | Manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction | BS EN 13286-51: 2004                                                 | Lab           |

**End of Harrietsham Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                                    | Type of test/Properties measured/Range of measurement                | Standard specifications/ Equipment/Techniques used                    | Location Code |
|--------------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| <b>Billericay Laboratory</b>                                 |                                                                      |                                                                       |               |
| AGGREGATES                                                   | Particle size distribution<br>- sieving method                       | BS EN 933-1: 2012                                                     | Lab           |
|                                                              | Water content<br>- drying in a ventilated oven                       | BS EN 1097-5: 2008                                                    | Lab           |
|                                                              | Uniformity coefficient                                               | BS EN ISO 14688-2: 2018                                               | Lab           |
| ROAD MATERIALS<br>- unbound and hydraulically bound mixtures | Laboratory reference density and water content<br>- vibrating hammer | BS EN 13286-4:2021                                                    | Lab           |
| SOILS for civil engineering purposes                         | Moisture content<br>- oven drying method                             | BS 1377-2:1990                                                        | Lab           |
|                                                              | Water content<br>- oven drying method                                | BS 1377-2:2022<br>BSEN ISO 17892-1: 2014+A1:2022                      | Lab           |
|                                                              | Liquid limit<br>- cone penetrometer (definitive method)              | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                                              | Liquid limit<br>- cone penetrometer<br>- one point                   | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                                              | Plastic limit                                                        | BS 1377-2:1990<br>BS 1377-2:2022<br>BSEN ISO 17892-12:2014+A2: 2022   | Lab           |
|                                                              | Plasticity index                                                     | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                                              | Particle size distribution<br>- wet sieving                          | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                                              | Particle size distribution<br>- dry sieving                          | BS 1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014          | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement                                                 | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Particle Density<br>- gas jar method                                                                  | BS 1377-2: 1990<br>BS 1377-2: 2022                 | Lab           |
|                                               | Dry density/moisture content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer | BS 1377-4: 1990                                    | Lab           |
|                                               | Dry density/water content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer    | BS 1377-2: 2022                                    | Lab           |
|                                               | MCV<br>- natural moisture content                                                                     | BS 1377-4: 1990                                    | Lab           |
|                                               | MCV<br>- natural water content                                                                        | BS1377-2: 2022                                     | Lab           |

**End of Billericay Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

#### DETAIL OF ACCREDITATION

| Materials/Products tested   | Type of test/Properties measured/Range of measurement                                                                                                           | Standard specifications/ Equipment/Techniques used    | Location Code |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------|
| <b>Heathrow Laboratory</b>  |                                                                                                                                                                 |                                                       |               |
| AGGREGATES                  | Methods of reducing laboratory samples<br>- using a riffle box<br>- reduction by quartering<br>- to a test portion of a specified mass within a small tolerance | BS EN 932-2: 1999                                     | Lab           |
|                             | Particle size distribution<br>- sieving method                                                                                                                  | BS EN 933-1: 2012                                     | Lab           |
|                             | Constituents of coarse recycled aggregate - Test for geometrical properties of aggregates.                                                                      | BS EN 933-11: 2009                                    | Lab           |
|                             | Water content<br>- drying in a ventilated oven                                                                                                                  | BS EN 1097-5: 2008                                    | Lab           |
|                             | Uniformity coefficient                                                                                                                                          | B BS EN ISO 14688-2: 2018                             | Lab           |
| CONCRETE – fresh            | Compaction Factor                                                                                                                                               | BS1881-103: 1993                                      | Lab           |
|                             | Degree of Compactability                                                                                                                                        | BS EN 12350-4: 2019                                   | Lab           |
|                             | Density                                                                                                                                                         | BS EN 12350-6: 2019                                   | Lab           |
|                             | Air Content<br>- Pressure method                                                                                                                                | BS EN 12350-7: 2019                                   | Lab           |
|                             | Making test cubes and curing                                                                                                                                    | BS EN 12390-2: 2019                                   | Lab           |
|                             | Making test cylinders and curing                                                                                                                                | BS EN 12390-2: 2019                                   | Lab           |
|                             | Method for Making Test Beams from Fresh Concrete                                                                                                                | BS EN 12390: Pt 2: 2019 & BS EN 14651: 2005 + A1:2007 | Lab           |
| CONCRETE - fresh reinforced | Fibre content - Steel fibres                                                                                                                                    | BS EN 14721:2005 + A1 2007                            | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested                                    | Type of test/Properties measured/Range of measurement                          | Standard specifications/ Equipment/Techniques used                    | Location Code |
|--------------------------------------------------------------|--------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| CONCRETE – sprayed                                           | Fibre Content of Fibre Reinforced Concrete                                     | Documented In-House Method C11(B2) Issue 3                            | Lab           |
| CONCRETE – hardened                                          | Compressive strength of cubes                                                  | BS EN 12390-3: 2019                                                   | Lab           |
|                                                              | Curing                                                                         | BS EN 12390-2: 2019                                                   | Lab           |
|                                                              | Dimensions                                                                     | BS EN 12390-1: 2021                                                   | Lab           |
|                                                              | Compressive strength of resin concrete cubes<br>- including Curing and Density | BS 6319-2: 1983                                                       | Lab           |
|                                                              | Cored Specimens<br>- examining and testing in compression                      | BS EN 12504-1: 2019                                                   | Lab           |
|                                                              | Density                                                                        | BS EN 12390-7: 2019                                                   | Lab           |
|                                                              | Flexural strength                                                              | BS EN 12390-5: 2019                                                   | Lab           |
|                                                              | Fibre Content                                                                  | BS EN 14488-7: 2006                                                   | Lab           |
|                                                              | Flexural Tensile Strength ((limit of proportionality (LOP), residual)          | BS EN 14651: 2005+A1:2007                                             | Lab           |
| ROAD MATERIALS<br>- unbound and hydraulically bound mixtures | Laboratory reference density and water content<br>- vibrating hammer           | BS EN 13286-4: 2021                                                   | Lab           |
| SOILS for civil engineering purposes                         | Moisture content<br>- oven drying method                                       | BS 1377-2: 1990                                                       | Lab           |
|                                                              | Water content<br>- oven drying method                                          | BS 1377-2: 2022<br>BSEN ISO 17892-1:2014+A1:2022                      | Lab           |
|                                                              | Liquid limit<br>- cone penetrometer (definitive method)                        | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                                              | Liquid limit<br>- cone penetrometer<br>- one point                             | BS 1377-2:1990<br>BS 1377-2:2022<br>BSEN ISO 17892-12:2014+A2: 2022   | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement                                                 | Standard specifications/ Equipment/Techniques used                    | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Plastic limit                                                                                         | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                               | Plasticity index                                                                                      | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                               | Particle size distribution<br>- wet sieving                                                           | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                               | Particle size distribution<br>- dry sieving                                                           | BS 1377-2:1990<br>BS 1377-2:2022<br>BS EN ISO 17892-4: 2014           | Lab           |
|                                               | Dry density/moisture content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer | BS 1377-4: 1990                                                       | Lab           |
|                                               | Dry density/water content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer    | BS 1377-2: 2022                                                       | Lab           |
|                                               | MCV<br>- natural moisture content                                                                     | BS 1377-4: 1990                                                       | Lab           |
|                                               | MCV<br>- natural water content                                                                        | BS1377-2: 2022                                                        | Lab           |
|                                               | MCV / Moisture Content relationship                                                                   | BS 1377-4: 1990                                                       | Lab           |
| MCV / Water Content relationship              | BS 1377-2: 1990                                                                                       | Lab                                                                   |               |

**End of Heathrow Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested       | Type of test/Properties measured/Range of measurement                                                       | Standard specifications/ Equipment/Techniques used             | Location Code |
|---------------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------|
| <b>East Kilbride Laboratory</b> |                                                                                                             |                                                                |               |
| AGGREGATES                      | Sample reduction –riffle box                                                                                | BS EN 932-2:1999                                               | Lab           |
|                                 | Sample reduction - quartering                                                                               | BS EN 932-2:1999                                               | Lab           |
|                                 | Sample reduction – Small tolerances                                                                         | BS EN 932-2:1999                                               | Lab           |
|                                 | Particle size distribution - sieving method                                                                 | BS EN 933-1:2012                                               | Lab           |
|                                 | Water content                                                                                               | BS EN 1097-5:2008                                              | Lab           |
|                                 | Resistance to fragmentation by the Los Angeles test method                                                  | BS EN 1097-2: 2020                                             | Lab           |
|                                 | Particle density and water absorption - pyknometer method for aggregate particles between 0.063 mm and 4 mm | BS EN 1097-6:2022                                              | Lab           |
|                                 | Particle density and water absorption - pyknometer method for aggregate particles between 4 mm and 31.5mm   | BS EN 1097-6:2022                                              | Lab           |
|                                 | Uniformity coefficient                                                                                      | BS EN ISO 14688-2:2018                                         | Lab           |
| CONCRETE - fresh                | Manufacture of cubic specimens for strength tests, including curing                                         | BS EN 12390-2:2019                                             | Lab           |
| CONCRETE - hardened             | Compressive strength of cubes - including curing                                                            | BS EN 12390-3:2019<br>BS EN 12390-2:2019<br>BS EN 12390-1:2021 | Lab           |
|                                 | Density                                                                                                     | BS EN 12390-7:2019                                             | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested             | Type of test/Properties measured/Range of measurement                | Standard specifications/ Equipment/Techniques used                    | Location Code |
|---------------------------------------|----------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes  | Water (Moisture) content<br>- oven drying method                     | BS 1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-1: 2014+A1: 2022 | Lab           |
|                                       | Particle size distribution<br>- wet sieving                          | BS 1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014          | Lab           |
|                                       | Particle size distribution<br>- dry sieving                          | BS 1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014          | Lab           |
|                                       | Liquid limit<br>- cone penetrometer<br>- one point                   | BS 1377-2: 2022<br>BSEN ISO 17892-12:2014 + A2:2022                   | Temp          |
|                                       | Plastic limit                                                        | BS 1377-2: 2022<br>BSEN ISO 17892-12:2014 + A2:2022                   | Temp          |
|                                       | Plasticity index                                                     | BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+ A2:2022                    | Temp          |
|                                       | Particle Density - gas jar method                                    | BS 1377-2:2022                                                        | Lab           |
|                                       | California Bearing Ratio (CBR)                                       | BS 1377-2: 2022                                                       | Lab           |
|                                       | Dry density//Water (moisture) content relationship (4.5 kg rammer)   | BS 1377-2: 2022                                                       | Lab           |
|                                       | Dry density/Water (moisture) content relationship (2.5 kg rammer)    | BS 1377-2: 2022                                                       | Lab           |
|                                       | Dry density/Water (moisture) content relationship (vibrating hammer) | BS 1377-2: 2022                                                       | Lab           |
| MCV- natural Water (moisture) content | BS 1377-2: 2022                                                      | Lab                                                                   |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**

issued by

**United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**

**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement              | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Particle Density - gas jar method                                  | BS 1377-2: 2022                                    | Lab           |
| UNBOUND and HYDRALICALLY BOUND MIXTURES       | Laboratory reference density and water content by vibrating hammer | BS EN 13286-4:2021                                 | Lab           |
| <b>End of East Kilbride Laboratory</b>        |                                                                    |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                                                        | Type of test/Properties measured/Range of measurement                    | Standard specifications/ Equipment/Techniques used                                      | Location Code       |     |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|---------------------|-----|
| <b>Penrith Laboratory</b>                                                        |                                                                          |                                                                                         |                     |     |
| AGGREGATES                                                                       | Sample reduction –riffle box                                             | BS EN 932-2:1999                                                                        | Lab                 |     |
|                                                                                  | Sample reduction - quartering                                            | BS EN 932-2:1999                                                                        | Lab                 |     |
|                                                                                  | Reduction to a test portion of a specified mass within a small tolerance | BS EN 932-2:1999                                                                        | Lab                 |     |
|                                                                                  | Particle size distribution - sieving method                              | BS EN 933-1:2012                                                                        | Lab                 |     |
|                                                                                  | Flakiness index                                                          | BS EN 933-3:2012                                                                        | Lab                 |     |
|                                                                                  | Resistance to fragmentation by the Los Angeles test method               | BS EN 1097-2:2020                                                                       | Lab                 |     |
|                                                                                  | Water content                                                            | BS EN 1097-5:2008                                                                       | Lab                 |     |
|                                                                                  | BITUMINOUS MIXTURES for roads and other paved areas                      | Soluble binder content by difference, using bottle rotation machine and pressure filter | BS EN 12697-1:2020  | Lab |
|                                                                                  |                                                                          | Particle size distribution                                                              | BS EN 12697-2: 2024 | Lab |
|                                                                                  |                                                                          | Maximum density - volumetric procedure                                                  | BS EN 12697-5:2018  | Lab |
| Bulk density - sealed specimen                                                   |                                                                          | BS EN 12697-6:2020                                                                      | Lab                 |     |
| Air voids content                                                                |                                                                          | BS EN 12697-8:2018                                                                      | Lab                 |     |
| Preparation of samples for determining binder content, water content and grading |                                                                          | BS EN 12697-28:2020                                                                     | Lab                 |     |
|                                                                                  | Thickness of a bituminous Pavement                                       | BS EN 12697-36:2022                                                                     | Lab                 |     |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested            | Type of test/Properties measured/Range of measurement               | Standard specifications/ Equipment/Techniques used             | Location Code |
|--------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------|---------------|
| CONCRETE - fresh                     | Manufacture of cubic specimens for strength tests, including curing | BS EN 12390-2:2019                                             | Lab           |
| CONCRETE - hardened                  | Compressive strength of cubes - including curing                    | BS EN 12390-3:2019<br>BS EN 12390-2:2019<br>BS EN 12390-1:2021 | Lab           |
|                                      | Density                                                             | BS EN 12390-7:2019                                             | Lab           |
| SOILS for civil engineering purposes | Moisture content - oven drying method                               | BS 1377-2:1990                                                 | Lab           |
|                                      | Water content (oven drying method)                                  | BS 1377-2:2022<br>BS EN ISO 17892-1:2014                       | Lab           |
|                                      | Liquid limit - cone penetrometer (definitive method)                | BS 1377-2:1990                                                 | Lab           |
|                                      | Liquid limit - fall cone method (four point method)                 | BS 1377-2: 2022<br>BS EN ISO 17892-12 2018                     | Lab           |
|                                      | Liquid limit - cone penetrometer - one point                        | BS 1377-2:1990<br>BS EN ISO 17892-12 2018                      | Lab           |
|                                      | Liquid limit - fall cone method (one point method)                  | BS 1377-2: 2022<br>BS EN ISO 17892-12 2018                     | Lab           |
|                                      | Plastic limit                                                       | BS 1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-12 2018   | Lab           |
|                                      | Plasticity index                                                    | BS1377-2:1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-12 2018    | Lab           |
|                                      | Particle size distribution - wet sieving                            | BS 1377-2:1990                                                 | Lab           |
|                                      | Particle size distribution - dry sieving                            | BS 1377-2:1990                                                 | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement        | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|--------------------------------------------------------------|----------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Particle size distribution - sieving method                  | BS 1377-2:2022<br>BS EN ISO 17892-4:2016           | Lab           |
|                                               | Determination of particle size distribution - sieving method | BS 1377-2: 2022<br>BS EN ISO 17892-4:2016          | Lab           |
|                                               | Dry density/moisture content relationship (2.5 kg rammer)    | BS 1377-4:2022                                     | Lab           |
|                                               | Dry density/moisture content relationship (4.5 kg rammer)    | BS 1377-4:2022                                     | Lab           |
|                                               | Moisture condition value (MCV) – natural moisture content    | BS 1377-4:1990                                     | Lab           |
|                                               | Moisture condition value (MCV) – natural water content       | BS 1377-2:2022                                     | Lab           |
|                                               | Uniformity coefficient                                       | SHW: Series 600:Table 6-1: Footnote 5              | Lab           |
| <b>End of Penrith Laboratory</b>              |                                                              |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                              | Type of test/Properties measured/Range of measurement                                        | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Warrington Laboratory</b>                           |                                                                                              |                                                    |               |
| AGGREGATES                                             | Sample reduction –riffle box                                                                 | BS EN 932-2:1999                                   | Lab           |
|                                                        | Sample reduction - quartering                                                                | BS EN 932-2:1999                                   | Lab           |
|                                                        | Reduction to a test portion of a specified mass within a small tolerance                     | BS EN 932-2:1999                                   | Lab           |
|                                                        | Particle size distribution - sieving method                                                  | BS EN 933-1:2012                                   | Lab           |
|                                                        | Flakiness index                                                                              | BS EN 933-3:2012                                   | Lab           |
|                                                        | Micro-Deval coefficient                                                                      | BS EN 1097-1:2023                                  | Lab           |
|                                                        | Resistance to fragmentation by the Los Angeles test method                                   | BS EN 1097-2:2020                                  | Lab           |
|                                                        | Resistance to fragmentation of aggregates for railway ballast by the Los Angeles test method | BS EN 1097-2: 2020 Annex A                         | Lab           |
|                                                        | Water content                                                                                | BS EN 1097-5:2008                                  | Lab           |
|                                                        | Uniformity coefficient                                                                       | BS EN ISO 14688-2: 2018                            | Lab           |
| BITUMINOUS MIXTURES<br>for roads and other paved areas | Soluble binder content by difference, using bottle rotation machine and pressure filter      | BS EN 12697-1:2020                                 | Lab           |
|                                                        | Particle size distribution                                                                   | BS EN 12697-2:2024                                 | Lab           |
|                                                        | Maximum density - volumetric procedure                                                       | BS EN 12697-5:2018                                 | Lab           |
|                                                        | Bulk density - dry                                                                           | BS EN 12697-6:2020                                 | Lab           |
|                                                        | - saturated surface dry (SSD)                                                                |                                                    |               |
| - sealed specimen                                      |                                                                                              |                                                    |               |
| - bulk density by dimensions                           |                                                                                              |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                                    | Type of test/Properties measured/Range of measurement              | Standard specifications/ Equipment/Techniques used             | Location Code |
|--------------------------------------------------------------|--------------------------------------------------------------------|----------------------------------------------------------------|---------------|
| BITUMINOUS MIXTURES for roads and other paved areas (cont'd) | Air voids content                                                  | BS EN 12697-8:2018                                             | Lab           |
|                                                              | Dimensions of a specimen                                           | BS EN 12697-29:2020                                            | Lab           |
|                                                              | Thickness of a bituminous Pavement                                 | BS EN 12697-36:2003                                            | Lab           |
| CONCRETE - fresh                                             | Manufacture of cubic specimens for strength tests including curing | BS EN 12390-2:2019                                             | Lab           |
| CONCRETE - hardened                                          | Compressive strength of cubes - including curing                   | BS EN 12390-3:2019<br>BS EN 12390-2:2019<br>BS EN 12390-1:2021 | Lab           |
|                                                              | Density                                                            | BS EN 12390-7:2019                                             | Lab           |
|                                                              | Cored specimens - examining and testing in compression             | BS EN 12504-1:2019                                             | Lab           |
|                                                              | Chloride ion determination in concrete and mortar                  | Documented in-house procedure WI No.9                          | Lab           |
| SOILS for civil engineering purposes                         | Moisture content - oven drying method                              | BS 1377-2:1990                                                 | Lab           |
|                                                              | Water content (oven drying method)                                 | BS 1377-2:2022<br>BS EN ISO 17892-1:2014+A1::2022              | Lab           |
|                                                              | Liquid limit - cone penetrometer (definitive method)               | BS 1377-2:1990                                                 | Lab           |
|                                                              | Liquid limit - fall cone method (four point method)                | BS 1377-2:2022<br>BS EN ISO 17892-12 2018 + A2:2022            | Lab           |
|                                                              | Liquid limit - cone penetrometer - one point                       | BS 1377-2:1990                                                 | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement        | Standard specifications/ Equipment/Techniques used                    | Location Code |
|-----------------------------------------------|--------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Plastic limit                                                | BS 1377-2:1990<br>BS 1377-2:2022<br>BS EN ISO 17892-12 2018 + A2:2022 | Lab           |
|                                               | Plasticity index                                             | BS 1377-2:1990<br>BS 1377-2:2022<br>BS EN ISO 17892-12 2018 + A2:2022 | Lab           |
|                                               | Particle size distribution - sieving method                  | BS 1377-2:1990<br>BS 1377-2:2022<br>BS EN ISO 17892-4:2016            | Lab           |
|                                               | Dry density/moisture content relationship (2.5 kg rammer)    | BS 1377-4:1990                                                        | Lab           |
|                                               | Dry density/water content relationship (2.5 kg rammer)       | BS 1377-2:2022                                                        | Lab           |
|                                               | Dry density/moisture content relationship (4.5 kg rammer)    | BS 1377-4:1990                                                        | Lab           |
|                                               | Dry density/water content relationship (4.5 kg rammer)       | BS 1377-2:2022                                                        | Lab           |
|                                               | Dry density/moisture content relationship (vibrating hammer) | BS 1377-4:1990                                                        | Lab           |
|                                               | Dry density/moisture content relationship (vibrating hammer) | BS 1377-2:2022                                                        | Lab           |
|                                               | Moisture condition value (MCV) – natural moisture content    | BS 1377-4:1990                                                        | Lab           |
|                                               | Moisture condition value (MCV) – natural water content       | BS 1377-2:2022                                                        | Lab           |
|                                               | MCV/moisture content relationship                            | BS 1377-4:1990                                                        | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement             | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | MCV/water content relationship                                    | BS 1377-2:2022                                     | Lab           |
|                                               | California Bearing Ratio (CBR)                                    | BS 1377-4:1990                                     | Lab           |
| UNBOUND and HYDRAULICALLY BOUND MIXTURES      | Laboratory reference density and water content - vibrating hammer | BS EN 13286-4:2021                                 | Lab           |

**End of Warrington Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**

issued by

**United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**

Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                    | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------|-------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Woodsmith Mine Site Laboratory</b>        |                                                       |                                                    |               |
| CONCRETE - hardened                          | Compressive strength of cubes                         | BS EN 12390-3: 2019                                | Lab           |
|                                              | Curing                                                | BS EN 12390-2: 2019                                | Lab           |
|                                              | Dimensions                                            | BS EN 12390-1: 2021                                | Lab           |
|                                              | Density                                               | BS EN 12390-7: 2019                                | Lab           |
| <b>End of Woodsmith Mine Site Laboratory</b> |                                                       |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                   | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------|-------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Isle of Grain Site Laboratory</b>        |                                                       |                                                    |               |
| CONCRETE – fresh                            | Making test cubes and curing                          | BS EN 12390-2: 2019                                | Lab           |
|                                             | Making test cylinders and curing                      | BS EN 12390-2: 2019                                | Lab           |
| CONCRETE – hardened                         | Compressive strength of cubes                         | BS EN 12390-3: 2019                                | Lab           |
|                                             | Curing                                                | BS EN 12390-2: 2019                                | Lab           |
|                                             | Dimensions                                            | BS EN 12390-1: 2021                                | Lab           |
|                                             | Density                                               | BS EN 12390-7: 2019                                | Lab           |
|                                             | Tensile splitting strength                            | BS EN 12390-6: 2009                                | Lab           |
| <b>End of Isle of Grain Site Laboratory</b> |                                                       |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------|-------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Hartlepool Site Laboratory</b>        |                                                       |                                                    |               |
| AGGREGATES                               | Water Content                                         | BS EN 1097-5: 2008                                 | Lab           |
| CONCRETE – hardened                      | Curing of Concrete Specimens                          | BS EN 12390-2: 2019                                | Lab           |
|                                          | Dimensions of Concrete Specimens                      | BS EN 12390-1: 2021                                | Lab           |
|                                          | Compressive Strength of Concrete Cubes                | BS EN 12390-3: 2019                                | Lab           |
|                                          | Density of Concrete Cubes                             | BS EN 12390-7: 2019                                | Lab           |
|                                          | Tensile Splitting Strength                            | BS EN 12390-6: 2009                                | Lab           |
| <b>End of Hartlepool Site Laboratory</b> |                                                       |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

| Materials/Products tested                | Type of test/Properties measured/Range of measurement                | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------|----------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Black Cat Site Laboratory</b>         |                                                                      |                                                    |               |
| AGGREGATES                               | Particle size distribution<br>- sieving method                       | BS EN 933-1:2012                                   | Lab           |
|                                          | Water content                                                        | BS EN 1097-5:2008                                  | Lab           |
| SOILS for civil engineering purposes     | Moisture content<br>- oven drying method                             | BS 1377-2:1990                                     | Lab           |
|                                          | Liquid limit<br>- cone penetrometer<br>- one point                   | BS 1377-2:1990                                     | Lab           |
|                                          | Plastic limit                                                        | BS 1377-2:1990                                     | Lab           |
|                                          | Plasticity index                                                     | BS 1377-2:1990                                     | Lab           |
|                                          | Particle size distribution<br>- wet sieving                          | BS 1377-2:1990                                     | Lab           |
|                                          | Particle size distribution<br>- dry sieving                          | BS 1377-2:1990                                     | Lab           |
|                                          | Dry density/moisture content relationship (2.5 kg rammer)            | BS 1377-4:1990                                     | Lab           |
|                                          | Dry density/moisture content relationship (4.5 kg rammer)            | BS 1377-4:1990                                     | Lab           |
|                                          | Dry density/moisture content relationship (vibrating hammer)         | BS 1377-4:1990                                     | Lab           |
|                                          | Moisture condition value (MCV) – natural moisture content            | BS 1377-4:1990                                     | Lab           |
| UNBOUND and HYDRAULICALLY BOUND MIXTURES | Laboratory reference density and water content<br>- vibrating hammer | BS EN 13286-4:2021                                 | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**

issued by

**United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**

**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested            | Type of test/Properties measured/Range of measurement                                                      | Standard specifications/ Equipment/Techniques used    | Location Code |
|--------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------|
| AGGREGATES                           | Sampling<br>- from stockpiles                                                                              | BS EN 932-1: 1997                                     | Site          |
| CONCRETE – fresh                     | Sampling<br>- composite sample<br>- spot sample                                                            | BS EN 12350-1: 2019                                   | Site          |
|                                      | Slump                                                                                                      | BS EN 12350-2: 2019                                   | Site          |
|                                      | Density                                                                                                    | BS EN 12350-6: 2019                                   | Site          |
|                                      | Making concrete cubes                                                                                      | BS EN 12390-2: 2019                                   | Site          |
| SOILS for civil engineering purposes | Sampling site<br>- excavated material<br>- from heaps                                                      | Documented In-House Method<br>STP S0/Method 2 Issue 4 | Site          |
|                                      | MCV<br>- natural moisture content                                                                          | BS 1377-4: 1990                                       | Site          |
|                                      | In-situ density<br>- sand replacement method<br>(large pouring cylinder)                                   | BS 1377-9: 1990                                       | Site          |
|                                      | In-situ bulk density<br>nuclear method<br>- absolute test<br>- comparative tests<br>- compliance tests     | BS 1377-9: 1990                                       | Site          |
|                                      | In-situ moisture density<br>nuclear method<br>- absolute test<br>- comparative tests<br>- compliance tests | BS 1377-9: 1990                                       | Site          |
|                                      | In-situ density<br>- core cutter method                                                                    | BS 1377-9: 1990                                       | Site          |
|                                      | Vertical deformation and<br>strength characteristics<br>by the incremental plate<br>loading test           | BS 1377-9: 1990                                       |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement            | Standard specifications/ Equipment/Techniques used                                                             | Location Code |
|-----------------------------------------------|------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Calculation of equivalent CBR value using the plate bearing test | Design Guidance for Road Pavement using the plate bearing test<br>Foundations - Interim Advice Note 73/06 Rev1 | Site          |
|                                               | Dynamic Cone Penetrometer (DCP)                                  | Documented In-House Method TP 45 Issue 2 Site                                                                  | Site          |
|                                               | Calculation of nominal CBR value                                 | DMRB, IAN 73/06 – Design of Road                                                                               | Site          |
|                                               | Dynamic Cone Penetrometer test (DCP)                             | Pavement Foundations Rev 1:2009 DMRB, CS 229<br>Data for Pavement Assessment Rev.0: 2020                       | Site          |
| <b>End of Black Cat Site Laboratory</b>       |                                                                  |                                                                                                                |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                  | Type of test/Properties measured/Range of measurement   | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------|---------------------------------------------------------|----------------------------------------------------|---------------|
| <b>River Roding Site Laboratory</b>        |                                                         |                                                    |               |
| SOILS for civil engineering purposes       | Water Content                                           | BS EN ISO 17892-1: 2014 + A1: 2022                 | Lab           |
|                                            | Dry Density/Water Content Relationship<br>-2.5kg Rammer | BS 1377-2:2022                                     | Lab           |
| <b>End of River Roding Site Laboratory</b> |                                                         |                                                    |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 074 Issue date: 01 May 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested            | Type of test/Properties measured/Range of measurement                 | Standard specifications/ Equipment/Techniques used      | Location Code |
|--------------------------------------|-----------------------------------------------------------------------|---------------------------------------------------------|---------------|
| <b>Drigg Site Laboratory</b>         |                                                                       |                                                         |               |
| AGGREGATES                           | Particle size distribution                                            | BS EN 933-1:2012                                        | Lab           |
|                                      | Water content                                                         | BS EN 1097-5:2008                                       | Lab           |
|                                      | Sampling from stockpiles                                              | BS EN 932-1:1997<br>DIHM 41 STP S0/<br>Method 2 Issue 4 | Site          |
| SOILS for civil engineering purposes | Water Content                                                         | BS EN ISO 17892-1: 2014 + A1: 2022                      | Lab           |
|                                      | Dry Density/Water Content Relationship<br>-2.5kg Rammer               | BS 1377-2:2022                                          | Lab           |
|                                      | Dry density/Water content relationship<br>4.5 Rammer                  | BS 1377-2:2022                                          | Lab           |
|                                      | Dry density/Water content relationship Vibrating hammer               | BS 1377-2:2022                                          | Lab           |
|                                      | Moisture (water) condition value                                      | BS 1377-2:2022                                          | Lab           |
|                                      | California Bearing Ratio (CBR)<br>(Not including swelling or soaking) | BS 1377-2:2022                                          | Lab           |
|                                      | Moisture content                                                      | BS 1377-2:1990                                          | Lab           |
|                                      | Particle size distribution                                            | BS EN ISO 17892-4:2014                                  | Lab           |
|                                      | Uniformity Coefficient                                                | BS EN ISO 14688-2:2018                                  | Lab           |
|                                      | Liquid limit<br>Fall cone<br>4 Point method                           | BSEN ISO 17892-12:2014<br>+A2:2022                      | Lab           |
|                                      | Plastic Limit                                                         | BSEN ISO 17892-12:2014<br>+A2:2022                      | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested               | Type of test/Properties measured/Range of measurement             | Standard specifications/ Equipment/Techniques used                      | Location Code |
|-----------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes    | Plasticity Index                                                  | BSEN ISO 17892-12:2014 +A2:2022                                         | Lab           |
|                                         | Insitu density by Sand Replacement method (large)                 | BS1377-9:1990                                                           | Site          |
|                                         | Vertical deformation by incremental plate bearing test            | BS1377-9:1990                                                           | Site          |
|                                         | Dynamic cone penetrometer                                         | DHIM TP45                                                               | Site          |
|                                         | Calculation of equivalent CBR value using the plate bearing test  | Design Guidance for Road Pavement Foundations Interim Advice Note 73/06 | Site          |
| CONCRETE- Hardened                      | Curing of Concrete Specimens                                      | BS EN 12390-2: 2019                                                     | Lab           |
|                                         | Dimensions of Concrete Specimens                                  | BS EN 12390-1: 2021                                                     | Lab           |
|                                         | Compressive Strength of Concrete Cubes                            | BS EN 12390-3: 2019                                                     | Lab           |
|                                         | Density of hardened concrete.                                     | BS EN 12390-7:2019                                                      | Lab           |
| UNBOUND and HYDRALICALLY BOUND MIXTURES | Laboratory reference density and water content - vibrating hammer | BS EN 13286-4: 2021                                                     | Lab           |

**End of Drigg Site Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                                 | Type of test/Properties measured/Range of measurement                                                                                                             | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Activities Performed Away from Permanent Locations</b> |                                                                                                                                                                   |                                                    |               |
| AGGREGATES                                                | Sampling<br>- from stockpiles                                                                                                                                     | BS EN 932-1: 1997                                  | Site          |
| BINDER DISTRIBUTORS for road surfacing                    | Rate of spread of binder<br>- carpet tile method                                                                                                                  | BS EN 12272-1:2025                                 | Site          |
| BITUMINOUS MIXTURES for roads and other paved areas       | Temperature measurement<br>- laid material<br>- in a heap                                                                                                         | BS EN 12697-13: 2017<br>Contact method             | Site          |
|                                                           | Temperature measurement<br>- Measurements of temperature in a heap<br>- Measurements of temperature in a paver hopper                                             | BS EN 12697-13:2017<br>Infrared-thermometer        | Site          |
|                                                           | Sampling from<br>- around augers of the paver<br>- workable materials in heaps<br>- coated chippings from stockpiles<br>- finished material - core cutting method | BS EN 12697-27: 2017                               | Site          |
|                                                           | Preparation of samples for determining binder content, water content and grading                                                                                  | BS EN 12697-28:2020                                | Site          |
|                                                           | Determination of the thickness of a bituminous pavement<br>- destructive method                                                                                   | BS EN 12697-36: 2022                               | Site          |
|                                                           | Compacted Density<br>- nuclear density method                                                                                                                     | Documented In-House Method<br>TP50 Issue 1         | Site          |
|                                                           | Compacted Density<br>- non-nuclear method                                                                                                                         | Documented In-House Method<br>TP 91 Issue1         | Site          |
| BITUMINOUS ROAD PAVEMENT                                  | Surface macrotexture depth by volumetric patch technique                                                                                                          | BS EN 13036-1: 2010                                | Site          |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                        | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used                          | Location Code |
|--------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------|---------------|
| BITUMINOUS ROAD PAVEMENT (cont'd)                | Surface regularity by rolling straight-edge           | TRRL Supplementary Report 290: 1977                                         | Site          |
|                                                  | In-situ density - dielectric method                   | Work Instruction 75 Issue 3 Jan 2023 , and BS 594987:2015 + A1:2017 Annex I | Site          |
| CONCRETE - fresh                                 | Rate of spread of coated chippings                    | BS 598-1:2011                                                               | Site          |
|                                                  | Compaction Factor                                     | BS 1881-103: 1993                                                           | Site          |
|                                                  | Sampling - composite sample - spot sample             | BS EN 12350-1: 2019                                                         | Site          |
|                                                  | Slump                                                 | BS EN 12350-2: 2019                                                         | Site          |
|                                                  | Determination of Flow                                 | BS EN 12350-5: 2019                                                         | Site          |
|                                                  | Density                                               | BS EN 12350-6: 2019                                                         | Site          |
|                                                  | Air content - pressure gauge method                   | BS EN 12350-7: 2019                                                         | Site          |
|                                                  | Slump Flow and T500                                   | BS EN 12350-8: 2019                                                         | Site          |
|                                                  | V-Funnel                                              | BS EN 12350-9: 2010                                                         | Site          |
|                                                  | L box                                                 | BS EN 12350-10: 2010                                                        | Site          |
|                                                  | Sieve Segregation                                     | BS EN 12350-11: 2010                                                        | Site          |
|                                                  | J Ring                                                | BS EN 12350-12: 2010                                                        | Site          |
|                                                  | Making concrete cubes                                 | BS EN 12390-2: 2019                                                         | Site          |
|                                                  | Curing concrete cubes                                 | BS EN 12390-2: 2019                                                         | Site          |
| Making concrete cylinders                        | BS EN 12390-2: 2019                                   | Site                                                                        |               |
| Making concrete Prism                            | BS EN 12390-2: 2019                                   | Site                                                                        |               |
| Method for Making Test Beams from Fresh Concrete | BS EN 12390-2: 2019<br>BS EN 14651:2005 + A1:2007     | Site                                                                        |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested       | Type of test/Properties measured/Range of measurement                | Standard specifications/ Equipment/Techniques used      | Location Code |
|---------------------------------|----------------------------------------------------------------------|---------------------------------------------------------|---------------|
| CONCRETE – fresh (cont'd)       | Fibre Content                                                        | BS EN 14488-7: 2006                                     | Site          |
|                                 | Static segregation of self-consolidating concrete - column technique | ASTM C1610- 21                                          | Site          |
|                                 | Bleeding of concrete                                                 | ASTM C232- 21                                           | Site          |
| CONCRETE - fresh reinforced     | Fibre content - Steel fibres                                         | BS EN 14721: 2005 + A1: 2007                            | Site          |
|                                 | Fibre content - Steel fibres                                         | Documented In House Method C11(B2) Issue 3              | Site          |
|                                 | Fibre content - Polymer fibres                                       | Documented In House Method C11(B2) Issue 3              | Site          |
| CONCRETE - hardened             | Sampling - by coring                                                 | BS EN 12504-1: 2019                                     | Site          |
|                                 | Drilling for dust samples                                            | Building Research Establishment Information Paper 21/86 | Site          |
|                                 | Measurement of carbonation depth                                     | BS EN 14630: 2006<br>BRE Digest 405                     | Site          |
| CONCRETE - Sprayed              | Coring                                                               | BS EN 14488-1: 2005                                     | Site          |
| CONCRETE – hardened, reinforced | Corrosion potentials of uncoated reinforcing steel in concrete       | ASTM C876-22b                                           | Site          |
|                                 | Visual and hammer survey                                             | Documented In House Method TP 64 Issue 1                | Site          |
|                                 | Resistivity of Concrete                                              | Documented In House Method TP 66 Issue 1                | Site          |
|                                 | Location of reinforcement                                            | BS 1881: Part 204: 1988                                 | Site          |
| PAVED SURFACES                  | Skid resistance value                                                | BS EN 16165: 2021                                       | Site          |
| PILED FOUNDATIONS               | Pile integrity                                                       | ASTM D5882-16                                           | Site          |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested             | Type of test/Properties measured/Range of measurement                                                        | Standard specifications/ Equipment/Techniques used             | Location Code |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|---------------|
| ROAD PAVEMENT SURFACES                | Surface regularity using a rolling straight-edge                                                             | Specification for Highway Works, HMSO November 2006 Clause 702 | Site          |
|                                       | Surface macrotexture depth using a volumetric patch technique                                                | BS EN 13036-1:2010                                             | Site          |
| REINSTATEMENT OF OPENINGS IN HIGHWAYS | In-situ density<br>- nuclear method                                                                          | Documented In-house method<br>WI No.37 Issue 8 02/12/2019      | Site          |
|                                       | Measurement of layer thickness and visual examination of bituminous core samples                             | Documented In-House Method<br>TP114 Issue 1                    | Site          |
| SOILS for civil engineering purposes  | Sampling site excavated material<br>- from heaps                                                             | Documented In-House Method<br>STP S0/Method 2 Issue 4          | Site          |
|                                       | MCV<br>- natural moisture content                                                                            | BS 1377-4: 1990                                                | Site          |
|                                       | MCV<br>- natural water content                                                                               | BS1377-2: 2022                                                 | Site          |
|                                       | In-situ density<br>- sand replacement method (small pouring cylinder)                                        | BS 1377-9: 1990                                                | Site          |
|                                       | In-situ density<br>- sand replacement method (large pouring cylinder)                                        | BS 1377-9: 1990                                                | Site          |
|                                       | In-situ bulk density<br>- nuclear method<br>- absolute test<br>- comparative tests<br>- compliance tests     | BS 1377-9: 1990                                                | Site          |
|                                       | In-situ moisture density<br>- nuclear method<br>- absolute test<br>- comparative tests<br>- compliance tests | BS 1377-9: 1990                                                | Site          |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement                                   | Standard specifications/ Equipment/Techniques used                                                                        | Location Code |
|-----------------------------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | In-situ density - core cutter method                                                    | BS 1377-9: 1990                                                                                                           | Site          |
|                                               | Vertical deformation and strength characteristics by the incremental plate loading test | BS 1377-9: 1990                                                                                                           | Site          |
|                                               | In-situ California Bearing Ratio (CBR)                                                  | BS 1377-9: 1990                                                                                                           | Site          |
|                                               | Calculation of equivalent CBR value using the plate bearing test                        | Design Guidance for Road Pavement Foundations Interim Advice Note 73/06 Rev1                                              | Site          |
|                                               | Dynamic Cone Penetrometer (DCP)                                                         | Documented In-House Method TP 45 Issue 2                                                                                  | Site          |
|                                               | Calculation of nominal CBR value using the Dynamic Cone Penetrometer test (DCP)         | DMRB, IAN 73/06 – Design of Road Pavement Foundations Rev 1:2009<br>DMRB, CS 229 Data for Pavement Assessment Rev.0: 2020 | Site          |
|                                               | In-situ Density and Moisture Content using an Electromagnetic Density Gauge             | ASTM D7830/D7830M-14                                                                                                      | Site          |
| UNBOUND and HYDRALICALLY BOUND MIXTURES       | Moisture condition value (MCV)                                                          | BS EN 13286-46: 2003                                                                                                      | Site          |

**End of Activities performed away from Permanent Locations**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested                            | Type of test/Properties measured/Range of measurement                                                                                                           | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| <b>Scope for Establishing Temporary Laboratories</b> |                                                                                                                                                                 |                                                    |               |
| AGGREGATES                                           | Sampling<br>- from stockpiles                                                                                                                                   | BS EN 932-1: 1997                                  | Lab           |
|                                                      | Methods of reducing laboratory samples<br>- using a riffle box<br>- reduction by quartering<br>- to a test portion of a specified mass within a small tolerance | BS EN 932-2: 1999                                  | Lab           |
|                                                      | Particle size distribution<br>- sieving method                                                                                                                  | BS EN 933-1: 2012                                  | Lab           |
|                                                      | Flakiness index                                                                                                                                                 | BS EN 933-3: 2012                                  | Lab           |
|                                                      | Shape index                                                                                                                                                     | BS EN 933-4: 2008                                  | Lab           |
|                                                      | Classification test for the constituents of coarse recycled aggregate                                                                                           | BS EN 933-11: 2009                                 | Lab           |
|                                                      | Resistance to fragmentation<br>- Los Angeles method                                                                                                             | BS EN 1097-2: 2020                                 | Lab           |
|                                                      | Water content                                                                                                                                                   | BS EN 1097-5: 2008                                 | Lab           |
|                                                      | Particle density and water absorption - pycnometer method for aggregates between 0.063 mm and 4 mm                                                              | BS EN 1097-6: 2022                                 | Lab           |
|                                                      | Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm                                                      | BS EN 1097-6: 2022                                 | Lab           |
| Magnesium sulfate test                               | BS EN 1367-2: 2009                                                                                                                                              | Lab                                                |               |
| Uniformity coefficient                               | BS EN ISO 14688-2: 2018                                                                                                                                         | Lab                                                |               |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested                           | Type of test/Properties measured/Range of measurement                                                              | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| BITUMINOUS MIXTURES for roads and other paved areas | Preparation of samples for the determining binder content, water content and grading                               | BS EN 12697-28: 2020                               | Lab           |
|                                                     | Soluble binder content by difference, using bottle rotation machine and pressure filter                            | BS EN 12697-1: 2020                                | Lab           |
|                                                     | Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation | BS EN 12697-1: 2020                                | Lab           |
|                                                     | Particle size distribution                                                                                         | BS EN 12697-2: 2024                                | Lab           |
|                                                     | Maximum density<br>- volumetric procedure                                                                          | BS EN 12697-5: 2018                                | Lab           |
|                                                     | Bulk density<br>- dry<br>- saturated surface dry (SSD)<br>- sealed specimen<br>- by dimensions                     | BS EN 12697-6: 2020                                | Lab           |
|                                                     | Air voids content                                                                                                  | BS EN 12697-8: 2018                                | Lab           |
|                                                     | Determination of the dimensions of a bituminous sample                                                             | BS EN 12697-29: 2002                               | Lab           |
|                                                     | Laboratory compaction of bituminous mixtures by vibratory compaction                                               | BS EN 12697-32: 2019                               | Lab           |
| CONCRETE - fresh                                    | Sampling<br>- composite sample<br>- spot sample                                                                    | BS EN 12350-1: 2019                                | Lab           |
|                                                     | Sampling of fresh concrete                                                                                         | BS EN 14488-1: 2005                                | Lab           |
|                                                     | Slump                                                                                                              | BS EN 12350-2: 2019                                | Lab           |
|                                                     | Air content<br>- pressure gauge method                                                                             | BS EN 12350-7: 2019                                | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

Testing performed by the Organisation at the locations specified

| Materials/Products tested            | Type of test/Properties measured/Range of measurement            | Standard specifications/ Equipment/Techniques used                    | Location Code |
|--------------------------------------|------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| CONCRETE – fresh (cont'd)            | Making concrete<br>- cubes<br>- beams<br>- prisms<br>- cylinders | BS EN 12390-2: 2019                                                   | Lab           |
|                                      | Manufacture and initial curing of beams/prisms                   | BSEN 12390-2: 2019<br>BS EN 14651: 2007 + A1                          | Lab           |
|                                      | Curing                                                           | BS EN 12390-2: 2019                                                   | Lab           |
|                                      | Slump                                                            | BS EN 12350-2: 2019                                                   | Lab           |
| CONCRETE - hardened                  | Dimensions                                                       | BS EN 12390-1: 2021                                                   | Lab           |
|                                      | Curing                                                           | BS EN 12390-2: 2019                                                   | Lab           |
|                                      | Compressive strength of cubes                                    | BS EN 12390-3: 2019                                                   | Lab           |
|                                      | Tensile splitting strength                                       | BS EN 12390-6: 2009                                                   | Lab           |
|                                      | Density                                                          | BS EN 12390-7: 2019                                                   | Lab           |
|                                      | Cored Specimens<br>- examining and testing in compression        | BS EN 12504-1: 2019                                                   | Lab           |
|                                      | Fibre content of fibre reinforced concrete                       | BS EN 14488-7: 2006                                                   | Lab           |
| SOILS for civil engineering purposes | Moisture content<br>- oven drying method                         | BS 1377-2: 1990                                                       | Lab           |
|                                      | Water content<br>- oven drying method                            | BS 1377-2: 2022<br>BSEN ISO 17892-1:2014+A1:2022                      | Lab           |
|                                      | Saturation moisture content of chalk                             | BS 1377-2: 1990                                                       | Lab           |
|                                      | Saturation water content of chalk                                | BS 1377-2: 2022<br>BSEN ISO 17892-2:2014                              | Lab           |
|                                      | Liquid limit<br>- cone penetrometer<br>- one point               | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                     | Type of test/Properties measured/Range of measurement                                                 | Standard specifications/ Equipment/Techniques used                    | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd) | Plastic limit                                                                                         | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                               | Plasticity index                                                                                      | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BSEN ISO 17892-12:2014+A2: 2022 | Lab           |
|                                               | Particle size distribution<br>- wet sieving                                                           | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                               | Particle size distribution<br>- dry sieving                                                           | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                               | Particle size distribution<br>- fine grained soils<br>(hydrometer method)                             | BS 1377-2: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-4: 2014         | Lab           |
|                                               | Particle density<br>- gas jar                                                                         | BS 1377-2: 1990<br>BS 1377-2: 2022                                    | Lab           |
|                                               | Dry density/moisture content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer | BS 1377-4: 1990                                                       | Lab           |
|                                               | Dry density/waters content relationship<br>- 2.5 kg rammer<br>- 4.5 kg rammer<br>- vibrating hammer   | BS 1377-2: 2022                                                       | Lab           |
|                                               | MCV<br>- natural moisture content                                                                     | BS 1377-4: 1990                                                       | Lab           |
|                                               | MCV<br>- natural water content                                                                        | BS 1377-2: 2022                                                       | Lab           |
|                                               | MCV / Moisture Content relationship                                                                   | BS 1377-4: 1990                                                       | Lab           |
|                                               | MCV / Water Content relationship                                                                      | BS 1377-2: 1990                                                       | Lab           |



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 074 Issue date: 01 May 2026**

**Testing performed by the Organisation at the locations specified**

| Materials/Products tested                                                                            | Type of test/Properties measured/Range of measurement                                | Standard specifications/ Equipment/Techniques used           | Location Code |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------|---------------|
| SOILS for civil engineering purposes (cont'd)<br><br><br><br>UNBOUND and HYDRALICALLY BOUND MIXTURES | California Bearing Ratio (CBR)                                                       | BS 1377-4: 1990<br>BS 1377-2: 2022                           | Lab           |
|                                                                                                      | Swelling of soaked CBR specimen                                                      | BS 1377-4: 1990<br>BS 1377-2: 2022                           | Lab           |
|                                                                                                      | Undrained shear strength - triaxial compression without measurement of pore pressure | BS 1377-7: 1990<br>BS 1377-2: 2022<br>BS EN ISO 17892-8 2018 | Lab           |
|                                                                                                      | Laboratory reference density and water content - vibrating hammer                    | BS EN 13286-4: 2021                                          | Lab           |
|                                                                                                      | Moisture condition value (MCV)                                                       | BS EN 13286-46: 2003                                         | Lab           |
|                                                                                                      | California bearing ratio, immediate bearing index and linear swelling                | BS EN 13286-47: 2021                                         | Lab           |
| <b>End of Scope for establishing Temporary Site laboratories</b>                                     |                                                                                      |                                                              |               |
| <b>End of Schedule</b>                                                                               |                                                                                      |                                                              |               |