

# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p><b>UKAS</b> TESTING</p> <p><b>4161</b></p> <p>Accredited to <b>ISO/IEC 17025:2017</b></p>	<h3>Construction Testing Solutions Ltd</h3> <p>Issue No: 075 Issue date: 17 June 2026</p>	
	<p><b>4 Oak Spinney Business Park</b> Ratby Lane Leicester Forest East Leicester LE3 3AW</p>	<p><b>Contact: Ms C Reynolds</b> Tel: +44 (0)1302 352652 Fax: +44 (0)1302 352700 E-Mail: <a href="mailto:claire.reynolds@constructiontesting.co.uk">claire.reynolds@constructiontesting.co.uk</a> Website: <a href="http://www.constructiontesting.co.uk">www.constructiontesting.co.uk</a></p>
<p>Testing performed by the Organisation at the locations specified below</p>		

Construction Testing Solutions Limited is accredited to conduct the activities detailed below, in accordance with their documented in-house procedure: Quality Procedure FXS issue 5 Rev

1. Establish Temporary Site laboratories to conduct the construction materials testing and sampling activities.
2. Transfer currently accredited test methods between the accredited locations listed on this schedule.

All testing and sampling relation to the above is references as **TEMP** under the location field on the schedule.

### Locations covered by the organisation and their relevant activities

#### Laboratory location:

Location details		Activity
<p>Doncaster Bootham Lane Industrial Estate Bootham Lane Dunscroft Doncaster DN7 4JU</p>	<p><b>Site Contact:</b> Mr Richard Ward Tel: +44 (0)1302 352652 Fax: +44 (0)1302 352700 E-Mail: <a href="mailto:richard.ward@constructiontesting.co.uk">richard.ward@constructiontesting.co.uk</a></p>	<p>Aggregates Bituminous Mixtures Concrete – fresh &amp; hardened Reinforced &amp; structural Soil, Stabilised soils Unbound and hydraulically bound mixtures</p>
<p>Woodsmith Woodsmith Mine Sneaton Near Whitby North Yorkshire Y022 5JB</p>	<p><b>Site Contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: <a href="mailto:matt.mills@constructiontesting.co.uk">matt.mills@constructiontesting.co.uk</a></p>	<p>Concrete - hardened Soils</p>
<p>Bristol 1280 Aztec West Business Park Bristol BS32 4SG</p>	<p><b>Local Contact:</b> Mr Lee Morris Tel: +44 (0)1302 352652 Email: <a href="mailto:lee.morris@constructiontesting.co.uk">lee.morris@constructiontesting.co.uk</a></p>	<p>Concrete – fresh &amp; hardened Soils Unbound and hydraulically bound mixtures</p>
<p>Heathrow Unit 16 Britannia Industrial Estate Poyle Road Colnbrook SL3 0BH</p>	<p><b>Local contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: <a href="mailto:matt.mills@constructiontesting.co.uk">matt.mills@constructiontesting.co.uk</a></p>	<p>Aggregates Bituminous materials Concrete - fresh &amp; hardened Soils</p>



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Location details		Activity
Harrietsham Northdown House Ashford Road Harrietsham Kent ME17 1QW	<b>Site Contact:</b> Mr Matt Butt Tel: +44 (0)1622 858545 Email: matt.butt@constructiontesting.co.uk  <b>Laboratory Contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk	Aggregates Bituminous materials Concrete - fresh & hardened Soils
East Kilbride 34 Hawbank Road College Milton East Kilbride G74 5EX	<b>Local contact:</b> Mr James Bennett Tel: +44 (0)7598 909376 E-mail: james.bennett@constructiontesting.co.uk	Aggregates Bituminous Mixtures Concrete - fresh & hardened Soils
Penrith Hackthorpe Hall Business Centre Hackthorpe Penrith Cumbria CA10 2HX	<b>Local contact:</b> Mr James Bennett Tel: +44 (0)7598 909376 E-mail: james.bennett@constructiontesting.co.uk	Aggregates Bituminous Mixtures Concrete - fresh & hardened Soils
Warrington Ruby House 40A Hardwick Grange Warrington WA1 4RF	<b>Local contact:</b> Mr Lee Morris Tel: +44 (0)1925 286880 Email: lee.morris@constructiontesting.co.uk	Aggregates Bituminous Mixtures: Concrete Soils Mortar
Drigg LLWR – STIM Old Shore Road Holmrook CA19 1XP	<b>Local contact:</b> Mr James Bennett Tel: +44 (0)7598 909376 E-mail: james.bennett@constructiontesting.co.uk	Concrete: hardened  Soils



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Location details		Activity
<p>Billericay Lawness Barns Mountrissing Road Billericay CM12 0TS</p>	<p><b>Local contacts:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk</p>	<p>Soils Aggregates</p>
<p>Ilse of Grain c/p Pacadar Uk Ltd Isle of Grain (Thamesport) Kent ME3 0EP</p>	<p><b>Local contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk</p>	<p>Concrete – fresh &amp; hardened</p>
<p>Hartlepool C/O STRABAG UK Limited Plot 2 Greenland Road Hartlepool TS24 ORQ</p>	<p><b>Local contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk</p>	<p>Aggregates Concrete - fresh &amp; hardened</p>
<p>Black Cat Roundabout C/O Skanska Construction UK Ltd, A428 Main Site Offices (Wintringham), Loverose Way St Neots Bypass (A428) Cambridgeshire PE19 6NS</p>	<p><b>Local contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk</p>	<p>Aggregates Soils</p>
<p>River Roding Shonks Mill FSA Site Shonks Mill Lane Navestock CM5 9Q</p>	<p><b>Local contact:</b> Mr Matt Mills Tel: +44 (0)1277 314144 E-mail: matt.mills@constructiontesting.co.uk</p>	<p>Soils</p>
<p>Aberdeen Unit 12, Braehead Centre Blackness Avenue Altens Industrial Estate Aberdeen Aberdeenshire AB12 3PG</p>	<p><b>Local contact:</b> Mr James Bennett Tel: +44 (0)7598 909376 E-mail: james.bennett@constructiontesting.co.uk</p>	<p>Aggregates Concrete - fresh &amp; hardened Soils</p>



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

**Site activities performed away from the location listed above:**

Location details		Activity
All locations suitable for the activities listed	<b>Local contact:</b> Details Listed Above	Aggregates Bituminous Mixtures Concrete – fresh, hardened, Reinforced, & Structures Piling Road Pavement Surfaces Soils Unbound and hydraulically bound mixtures  Concrete – Hardened, Structures

**Testing covered by the scope of accreditation for the transfer currently accredited test methods between the accredited locations listed on this schedule**

Location details		Activity
East Kilbride 34 Hawbank Road College Milton East Kilbride G74 5EX	<b>Local contact:</b> Mr James Bennett Tel: +44 (0)7598 909376 E-mail: james.bennett@constructiontesting.co.uk	Soils  Annotated as TEMP



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

<b>Contents</b>	
<b>Location</b>	<b>Page Number</b>
<b>Permanent Locations</b>	
Doncaster	6
Bristol	10
Harrietsham	12
Billericay	18
Heathrow	20
East Kilbride	23
Penrith	26
Warrington	29
Aberdeen	33
<b>Site Laboratories</b>	
Woodsmith Mine	34
Isle of Grain	35
Hartlepool	36
Black Cat Roundabout	37
River Roding	40
Drigg	41
Activities Away from Permanent Locations	43
Scope for Establishing Temporary Site Laboratories	48
Site Laboratory currently working under temporary Scope	n/a



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Doncaster Laboratory</b>			
AGGREGATES	Particle size distribution - sieving method	BS EN 933-1: 2012	Lab
	Flakiness index	BS EN 933-3:2 012	Lab
	Classification test for the constituents of coarse recycled aggregate	BS EN 933-11: 2009	Lab
	Resistance to fragmentation - Los Angeles method	BS EN 1097-2: 2020	Lab
	Resistance to fragmentation of rail ballast - Los Angeles method	BS EN 1097-2: 2020 Annex A.2	
	Water content	BS EN 1097-5: 2008	Lab
	Particle density and water absorption - pycnometer method for aggregates between 0.063 mm and 4 mm	BS EN 1097-6: 2022	Lab
	Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm	BS EN 1097-6: 2022	Lab
	Magnesium sulfate test	BS EN 1367-2: 2009	Lab
	Uniformity coefficient	BS EN ISO 14688-2: 2018	Lab
Determination of the thickness of a bituminous pavement - destructive method	BS EN 12697-36: 2022	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE - fresh	Making concrete cubes	BS EN 12390-2: 2019	Lab
CONCRETE - hardened	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Dimensions	BS EN 12390-1: 2021	Lab
	Density	BS EN 12390-7: 2019	Lab
	Cored specimens - testing in compression	BS EN 12504-1: 2019	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Water content - oven drying method	BS 1377-2: 2022 BSEN ISO 17892-1:2014+A1:2022	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2:2022	Lab
	Plastic limit	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2:2022	Lab
	Plasticity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2:2022	Lab
	Particle size distribution - wet sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - fine grained soils (hydrometer method)	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle density - gas jar	BS 1377-2: 1990 BS 1377-2: 2022	Lab
	Dry density/moisture content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-4: 1990	Lab
	Dry density/water content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-2: 2022	Lab
	Moisture condition value (MCV)	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	MCV - natural moisture content	BS 1377-4: 1990	Lab
	MCV - natural water content	BS 1377-2: 2022	Lab
	California Bearing Ratio (CBR)	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	Swelling of soaked CBR specimen	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	Undrained shear strength - triaxial compression without measurement of pore pressure	BS 1377-7: 1990 BS 1377-2: 2022 BS EN ISO 17892-8: 2018	Lab
UNBOUND and HYDRALICALLY BOUND MIXTURES	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4: 2021	Lab
	Moisture condition value (MCV)	BS EN 13286-46: 2003	Lab
	California bearing ratio, immediate bearing index and linear swelling	BS EN 13286-47: 2021	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
UNBOUND and HYDRALICALLY BOUND MIXTURES (cont'd)	Manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction	BS EN 13286-51: 2004	Lab

**End of Doncaster Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Bristol Laboratory</b>			
AGGREGATES	Water Content	BS EN 1097-5:2008	Lab
	Particle Size Distribution	BS EN 933-1: 2012	Lab
CONCRETE – fresh	Curing	BS EN 12390-2: 2019	Lab
CONCRETE – hardened	Dimensions and shape	BS EN 12390-1: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Compressive Strength	BS EN 12390-3: 2019	Lab
	Density	BS EN 12390-7: 2019	Lab
	Compressive strength	BS EN 13286-41: 2021	Lab
UNBOUND and HYDRALICALLY BOUND MIXTURES	Moisture content - oven drying method	BS 1377-2: 1990	Lab
	Water content - oven drying method	BS 1377-2: 2022 BSEN ISO 17892-1:2014+A1:2022	Lab
	Liquid Limit- cone penetrometer - one point	BS 1377-2: 2022 BS EN ISO 17892-2:2014+A2:2022	Lab
	Plastic Limit	BS 1377-2: 2022 BS EN ISO 17892-2:2014+A2:2022	Lab
	Plasticity Index	BS 1377-2: 2022 BS EN ISO 17892-2:2014+A2:2022	Lab
	Particle Size Distribution	BS 1377-2: 2022 & BS EN ISO 17892-4: 2014	Lab
	Uniformity Coefficient	BS EN ISO 14688-2: 2018	Lab
	Particle Density	BS 1377-2: 2022	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Moisture condition Value (MCV) - Natural Water Content	BS 1377-2: 2022	Lab
	Dry Density/Water Content Relationship 2.5kg Rammer	BS 1377-2: 2022	Lab
	Dry Density/Water Content Relationship 4.5kg Rammer	BS 1377-2: 2022	Lab
BITUMINOUS MIXTURES for roads and other paved areas	Soluble binder content by difference, using bottle rotation machine and pressure filter	BS EN 12697-1: 2020	Lab
	Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation	BS EN 12697-1: 2020	Lab
	Particle size distribution	BS EN 12697-2: 2024	Lab

**End of Bristol Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

#### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Harrietsam Laboratory</b>			
AGGREGATES	Methods of reducing laboratory samples - using a riffle box - reduction by quartering - to a test portion of a specified mass within a small tolerance	BS EN 932-2:1999	Lab
	Particle size distribution - sieving method	BS EN 933-1: 2012	Lab
	Flakiness index	BS EN 933-3: 2012	Lab
	Shape index	BS EN 933-4: 2008	Lab
	Percentage of crushed and broken surfaces in coarse aggregate particles	BS EN 933-5: 1998	Lab
	Constituents of coarse recycled aggregate – Test for geometrical properties of aggregates.	BS EN 933-11 :2009	Lab
	Micro-Deval coefficient	BS EN 1097-1 :2011	Lab
	Micro-Deval coefficient of aggregates for railway ballast - modified method	BS EN 1097-1: 2011 Annex A	Lab
	Resistance to fragmentation of coarse aggregate - Los Angeles method	BS EN 1097-2: 2020	Lab
	Resistance to fragmentation of aggregates for railway ballast by the Los Angeles test method	BS EN 1097-2:2020 Annex A	Lab
Loose bulk density and voids	BS EN 1097-3: 1998	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES (cont'd)	Water content - drying in a ventilated oven	BS EN 1097-5: 2008	Lab
	Particle density and water absorption – wire basket method for aggregate particles between 31.5 and 63 mm	BS EN 1097-6: 2022	Lab
	Particle density and water absorption – pycnometer method for aggregate particles between 4 mm and 31.5 mm	BS EN 1097-6: 2022	Lab
	Particle density and water absorption – pycnometer method for aggregate particles between 0.063 mm and 4 mm	BS EN 1097-6: 2022	Lab
	Uniformity coefficient	BS EN ISO 14688-2: 2018	Lab
BITUMINOUS MIXTURES for roads and other paved areas	Soluble binder content by difference, using bottle rotation machine and pressure filter	BS EN 12697-1: 2020	Lab
	Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation	BS EN 12697-1 :2020	Lab
	Particle size distribution	BS EN 12697-2: 2024	Lab
	Maximum density - volumetric procedure	BS EN 12697-5: 2018	Lab
	Bulk density - saturated surface dry (SSD) - sealed specimen	BS EN 12697-6: 2020	Lab
	Air voids content	BS EN 12697-8: 2018	Lab
	Preparation of samples for the determining binder content, water content and grading	BS EN 12697-28: 2020	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code	
BITUMINOUS MIXTURES for roads and other paved areas (cont'd)	Laboratory compaction of bituminous mixtures by vibratory compaction	BS EN 12697-32: 2019	Lab	
	Determination of the thickness of a bituminous pavement	BS EN 12697-36: 2022	Lab	
	Core Logging	Documented In-House Method B14 issue 2	Lab	
CONCRETE – fresh	Density	BS EN 12350-6: 2019	Lab	
	Air Content -Pressure method	BS EN 12350-7: 2019	Lab	
	Making test cubes and curing	BS EN 12390-2: 2019	Lab	
	Making test cylinders and curing	BS EN 12390-2: 2019	Lab	
	Method for Making Test Beams from Fresh Concrete	BS EN 12390: Pt 2:2019 & BS EN 14651:2005 + A1:2007	Lab	
	Fibre Content	BS EN 14488-7: 2006	Lab	
CONCRETE – hardened	Compressive strength of cubes	BS EN 12390-3 :2019	Lab	
	Curing	BS EN 12390-2 :2019	Lab	
	Dimensions	BS EN 12390-1: 2021	Lab	
	Cored Specimens - examining and testing in compression	BS EN 12504-1: 2019	Lab	
	Density	BS EN 12390-7: 2019	Lab	
	Flexural strength	BS EN 12390-5: 2019	Lab	
	Tensile splitting strength	BS EN 12390-6: 2009	Lab	
	Fibre Content	BS EN 14488-7: 2006	Lab	
	PAVED SURFACES	Skid resistance value	BS EN 16165: 2021	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2: 1990	Lab
	Water content - oven drying method	BS 1377-2:2022 BSEN ISO 17892-1:2014+A1:2022	Lab
	Saturation moisture content of chalk	BS 1377-2: 1990	Lab
	Saturation water content of chalk	BS 1377-2: 2022 BSEN ISO 17892-2:2014	Lab
	Liquid limit - cone penetrometer (Definitive method)	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plastic limit	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plasticity index and liquidity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plasticity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Particle size distribution - wet sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - sedimentation by hydrometer	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle Density - gas jar method	BS 1377-2: 1990 BS 1377-2: 2022	Lab
	Bulk density - By Linear Measurement	BS 1377-2: 1990 Clause 7.2 BS 1377-2: 2022 BS EN ISO 17892-2: 2014	Lab
	California Bearing Ratio (CBR)	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	Swelling of soaked CBR specimen	BS 1377-4:1990 BS 1377-2: 2022	Lab
	Dry density/moisture content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-4: 1990	Lab
	Dry density/water content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-2: 2022	Lab
	MCV - natural moisture content	BS 1377-4: 1990	Lab
	MCV - natural water content	BS1377-2: 2022	Lab
	MCV / Moisture Content relationship	BS 1377-4: 1990	Lab
	MCV / Water Content relationship	BS 1377-2: 1990	Lab
	Undrained shear strength in triaxial compression without measurement of pore pressure.	BS 1377-7 :1990 Clause 8 BS 1377-2: 2022 BS EN ISO 17892-8 2018	Lab
Undrained shear strength of remoulded cohesive material	Specification for Highway Works, HMSO March 1998 Clause 633	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)  UNBOUND and HYDRALICALLY BOUND MIXTURES	Shear strength – Large shearbox	BS EN 17892-10: 2018 BS1377-7:1990	Lab
	Effective angle of internal friction and effective cohesion	Specification for Highway Works Volume 1 Clause 636 February 2016	Lab
	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4: 2021	Lab
	Compressive strength of hydraulically bound mixtures	BS EN 13286-41: 2021	Lab
	Moisture condition value	BS EN 13286-46: 2003	Lab
	Manufacture of test specimens of hydraulically bound mixtures using vibrating hammer compaction	BS EN 13286-51: 2004	Lab

**End of Harrietsham Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Billericay Laboratory</b>			
AGGREGATES	Particle size distribution - sieving method	BS EN 933-1: 2012	Lab
	Water content - drying in a ventilated oven	BS EN 1097-5: 2008	Lab
	Uniformity coefficient	BS EN ISO 14688-2: 2018	Lab
ROAD MATERIALS - unbound and hydraulically bound mixtures	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4:2021	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Water content - oven drying method	BS 1377-2:2022 BSEN ISO 17892-1: 2014+A1:2022	Lab
	Liquid limit - cone penetrometer (definitive method)	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plastic limit	BS 1377-2:1990 BS 1377-2:2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plasticity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Particle size distribution - wet sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle Density - gas jar method	BS 1377-2: 1990 BS 1377-2: 2022	Lab
	Dry density/moisture content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-4: 1990	Lab
	Dry density/water content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-2: 2022	Lab
	MCV - natural moisture content	BS 1377-4: 1990	Lab
	MCV - natural water content	BS1377-2: 2022	Lab

**End of Billericay Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

#### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Heathrow Laboratory</b>			
AGGREGATES	Methods of reducing laboratory samples - using a riffle box - reduction by quartering - to a test portion of a specified mass within a small tolerance	BS EN 932-2: 1999	Lab
	Particle size distribution - sieving method	BS EN 933-1: 2012	Lab
	Constituents of coarse recycled aggregate - Test for geometrical properties of aggregates.	BS EN 933-11: 2009	Lab
	Water content - drying in a ventilated oven	BS EN 1097-5: 2008	Lab
	Uniformity coefficient	B BS EN ISO 14688-2: 2018	Lab
CONCRETE – fresh	Compaction Factor	BS1881-103: 1993	Lab
	Degree of Compactability	BS EN 12350-4: 2019	Lab
	Density	BS EN 12350-6: 2019	Lab
	Air Content - Pressure method	BS EN 12350-7: 2019	Lab
	Making test cubes and curing	BS EN 12390-2: 2019	Lab
	Making test cylinders and curing	BS EN 12390-2: 2019	Lab
	Method for Making Test Beams from Fresh Concrete	BS EN 12390: Pt 2: 2019 & BS EN 14651: 2005 + A1:2007	Lab
CONCRETE - fresh reinforced	Fibre content - Steel fibres	BS EN 14721:2005 + A1 2007	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – sprayed	Fibre Content of Fibre Reinforced Concrete	Documented In-House Method C11(B2) Issue 3	Lab
CONCRETE – hardened	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Dimensions	BS EN 12390-1: 2021	Lab
	Compressive strength of resin concrete cubes - including Curing and Density	BS 6319-2: 1983	Lab
	Cored Specimens - examining and testing in compression	BS EN 12504-1: 2019	Lab
	Density	BS EN 12390-7: 2019	Lab
	Flexural strength	BS EN 12390-5: 2019	Lab
	Fibre Content	BS EN 14488-7: 2006	Lab
	Flexural Tensile Strength ((limit of proportionality (LOP), residual)	BS EN 14651: 2005+A1:2007	Lab
ROAD MATERIALS - unbound and hydraulically bound mixtures	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4: 2021	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2: 1990	Lab
	Water content - oven drying method	BS 1377-2: 2022 BSEN ISO 17892-1:2014+A1:2022	Lab
	Liquid limit - cone penetrometer (definitive method)	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990 BS 1377-2:2022 BSEN ISO 17892-12:2014+A2: 2022	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Plastic limit	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plasticity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Particle size distribution - wet sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990 BS 1377-2:2022 BS EN ISO 17892-4: 2014	Lab
	Dry density/moisture content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-4: 1990	Lab
	Dry density/water content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-2: 2022	Lab
	MCV - natural moisture content	BS 1377-4: 1990	Lab
	MCV - natural water content	BS1377-2: 2022	Lab
	MCV / Moisture Content relationship	BS 1377-4: 1990	Lab
MCV / Water Content relationship	BS 1377-2: 1990	Lab	

**End of Heathrow Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>East Kilbride Laboratory</b>			
AGGREGATES	Sample reduction –riffle box	BS EN 932-2:1999	Lab
	Sample reduction - quartering	BS EN 932-2:1999	Lab
	Sample reduction – Small tolerances	BS EN 932-2:1999	Lab
	Particle size distribution - sieving method	BS EN 933-1:2012	Lab
	Water content	BS EN 1097-5:2008	Lab
	Resistance to fragmentation by the Los Angeles test method	BS EN 1097-2: 2020	Lab
	Particle density and water absorption - pyknometer method for aggregate particles between 0.063 mm and 4 mm	BS EN 1097-6:2022	Lab
	Particle density and water absorption - pyknometer method for aggregate particles between 4 mm and 31.5mm	BS EN 1097-6:2022	Lab
	Uniformity coefficient	BS EN ISO 14688-2:2018	Lab
CONCRETE - fresh	Manufacture of cubic specimens for strength tests, including curing	BS EN 12390-2:2019	Lab
CONCRETE - hardened	Compressive strength of cubes - including curing	BS EN 12390-3:2019 BS EN 12390-2:2019 BS EN 12390-1:2021	Lab
	Density	BS EN 12390-7:2019	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Water (Moisture) content - oven drying method	BS 1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-1: 2014+A1: 2022	Lab
	Particle size distribution - wet sieving	BS 1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2: 2022 BSEN ISO 17892-12:2014 + A2:2022	Temp
	Plastic limit	BS 1377-2: 2022 BSEN ISO 17892-12:2014 + A2:2022	Temp
	Plasticity index	BS 1377-2: 2022 BSEN ISO 17892-12:2014+ A2:2022	Temp
	Particle Density - gas jar method	BS 1377-2:2022	Lab
	California Bearing Ratio (CBR)	BS 1377-2: 2022	Lab
	Dry density//Water (moisture) content relationship (4.5 kg rammer)	BS 1377-2: 2022	Lab
	Dry density/Water (moisture) content relationship (2.5 kg rammer)	BS 1377-2: 2022	Lab
	Dry density/Water (moisture) content relationship (vibrating hammer)	BS 1377-2: 2022	Lab
MCV- natural Water (moisture) content	BS 1377-2: 2022	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle Density - gas jar method	BS 1377-2: 2022	Lab
UNBOUND and HYDRALICALLY BOUND MIXTURES	Laboratory reference density and water content by vibrating hammer	BS EN 13286-4:2021	Lab
<b>End of East Kilbride Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code	
<b>Penrith Laboratory</b>				
AGGREGATES	Sample reduction –riffle box	BS EN 932-2:1999	Lab	
	Sample reduction - quartering	BS EN 932-2:1999	Lab	
	Reduction to a test portion of a specified mass within a small tolerance	BS EN 932-2:1999	Lab	
	Particle size distribution - sieving method	BS EN 933-1:2012	Lab	
	Flakiness index	BS EN 933-3:2012	Lab	
	Resistance to fragmentation by the Los Angeles test method	BS EN 1097-2:2020	Lab	
	Water content	BS EN 1097-5:2008	Lab	
	BITUMINOUS MIXTURES for roads and other paved areas	Soluble binder content by difference, using bottle rotation machine and pressure filter	BS EN 12697-1:2020	Lab
		Particle size distribution	BS EN 12697-2: 2024	Lab
		Maximum density - volumetric procedure	BS EN 12697-5:2018	Lab
Bulk density - sealed specimen		BS EN 12697-6:2020	Lab	
Air voids content		BS EN 12697-8:2018	Lab	
Preparation of samples for determining binder content, water content and grading		BS EN 12697-28:2020	Lab	
	Thickness of a bituminous Pavement	BS EN 12697-36:2022	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE - fresh	Manufacture of cubic specimens for strength tests, including curing	BS EN 12390-2:2019	Lab
CONCRETE - hardened	Compressive strength of cubes - including curing	BS EN 12390-3:2019 BS EN 12390-2:2019 BS EN 12390-1:2021	Lab
	Density	BS EN 12390-7:2019	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Water content (oven drying method)	BS 1377-2:2022 BS EN ISO 17892-1:2014	Lab
	Liquid limit - cone penetrometer (definitive method)	BS 1377-2:1990	Lab
	Liquid limit - fall cone method (four point method)	BS 1377-2: 2022 BS EN ISO 17892-12 2018	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990 BS EN ISO 17892-12 2018	Lab
	Liquid limit - fall cone method (one point method)	BS 1377-2: 2022 BS EN ISO 17892-12 2018	Lab
	Plastic limit	BS 1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-12 2018	Lab
	Plasticity index	BS1377-2:1990 BS 1377-2: 2022 BS EN ISO 17892-12 2018	Lab
	Particle size distribution - wet sieving	BS 1377-2:1990	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**

issued by

**United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**

**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Particle size distribution - sieving method	BS 1377-2:2022 BS EN ISO 17892-4:2016	Lab
	Determination of particle size distribution - sieving method	BS 1377-2: 2022 BS EN ISO 17892-4:2016	Lab
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:2022	Lab
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:2022	Lab
	Moisture condition value (MCV) – natural moisture content	BS 1377-4:1990	Lab
	Moisture condition value (MCV) – natural water content	BS 1377-2:2022	Lab
	Uniformity coefficient	SHW: Series 600:Table 6-1: Footnote 5	Lab
<b>End of Penrith Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Warrington Laboratory</b>			
AGGREGATES	Sample reduction –riffle box	BS EN 932-2:1999	Lab
	Sample reduction - quartering	BS EN 932-2:1999	Lab
	Reduction to a test portion of a specified mass within a small tolerance	BS EN 932-2:1999	Lab
	Particle size distribution - sieving method	BS EN 933-1:2012	Lab
	Flakiness index	BS EN 933-3:2012	Lab
	Micro-Deval coefficient	BS EN 1097-1:2023	Lab
	Resistance to fragmentation by the Los Angeles test method	BS EN 1097-2:2020	Lab
	Resistance to fragmentation of aggregates for railway ballast by the Los Angeles test method	BS EN 1097-2: 2020 Annex A	Lab
	Water content	BS EN 1097-5:2008	Lab
	Uniformity coefficient	BS EN ISO 14688-2: 2018	Lab
BITUMINOUS MIXTURES for roads and other paved areas	Soluble binder content by difference, using bottle rotation machine and pressure filter	BS EN 12697-1:2020	Lab
	Particle size distribution	BS EN 12697-2:2024	Lab
	Maximum density - volumetric procedure	BS EN 12697-5:2018	Lab
	Bulk density - dry	BS EN 12697-6:2020	Lab
	- saturated surface dry (SSD)		
- sealed specimen			
- bulk density by dimensions			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas (cont'd)	Air voids content	BS EN 12697-8:2018	Lab
	Dimensions of a specimen	BS EN 12697-29:2020	Lab
	Thickness of a bituminous Pavement	BS EN 12697-36:2003	Lab
CONCRETE - fresh	Manufacture of cubic specimens for strength tests including curing	BS EN 12390-2:2019	Lab
CONCRETE - hardened	Compressive strength of cubes - including curing	BS EN 12390-3:2019 BS EN 12390-2:2019 BS EN 12390-1:2021	Lab
	Density	BS EN 12390-7:2019	Lab
	Cored specimens - examining and testing in compression	BS EN 12504-1:2019	Lab
	Chloride ion determination in concrete and mortar	Documented in-house procedure WI No.9	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Water content (oven drying method)	BS 1377-2:2022 BS EN ISO 17892-1:2014+A1::2022	Lab
	Liquid limit - cone penetrometer (definitive method)	BS 1377-2:1990	Lab
	Liquid limit - fall cone method (four point method)	BS 1377-2:2022 BS EN ISO 17892-12 2018 + A2:2022	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Plastic limit	BS 1377-2:1990 BS 1377-2:2022 BS EN ISO 17892-12 2018 + A2:2022	Lab
	Plasticity index	BS 1377-2:1990 BS 1377-2:2022 BS EN ISO 17892-12 2018 + A2:2022	Lab
	Particle size distribution - sieving method	BS 1377-2:1990 BS 1377-2:2022 BS EN ISO 17892-4:2016	Lab
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/water content relationship (2.5 kg rammer)	BS 1377-2:2022	Lab
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/water content relationship (4.5 kg rammer)	BS 1377-2:2022	Lab
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-4:1990	Lab
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-2:2022	Lab
	Moisture condition value (MCV) – natural moisture content	BS 1377-4:1990	Lab
	Moisture condition value (MCV) – natural water content	BS 1377-2:2022	Lab
	MCV/moisture content relationship	BS 1377-4:1990	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	MCV/water content relationship	BS 1377-2:2022	Lab
	California Bearing Ratio (CBR)	BS 1377-4:1990	Lab
UNBOUND and HYDRAULICALLY BOUND MIXTURES	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4:2021	Lab

**End of Warrington Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Aberdeen Laboratory</b>			
Aggregate	Methods for reducing laboratory samples – Riffle and quartering	BS EN 932-2:1999	Lab
	Water Content	BS EN 1097-5: 2008	Lab
CONCRETE – fresh	Making test cubes and curing	BS EN 12390-2: 2019	Lab
CONCRETE – hardened	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Dimensions	BS EN 12390-1: 2021	Lab
	Density	BS EN 12390-7: 2019	Lab
Soils	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Water Content	BS EN ISO 17892-1:2016 A1:2022	Lab
<b>End of Aberdeen Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Woodsmith Mine Site Laboratory</b>			
CONCRETE - hardened	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Dimensions	BS EN 12390-1: 2021	Lab
	Density	BS EN 12390-7: 2019	Lab
<b>End of Woodsmith Mine Site Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Isle of Grain Site Laboratory</b>			
CONCRETE – fresh	Making test cubes and curing	BS EN 12390-2: 2019	Lab
	Making test cylinders and curing	BS EN 12390-2: 2019	Lab
CONCRETE – hardened	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Dimensions	BS EN 12390-1: 2021	Lab
	Density	BS EN 12390-7: 2019	Lab
	Tensile splitting strength	BS EN 12390-6: 2009	Lab
<b>End of Isle of Grain Site Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Hartlepool Site Laboratory</b>			
AGGREGATES	Water Content	BS EN 1097-5: 2008	Lab
CONCRETE – hardened	Curing of Concrete Specimens	BS EN 12390-2: 2019	Lab
	Dimensions of Concrete Specimens	BS EN 12390-1: 2021	Lab
	Compressive Strength of Concrete Cubes	BS EN 12390-3: 2019	Lab
	Density of Concrete Cubes	BS EN 12390-7: 2019	Lab
	Tensile Splitting Strength	BS EN 12390-6: 2009	Lab
<b>End of Hartlepool Site Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

## Schedule of Accreditation

issued by

### United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

### Construction Testing Solutions Ltd

Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Black Cat Site Laboratory</b>			
AGGREGATES	Particle size distribution - sieving method	BS EN 933-1:2012	Lab
	Water content	BS EN 1097-5:2008	Lab
SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2:1990	Lab
	Liquid limit - cone penetrometer - one point	BS 1377-2:1990	Lab
	Plastic limit	BS 1377-2:1990	Lab
	Plasticity index	BS 1377-2:1990	Lab
	Particle size distribution - wet sieving	BS 1377-2:1990	Lab
	Particle size distribution - dry sieving	BS 1377-2:1990	Lab
	Dry density/moisture content relationship (2.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/moisture content relationship (4.5 kg rammer)	BS 1377-4:1990	Lab
	Dry density/moisture content relationship (vibrating hammer)	BS 1377-4:1990	Lab
	Moisture condition value (MCV) – natural moisture content	BS 1377-4:1990	Lab
UNBOUND and HYDRAULICALLY BOUND MIXTURES	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4:2021	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
AGGREGATES	Sampling - from stockpiles	BS EN 932-1: 1997	Site
CONCRETE – fresh	Sampling - composite sample - spot sample	BS EN 12350-1: 2019	Site
	Slump	BS EN 12350-2: 2019	Site
	Density	BS EN 12350-6: 2019	Site
	Making concrete cubes	BS EN 12390-2: 2019	Site
SOILS for civil engineering purposes	Sampling site - excavated material - from heaps	Documented In-House Method STP S0/Method 2 Issue 4	Site
	MCV - natural moisture content	BS 1377-4: 1990	Site
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377-9: 1990	Site
	In-situ bulk density nuclear method - absolute test - comparative tests - compliance tests	BS 1377-9: 1990	Site
	In-situ moisture density nuclear method - absolute test - comparative tests - compliance tests	BS 1377-9: 1990	Site
	In-situ density - core cutter method	BS 1377-9: 1990	Site
	Vertical deformation and strength characteristics by the incremental plate loading test	BS 1377-9: 1990	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**

issued by

**United Kingdom Accreditation Service**

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**

**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Calculation of equivalent CBR value using the plate bearing test	Design Guidance for Road Pavement using the plate bearing test Foundations - Interim Advice Note 73/06 Rev1	Site
	Dynamic Cone Penetrometer (DCP)	Documented In-House Method TP 45 Issue 2 Site	Site
	Calculation of nominal CBR value	DMRB, IAN 73/06 – Design of Road	Site
	Dynamic Cone Penetrometer test (DCP)	Pavement Foundations Rev 1:2009 DMRB, CS 229 Data for Pavement Assessment Rev.0: 2020	Site
<b>End of Black Cat Site Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>River Roding Site Laboratory</b>			
SOILS for civil engineering purposes	Water Content	BS EN ISO 17892-1: 2014 + A1: 2022	Lab
	Dry Density/Water Content Relationship -2.5kg Rammer	BS 1377-2:2022	Lab
<b>End of River Roding Site Laboratory</b>			



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Drigg Site Laboratory</b>			
AGGREGATES	Particle size distribution	BS EN 933-1:2012	Lab
	Water content	BS EN 1097-5:2008	Lab
	Sampling from stockpiles	BS EN 932-1:1997 DIHM 41 STP S0/ Method 2 Issue 4	Site
SOILS for civil engineering purposes	Water Content	BS EN ISO 17892-1: 2014 + A1: 2022	Lab
	Dry Density/Water Content Relationship -2.5kg Rammer	BS 1377-2:2022	Lab
	Dry density/Water content relationship 4.5 Rammer	BS 1377-2:2022	Lab
	Dry density/Water content relationship Vibrating hammer	BS 1377-2:2022	Lab
	Moisture (water) condition value	BS 1377-2:2022	Lab
	California Bearing Ratio (CBR) (Not including swelling or soaking)	BS 1377-2:2022	Lab
	Moisture content	BS 1377-2:1990	Lab
	Particle size distribution	BS EN ISO 17892-4:2014	Lab
	Uniformity Coefficient	BS EN ISO 14688-2:2018	Lab
	Liquid limit Fall cone 4 Point method	BSEN ISO 17892-12:2014 +A2:2022	Lab
	Plastic Limit	BSEN ISO 17892-12:2014 +A2:2022	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes	Plasticity Index	BSEN ISO 17892-12:2014 +A2:2022	Lab
	Insitu density by Sand Replacement method (large)	BS1377-9:1990	Site
	Vertical deformation by incremental plate bearing test	BS1377-9:1990	Site
	Dynamic cone penetrometer	DHIM TP45	Site
	Calculation of equivalent CBR value using the plate bearing test	Design Guidance for Road Pavement Foundations Interim Advice Note 73/06	Site
CONCRETE- Hardened	Curing of Concrete Specimens	BS EN 12390-2: 2019	Lab
	Dimensions of Concrete Specimens	BS EN 12390-1: 2021	Lab
	Compressive Strength of Concrete Cubes	BS EN 12390-3: 2019	Lab
	Density of hardened concrete.	BS EN 12390-7:2019	Lab
UNBOUND and HYDRALICALLY BOUND MIXTURES	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4: 2021	Lab

**End of Drigg Site Laboratory**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Activities Performed Away from Permanent Locations</b>			
AGGREGATES	Sampling - from stockpiles	BS EN 932-1: 1997	Site
BINDER DISTRIBUTORS for road surfacing	Rate of spread of binder - carpet tile method	BS EN 12272-1:2025	Site
BITUMINOUS MIXTURES for roads and other paved areas	Temperature measurement - laid material - in a heap	BS EN 12697-13: 2017 Contact method	Site
	Temperature measurement - Measurements of temperature in a heap - Measurements of temperature in a paver hopper	BS EN 12697-13:2017 Infrared-thermometer	Site
	Sampling from - around augers of the paver - workable materials in heaps - coated chippings from stockpiles - finished material - core cutting method	BS EN 12697-27: 2017	Site
	Preparation of samples for determining binder content, water content and grading	BS EN 12697-28:2020	Site
	Determination of the thickness of a bituminous pavement - destructive method	BS EN 12697-36: 2022	Site
	Compacted Density - nuclear density method	Documented In-House Method TP50 Issue 1	Site
	Compacted Density - non-nuclear method	Documented In-House Method TP 91 Issue1	Site
BITUMINOUS ROAD PAVEMENT	Surface macrotexture depth by volumetric patch technique	BS EN 13036-1: 2010	Site



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS ROAD PAVEMENT (cont'd)	Surface regularity by rolling straight-edge	TRRL Supplementary Report 290: 1977	Site
	In-situ density - dielectric method	Work Instruction 75 Issue 3 Jan 2023 , and BS 594987:2015 + A1:2017 Annex I	Site
CONCRETE - fresh	Rate of spread of coated chippings	BS 598-1:2011	Site
	Compaction Factor	BS 1881-103: 1993	Site
	Sampling - composite sample - spot sample	BS EN 12350-1: 2019	Site
	Slump	BS EN 12350-2: 2019	Site
	Determination of Flow	BS EN 12350-5: 2019	Site
	Density	BS EN 12350-6: 2019	Site
	Air content - pressure gauge method	BS EN 12350-7: 2019	Site
	Slump Flow and T500	BS EN 12350-8: 2019	Site
	V-Funnel	BS EN 12350-9: 2010	Site
	L box	BS EN 12350-10: 2010	Site
	Sieve Segregation	BS EN 12350-11: 2010	Site
	J Ring	BS EN 12350-12: 2010	Site
	Making concrete cubes	BS EN 12390-2: 2019	Site
	Curing concrete cubes	BS EN 12390-2: 2019	Site
Making concrete cylinders	BS EN 12390-2: 2019	Site	
Making concrete Prism	BS EN 12390-2: 2019	Site	
Method for Making Test Beams from Fresh Concrete	BS EN 12390-2: 2019 BS EN 14651:2005 + A1:2007	Site	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – fresh (cont'd)	Fibre Content	BS EN 14488-7: 2006	Site
	Static segregation of self-consolidating concrete - column technique	ASTM C1610- 21	Site
	Bleeding of concrete	ASTM C232- 21	Site
CONCRETE - fresh reinforced	Fibre content - Steel fibres	BS EN 14721: 2005 + A1: 2007	Site
	Fibre content - Steel fibres	Documented In House Method C11(B2) Issue 3	Site
	Fibre content - Polymer fibres	Documented In House Method C11(B2) Issue 3	Site
CONCRETE - hardened	Sampling - by coring	BS EN 12504-1: 2019	Site
	Drilling for dust samples	Building Research Establishment Information Paper 21/86	Site
	Measurement of carbonation depth	BS EN 14630: 2006 BRE Digest 405	Site
CONCRETE - Sprayed	Coring	BS EN 14488-1: 2005	Site
CONCRETE – hardened, reinforced	Corrosion potentials of uncoated reinforcing steel in concrete	ASTM C876-22b	Site
	Visual and hammer survey	Documented In House Method TP 64 Issue 1	Site
	Resistivity of Concrete	Documented In House Method TP 66 Issue 1	Site
	Location of reinforcement	BS 1881: Part 204: 1988	Site
PAVED SURFACES	Skid resistance value	BS EN 16165: 2021	Site
PILED FOUNDATIONS	Pile integrity	ASTM D5882-16	Site



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ROAD PAVEMENT SURFACES	Surface regularity using a rolling straight-edge	Specification for Highway Works, HMSO November 2006 Clause 702	Site
	Surface macrotexture depth using a volumetric patch technique	BS EN 13036-1:2010	Site
REINSTATEMENT OF OPENINGS IN HIGHWAYS	In-situ density - nuclear method	Documented In-house method WI No.37 Issue 8 02/12/2019	Site
	Measurement of layer thickness and visual examination of bituminous core samples	Documented In-House Method TP114 Issue 1	Site
SOILS for civil engineering purposes	Sampling site excavated material - from heaps	Documented In-House Method STP S0/Method 2 Issue 4	Site
	MCV - natural moisture content	BS 1377-4: 1990	Site
	MCV - natural water content	BS1377-2: 2022	Site
	In-situ density - sand replacement method (small pouring cylinder)	BS 1377-9: 1990	Site
	In-situ density - sand replacement method (large pouring cylinder)	BS 1377-9: 1990	Site
	In-situ bulk density - nuclear method - absolute test - comparative tests - compliance tests	BS 1377-9: 1990	Site
	In-situ moisture density - nuclear method - absolute test - comparative tests - compliance tests	BS 1377-9: 1990	Site



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	In-situ density - core cutter method	BS 1377-9: 1990	Site
	Vertical deformation and strength characteristics by the incremental plate loading test	BS 1377-9: 1990	Site
	In-situ California Bearing Ratio (CBR)	BS 1377-9: 1990	Site
	Calculation of equivalent CBR value using the plate bearing test	Design Guidance for Road Pavement Foundations Interim Advice Note 73/06 Rev1	Site
	Dynamic Cone Penetrometer (DCP)	Documented In-House Method TP 45 Issue 2	Site
	Calculation of nominal CBR value using the Dynamic Cone Penetrometer test (DCP)	DMRB, IAN 73/06 – Design of Road Pavement Foundations Rev 1:2009 DMRB, CS 229 Data for Pavement Assessment Rev.0: 2020	Site
	In-situ Density and Moisture Content using an Electromagnetic Density Gauge	ASTM D7830/D7830M-14	Site
UNBOUND and HYDRALICALLY BOUND MIXTURES	Moisture condition value (MCV)	BS EN 13286-46: 2003	Site

**End of Activities performed away from Permanent Locations**



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
Issue No: 075 Issue date: 17 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>Scope for Establishing Temporary Laboratories</b>			
AGGREGATES	Sampling - from stockpiles	BS EN 932-1: 1997	Lab
	Methods of reducing laboratory samples - using a riffle box - reduction by quartering - to a test portion of a specified mass within a small tolerance	BS EN 932-2: 1999	Lab
	Particle size distribution - sieving method	BS EN 933-1: 2012	Lab
	Flakiness index	BS EN 933-3: 2012	Lab
	Shape index	BS EN 933-4: 2008	Lab
	Classification test for the constituents of coarse recycled aggregate	BS EN 933-11: 2009	Lab
	Resistance to fragmentation - Los Angeles method	BS EN 1097-2: 2020	Lab
	Water content	BS EN 1097-5: 2008	Lab
	Particle density and water absorption - pycnometer method for aggregates between 0.063 mm and 4 mm	BS EN 1097-6: 2022	Lab
	Particle density and water absorption - pycnometer method for aggregate particles between 4 mm and 31,5 mm	BS EN 1097-6: 2022	Lab
Magnesium sulfate test	BS EN 1367-2: 2009	Lab	
Uniformity coefficient	BS EN ISO 14688-2: 2018	Lab	



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas	Preparation of samples for the determining binder content, water content and grading	BS EN 12697-28: 2020	Lab
	Soluble binder content by difference, using bottle rotation machine and pressure filter	BS EN 12697-1: 2020	Lab
	Soluble binder content by recovery, using bottle rotation machine, bucket centrifuge type 1 and volume calculation	BS EN 12697-1: 2020	Lab
	Particle size distribution	BS EN 12697-2: 2024	Lab
	Maximum density - volumetric procedure	BS EN 12697-5: 2018	Lab
	Bulk density - dry - saturated surface dry (SSD) - sealed specimen - by dimensions	BS EN 12697-6: 2020	Lab
	Air voids content	BS EN 12697-8: 2018	Lab
	Determination of the dimensions of a bituminous sample	BS EN 12697-29: 2002	Lab
	Laboratory compaction of bituminous mixtures by vibratory compaction	BS EN 12697-32: 2019	Lab
CONCRETE - fresh	Sampling - composite sample - spot sample	BS EN 12350-1: 2019	Lab
	Sampling of fresh concrete	BS EN 14488-1: 2005	Lab
	Slump	BS EN 12350-2: 2019	Lab
	Air content - pressure gauge method	BS EN 12350-7: 2019	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CONCRETE – fresh (cont'd)	Making concrete - cubes - beams - prisms - cylinders	BS EN 12390-2: 2019	Lab
	Manufacture and initial curing of beams/prisms	BSEN 12390-2: 2019 BS EN 14651: 2007 + A1	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Slump	BS EN 12350-2: 2019	Lab
CONCRETE - hardened	Dimensions	BS EN 12390-1: 2021	Lab
	Curing	BS EN 12390-2: 2019	Lab
	Compressive strength of cubes	BS EN 12390-3: 2019	Lab
	Tensile splitting strength	BS EN 12390-6: 2009	Lab
	Density	BS EN 12390-7: 2019	Lab
	Cored Specimens - examining and testing in compression	BS EN 12504-1: 2019	Lab
	Fibre content of fibre reinforced concrete	BS EN 14488-7: 2006	Lab
	SOILS for civil engineering purposes	Moisture content - oven drying method	BS 1377-2: 1990
Water content - oven drying method		BS 1377-2: 2022 BSEN ISO 17892-1:2014+A1:2022	Lab
Saturation moisture content of chalk		BS 1377-2: 1990	Lab
Saturation water content of chalk		BS 1377-2: 2022 BSEN ISO 17892-2:2014	Lab
Liquid limit - cone penetrometer - one point		BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)	Plastic limit	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Plasticity index	BS 1377-2: 1990 BS 1377-2: 2022 BSEN ISO 17892-12:2014+A2: 2022	Lab
	Particle size distribution - wet sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - dry sieving	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle size distribution - fine grained soils (hydrometer method)	BS 1377-2: 1990 BS 1377-2: 2022 BS EN ISO 17892-4: 2014	Lab
	Particle density - gas jar	BS 1377-2: 1990 BS 1377-2: 2022	Lab
	Dry density/moisture content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-4: 1990	Lab
	Dry density/waters content relationship - 2.5 kg rammer - 4.5 kg rammer - vibrating hammer	BS 1377-2: 2022	Lab
	MCV - natural moisture content	BS 1377-4: 1990	Lab
	MCV - natural water content	BS 1377-2: 2022	Lab
	MCV / Moisture Content relationship	BS 1377-4: 1990	Lab
	MCV / Water Content relationship	BS 1377-2: 1990	Lab



4161

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Construction Testing Solutions Ltd**  
**Issue No: 075 Issue date: 17 June 2026**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
SOILS for civil engineering purposes (cont'd)    UNBOUND and HYDRALICALLY BOUND MIXTURES	California Bearing Ratio (CBR)	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	Swelling of soaked CBR specimen	BS 1377-4: 1990 BS 1377-2: 2022	Lab
	Undrained shear strength - triaxial compression without measurement of pore pressure	BS 1377-7: 1990 BS 1377-2: 2022 BS EN ISO 17892-8 2018	Lab
	Laboratory reference density and water content - vibrating hammer	BS EN 13286-4: 2021	Lab
	Moisture condition value (MCV)	BS EN 13286-46: 2003	Lab
	California bearing ratio, immediate bearing index and linear swelling	BS EN 13286-47: 2021	Lab

**End of Scope for establishing Temporary Site laboratories**

**End of Schedule**