


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 4266 Accredited to ISO/IEC 17025:2017	Abu Dhabi Police Forensic Evidence Department	
	Issue No: 042 Issue date: 12 March 2025	
	PO Box 253 Abu Dhabi United Arab Emirates	Contact: Lt. Col. Dr. Ali Mohamed Almessabi Tel: +971 (0) 2 4461461 Fax: +971 (0) 2 5123847 E-Mail: amalmusaabi@adpolice.gov.ae Website: www.adpolice.gov.ae
Testing performed by the Organisation at the locations specified		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Abu Dhabi Police GHQ Forensic Evidence Department PO Box 253 Abu Dhabi United Arab Emirates	Local contact Lt. Col. Dr. Ali Mohamed Almessabi	Forensic Analysis Physical Tests Quality Management
Address Abu Dhabi Police Al Ain Police Directorate Forensic Evidence Section (Al Ain) Al Jimi Area Al Ain United Arab Emirates	Local contact Lt. Col. Dr. Ali Mohamed Almessabi	Forensic Analysis Physical Tests
Address Abu Dhabi Police Fingerprint Section Al jund st, Alsaadah, zone 1 PO Box 253 Abu Dhabi United Arab Emirates	Local contact Lt. Col. Dr. Ali Mohamed Almessabi	Forensic Analysis Physical Tests



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK


Abu Dhabi Police Forensic Evidence Department

Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
HUMAN URINE	<u>Forensic Analysis</u>		
	Amobarbital Pentobarbital Secobarbital Phenobarbital	Documented in House Method ADPFSL-TS-018 using SPE and GCMS	A
	Amphetamine Methamphetamine MDA MDMA MDEA PMA PMMA	Documented in House Method ADPFSL-TS-024 using SPE and GCMS	A
	THC Carboxylic acid	Documented in House Method ADPFSL-TS-032 using SPE and GCMS	A
	Benzoylecgonine (Cocaine Metabolite)	Documented in House Method ADPFSL-TS-038 using SPE and GCMS	A
	Codeine Morphine 6 Monoacetylmorphine	Documented in House Method ADPFSL-TS-046 using SPE and GCMS	A
	Nordazepam Oxazepam Temazepam Midazolam 7-Aminonitrazepam Diazepam, Chiordiazepoxide, Bromazepam, 7-Aminoclonazepam, 4-Hydroxymidazolam, α -Hydroxymidazolam Lorazepam Flurazepam-M(desalkyl-)	Documented in House Method ADPFSL-TS-048 using SPE and GCMS	A
	Tramadol	Documented in House Method ADPFSL-TS-173 using LC/MS/MS	A



Testing performed by the Organisation at the locations specified



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Abu Dhabi Police Forensic Evidence Department
Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DRUGS (tablets and capsules)	<u>Forensic Analysis</u> Identification of: Alprazolam Clonazepam Midazolam Diazepam Bromazepam Pregabalin Tramadol Zopiclone	Documented in House Method ADPFSL-TS-241 using GCMS	A
DOCUMENTS Writing in Arabic and Roman Script	<u>Physical Tests</u> Comparison of handwriting including signatures from known and suspect sources Detection of alterations and decipherment of altered or obliterated entries <u>Opinion and Interpretation</u> The evaluation of the significance of any similarities and differences between the handwriting on submitted items and/or suspect/reference sources to determine the likelihood of them being written by the same/different individuals.	Documented in House Method ADPFSL-TS-040 using visual examination and microscopy Documented in House Method ADPFSL-TS-035 and ADPFSL-TS-087 using visual examination, microscopy, UV light, transmitted light and VSC 6000/ VSC8000 Documented In-House methods ADPFSL TS 035 using - Personal experience - database	A, B A, B A, B
CURRENCY	<u>Forensic Analysis</u> Examination of currency	Documented in House Method ADPFSL-TS-086 using VSC 6000/ VSC8000 video scanner and computer	A, B



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Abu Dhabi Police Forensic Evidence Department

Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS AND TISSUES Any material	<u>Forensic Analysis</u>		
	Search for blood and semen	Documented in house method ADPFSL-TS-001 using visual examination, low power microscopy and high power microscopy	B
	Recovery of blood and semen from searched material/objects	Documented in house method ADPFSL-TS-045 using cutting, swabbing of stains, extraction from stained materials and taping as appropriate	B
	In relation to specific Body Fluids:		
	Presumptive testing for Blood	Documented in house method ADPFSL-TS-001 using peroxidase test LMG (Leucomalachite green)	B
	Presumptive testing for seminal fluid via detection of: Acid phosphatase	Documented in house method ADPFSL-TS-045 using Acid phosphatase detection (colour reaction) and PSA detection by immunoassay	B
	Prostate Specific Antigen:		
	Confirmatory identification of Spermatazoa	Documented in house method ADPFSL-TS-045 using high power microscopy, Proteinase K reagent to aid extraction and identification and Eosin Staining	B



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Abu Dhabi Police Forensic Evidence Department
Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FIREARMS Firearms	<u>Mechanical Testing</u> Firearm and firearm component part identification for the purpose of licensing	Documented In house method ADPFSL-TS-017 using comparison with known samples, reference standards and publications	A
	Test Firing to assess the functionality of weapon for licensing purposes.	Documented In house method ADPFSL-TS-017 using guns and ammunition	A
MARKS AND IMPRESSIONS Finger marks Any material which is capable of retaining finger marks	<u>Forensic Analysis</u> Enhancement of finger marks	Documented in-house methods using chemical enhancement and lighting techniques: Physical Lifting Technique - ADPFSL-TS-004 Superglue - ADPFSL-TS-094 Basic Yellow 40 - ADPFSL-TS-095 Sudan Black and Crystal Violet - ADPFSL-TS-096 DFO and Ninhydrin - ADPFSL-TS-097 Blood Marks SSA/AB - ADPFSL-TS-098 Powder Suspension - ADPFSL-TS-329	C



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Abu Dhabi Police Forensic Evidence Department

Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FRICTION RIDGE DETAIL Finger and Palm (Non-Cadaver)	<u>Forensic Analysis</u> (cont'd) Analysis, comparison, and evaluation of Friction Ridge Detail as outlined below for the purpose of: - Criminal Investigation - Elimination Databases		B, C
<u>Marks</u> - CSI/FEL Recovered Lifts from physical scenes - CSI/FEL Photographs of marks from physical scene - CSI/FEL Digital images of marks from physical Scene - Fingerprint Enhancement Laboratory Photographs of marks from physical items - Fingerprint Enhancement Laboratory Digital images of marks from physical items	<u>Comparison with Ten Prints</u> - Ink - Powder - Livescan	Documented in house procedures ADPFSL TS 174 utilising automated search techniques for initial screening to identify candidate items to go forward for manual comparison: - MBIS - Digital workflow - Computer screen - Reference collections Documented in house procedures ADPFSL TS 174 using visual manual techniques: - Fingerprint glass - Reference collections - Comparators (digital / optical) - Computer screen	B, C
<u>Ten Prints</u> - Ink - Powder - Livescan	- CSI/FEL Recovered Lifts from physical scenes - CSI/FEL Photographs of marks from physical scene - CSI/FEL Digital images of marks from physical Scene - Fingerprint Enhancement Laboratory Photographs of marks from physical items - Fingerprint Enhancement Laboratory Digital images of marks from physical items	Documented in house procedures ADPFSL TS 174 utilising automated search techniques for initial screening to identify candidate items to go forward for manual comparison: - MBIS - Digital workflow - Computer screen - Reference collections Documented in house procedures ADPFSL TS 174 using visual manual techniques: - Fingerprint glass - Reference collections - Comparators (digital / optical) - Computer screen	B, C



4266
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Abu Dhabi Police Forensic Evidence Department

Issue No: 042 Issue date: 12 March 2025

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>FRICTION RIDGE DETAIL (cont'd)</p> <p><u>Cadaver</u></p> <ul style="list-style-type: none"> - Photography - Ink sets - Powder set - Lifts 	<p><u>Forensic Analysis (cont'd)</u></p> <p><u>Comparison with Ten Prints</u></p> <ul style="list-style-type: none"> - Photography - Ink - Powder - Lifts 	<p>Documented in house procedure (ADPFSL-TS-174) using visual manual techniques:</p> <ul style="list-style-type: none"> - Fingerprint glass - Reference collections - Comparators (digital / optical) - Computer screen - <p>Documented in house procedure (ADPFSL-TS-174) using automated techniques for initial screening to identify candidate items to go forward for manual comparison:</p> <ul style="list-style-type: none"> - MBIS - Digital workflow - Ground Truth Database - Computer screen - Reference collections 	B, C
<p>Finger and Palm (Cadaver and Non-Cadaver)</p>	<p>Analysis, comparison, and evaluation of Friction Ridge Detail as outlined below for the purpose of:</p> <ul style="list-style-type: none"> - Criminal Investigation - Elimination Databases <p><u>Opinion and Interpretation</u></p> <p>The evaluation of the significance of any matching and non-matching features between sources of friction ridge detail as outlined in the above scope of accreditation.</p>	<p>Documented In-House methods ADPFSL TS 174 using</p> <ul style="list-style-type: none"> - Personal experience - database 	B, C
END			