


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 4438 Accredited to ISO/IEC 17025:2017	BICS Laboratories Ltd	
	Issue No: 030 Issue date: 13 February 2024	
	10 Owler Ings Road Brighouse HD6 1EJ	Contact: Ms S N Iqbal Tel: +44 (0)1484 717776 E-Mail: info@bics-labs.co.uk Website: www.bics-labs.com
Testing performed at the above address only		

DETAIL OF ACCREDITATION

BICS laboratories Ltd, is accredited for a flexible scope that enables it to:

- 1) Update currently accredited test methods to the latest versions of those test methods using the procedures documented in Procedure CP16
- 2) Include methods technically equivalent to those currently accredited within the scope of accreditation using the procedures documented in Procedure CP16

The limits of the flexible scope are given below:

Flexible Scope

BICS is accredited to ISO/IEC17025:2017 for testing activities in accordance with the test methods highlighted in the schedule. This may also include tests on the same or similar product types against standards, or customer-specified methods, that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined within the standard specifications already accredited and detailed within this Schedule of Accreditation.

Information about flexible scopes of accreditation is available in UKAS document Gen 4 and EA document EA-2/05.



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd**Issue No:** 030 **Issue date:** 13 February 2024**Testing performed at main address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOGRIDS	<u>Dimensional, Physical and Mechanical Tests</u>	
	Mass per unit area	ASTM D5261-18 ASTM D3776-20 BS EN ISO 9864:2005
	Thickness	ASTM D5199-19 BS EN ISO 9863-1:2016+ A1:2019 ASTM D5994/D5994M-10(2015)e1
	Tensile strength	ASTM D6637/D6637M-15
GEOMEMBRANES	Tensile strength - wide width strip	ASTM D4595-17 BS EN ISO 10319:2015
	<u>Dimensional, Physical, Mechanical and Thermal Tests</u>	
	Thickness	ASTM D5199-19 BS EN ISO 9863-1:2016 ASTM D5994/D5994M-10(2015)e2
	Asperity height	ASTM D7466/D7466M-10(2015)e1 Geosynthetic Research Institute test method GM 12
	Carbon black content	ASTM D4218-20 ASTM D1603-20
	Carbon black dispersion in polyolefin geosynthetics	ASTM D5596-03(2016)
	Density of plastics	ASTM D1505- 18
	Linear Dimensional Changes at Elevated Temperature	ASTM D1204-14
	Melt - Flow Index	ASTM D1238-13 BS EN ISO 1133-1:2011
	Oxidative Induction Time of polyolefins by Differential Scanning Calorimetry	ASTM D3895-19 ASTM D8117-19 BS ISO 11357-6:2018



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd**Issue No:** 030 **Issue date:** 13 February 2024**Testing performed at main address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOMEMBRANES (cont'd)	<u>Dimensional, Physical, Mechanical and Thermal Tests</u> (cont'd) Index Puncture Resistance of Geomembranes and Related Products Determination of the pyramid puncture resistance of supported geosynthetics Static puncture test (CBR) Stress cracking using notched constant tensile load Seam strength (Shear & peel) Standard Test Method for Plastic Welding Personnel – Qualification Testing of Welders' Thermoplastic Assemblies Tear resistance Tensile & Elongation Tensile properties of plastics Calculation of 2% secant modulus for polyethylene geomembranes Testing of welded joints of thermoplastics semi-finished products. Peel test, clause 5	ASTM D4833/D4833M-20 BS EN 14574:2015 BS EN ISO 12236:2006 ASTM D5397-20 BS EN 14576:2005 ASTM D6392-12(2018) BS EN 13067: 2003 & 2012 ASTM D6392-12(2018) ASTM D1004-13 BS ISO34-1:2015 Method B ASTM D6693/D6693M-19 BS EN ISO 527-3:2018 ASTM D7275-07(2018) ASTM D638-14 ASTM D5323-19 BS EN 12814-4:2018
GEOSYNTHETIC CLAY LINERS	<u>Dimensional, Physical and Mechanical Tests</u> Mass per unit area	ASTM D5993-18 ASTM D5261-18 ASTM D3776-09a (2017) BS EN 14196:2016 BS EN ISO 9864:2005



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd**Issue No:** 030 **Issue date:** 13 February 2024**Testing performed at main address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOSYNTHETIC CLAY LINERS (cont'd)	<u>Dimensional, Physical and Mechanical Tests</u> (cont'd)	
	Thickness	ASTM D5199-19 BS EN ISO 9863-1:2016
	Bentonite free swell	ASTM D5890-19
	Moisture content of bentonite	ASTM D4643-17 DIN 18121-2:2012-02 clause 6.3
	Water (Moisture) content	ASTM D2216-19 ISO 11465:1993
	Water Absorption	ASTM E946-92 (withdrawn)
	Water Absorption Capacity	DIN 18132:2012-04 BS EN ISO 10769:2011
	Hydraulic conductivity	ASTM D 5084-16a
	Index Flux	ASTM D5887/D5887M-20
	Water flux index – flexible wall permeameter method at constant head	BS EN ISO 16416:2003
	Standard Test Method for Evaluation of Hydraulic Properties of Geosynthetic Clay Liners Permeated with Potentially Incompatible Aqueous Solutions	ASTM D6766 – 20a
	Static puncture (CBR)	ASTM D6241-14 BS EN ISO 12236:2006
	Grab Breaking Load and Elongation	ASTM D4632/D4632M-15a
	Peel strength	ASTM D6496/D6496M-20
	Tensile strength of GCL	ASTM D6768/D6768M-20
	Tensile strength - wide width strip	ASTM D4595-17 BS EN ISO 10319:2015
	Determination of the internal and interface shear strength of geosynthetic clay liners by the direct shear method	ASTM D6243/D6243M-20



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd**Issue No:** 030 **Issue date:** 13 February 2024**Testing performed at main address only**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOSYNTHETIC CLAY LINERS (cont'd)	Flexural strength of a Geosynthetic Cementitious Composite Mat (GCCM) using the Three Point Bending Test	ASTM D8058-19
BENTONITE CLAY	Bentonite free swell	ASTM D5890-19
	Fluid Loss	ASTM D5891/D5891M-19
	Moisture content of bentonite	ASTM D4643-17 DIN 18121-2:2012-02 clause 6.3
	Montmorillonite Content	API recommended Practice 13I CUR 33 VDG P69 (LFE3)
	Water (Moisture) content	ASTM D2216-19 AS 1289.2.1.1-2005 ISO 11465:1993
	Water Absorption Capacity	DIN 18132:2012-04 ISO 10769:2011
	Water flux index – flexible wall permeameter method at constant head	BS EN ISO 16416:2003
GEOTEXTILES and related products	<u>Dimensional, Physical and Mechanical Tests</u>	
	Mass per unit area	ASTM D5261-18 BS EN ISO 9864:2005 ASTM D3776-09a (2017) AS 2001.2.13-2001 AS 3706-1:2012
	Thickness	ASTM D5199-19 BS EN ISO 9863-1:2016 AS 2001.2.15-1989
	Apparent opening size	BS EN 12956:2020 ASTM D4751-20 AS 3706.7-2014
	Hydraulic Transmissivity	ASTM D4716/D4716M-20



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd

Issue No: 030 **Issue date:** 13 February 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOTEXTILES and related products (cont'd)	In-plane water flow	BS EN ISO 12958:2010
	Water flow – Constant head method	BS EN ISO 11058:2019 Clause 5
	Water Permeability by Permittivity	ASTM D4491/D4491M-20 AS 3706.9-2012
	Determination of the pyramid puncture resistance of supported geosynthetics	BS EN 14574:2015
	<u>Dimensional, Physical and Mechanical Tests</u> (cont'd)	
	Resistance to perforation (Cone drop)	BS EN 13433:2006 AS 3706.5:2014
	Static puncture (CBR)	ASTM D6241-14 BS EN ISO 12236:2006 ASTM D 4833/D4833M-07(2013)e1 AS 3706.4-2012
	Grab Breaking Load and Elongation	ASTM D4632/D4632M-15a AS 2001.2.3.2:2001
	Standard Test Method for Breaking Force and Elongation of Textile Fabrics (Strip Method)	ASTM D5035 - 11(2019)
	Strength of internal structural junctions (Shear & peel)	BS EN ISO 13426-2:2005
	Tensile strength - wide width strip	ASTM D4595-17 BS EN ISO 10319:2015 AS 3706.2-2012
	Trapezoid tearing strength	ASTM D4533/D4533M-15 ASTM D4073/D4073M-06(2019)e1 AS 3706.3-2012
	Determination of the long term protection efficiency of geotextiles in contact with geosynthetic barriers	BS EN 13719:2016 Annex B



4438

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

BICS Laboratories Ltd

Issue No: 030 **Issue date:** 13 February 2024

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
GEOTEXTILES and related products (cont'd)	Cylinder testing of protectors for geomembranes	Environment Agency methodology for Cylinder Testing of geomembranes and their protective materials - LFE2 version 2 July 2011
	Determination of resistance to weathering	BS EN 12224:2000
	Geosynthetics – Screening test method for determining the resistance of geotextiles and geotextile related products to oxidation	EN ISO 13438:2018
	Effect of exposure of Unreinforced polyolefin Geomembranes using fluorescent uv condensation apparatus	ASTM D 7238-20
GEOSYNTHETIC – SOIL INTERFACE TESTS (The term geosynthetics includes geotextiles, geomembranes, geocomposites, geogrids, geonets and geosynthetic clay liners)	Determination of shear strength of soil-geosynthetic and geosynthetic-geosynthetic interfaces by direct shear.	ASTM D5321/D5321M-20
	Determination of friction characteristics	EN ISO 12957-1:2018
	Geosynthetics Inter-face Shear Resistance Testing	Landfill Guidance Group - Industry Code of Practice, LGG 115, February 2018
FLEXIBLE SHEETS FOR WATERPROOFING	Determination of thickness and mass per unit area	BS EN 1849-2:2019
	UV ageing/irradiation	BS EN 1297:2004 BS EN ISO 4892-3:2016
	Bitumen, plastic and rubber sheets for roof waterproofing – determination of water tightness	BS EN 1928: 2000Method A
END		