


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 7488 Accredited to ISO/IEC 17025:2017	Malvern Panalytical Ltd	
	Issue No: 008 Issue date: 01 November 2023	
	Unit 1, The Coach House Tollerton Hall Tollerton Nottingham NG12 4GQ United Kingdom	Contact: Mr Neil Eatherington T: +44 (0)115 9371610 E-Mail: analytical.services@malvernpanalytical.com Website: www.malvernpanalytical.com
Testing performed at the above address only		

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
SOLID GEOLOGICAL, ENVIRONMENTAL AND RELATED MATERIALS, SOLID CHEMICAL COMPOUNDS	<u>Chemical Tests</u>	
	Loss on Ignition	Documented In-House Method SOP 25-07 by physical measurement
	Ti, Mn, Fe (reported as oxides), Sc, V, Cr, Co, Ni, Cu, Zn, Ga, Ge, As, Se, Br, Rb, Sr, Y, Zr, Nb, Mo, Ag, Cd, Sn, Sb, Te, I, Cs, Ba, La, Ce, Nd, Sm, Yb, Hf, Ta, W, Tl, Pb, Bi, Th, U (reported as elements)	Documented In-House Methods SOP 25-05 & SOP 25-09 by WD-XRFS (pressed powder pellets)
	F, Cl (reported as elements) Na, Mg, Al, Si, P, S, K, Ca, Ti, V, Cr, Mn, Fe, Ni, Cu, Zn, Sr, Zr, Ba, Hf, Pb, (reported as oxides)	Documented In-House Methods SOP 25-08 & SOP 25-09 by WD-XRFS (fused glass beads)
END		