


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 7686 Accredited to ISO/IEC 17025:2017	AQUAPLUS LIMITED Issue No: 012 Issue date: 19 June 2025	
	The Cobblers The Green Elstead Surrey GU8 6DD	Contact: Mr Colin Jones Tel: +44 (0) 1483 428 612 E-Mail: info@aquaplug-uk.com Website: www.aquaplug-uk.com

Testing performed by the Organisation at the locations specified

Locations covered by the organisation and their relevant activities

Site activities performed away from the locations listed above:

Location details		Activity	Location code
Address The Cobblers The Green Elstead Surrey GU8 6DD	Local contact Mr C Jones	Management of the work only all site activities are performed away from the location listed above	N/A
Address All locations suitable for the activities listed	Local contact Mr C Jones	Testing Curtain walling, windows & glazing	Site



7686
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

AQUAPLUS LIMITED
Issue No: 012 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
CURTAIN WALLING RAINScreens SLOPE GLAZING	Water Penetration – Hose Test	CWCT Standards for Systemised Building Envelopes and Test Methods for Building Envelopes, December 2006 Section 9	Site
	Water Penetration – Spray Bar	Section 10	Site
	Hose Test	NHBC Standards 2025 Section 6.9.17	Site
	Sparge Bar Test	NHBC Standards 2025 Section 6.9.18	Site
WINDOWS and CURTAIN WALLING	Watertightness Site Test	BS EN 13051:2001	Site
	Hose Test	AAMA 501.2-15	Site
		NHBC Standards 2025 Section 6.9.17	Site
END			