


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 7824 Accredited to ISO/IEC 17025:2017	Chief Constable of Cleveland Police Issue No: 026 Issue date: 07 January 2026	
	North Ormesby Police Station 51 Kings Road North Ormesby Middlesbrough TS3 6NJ United Kingdom	Contact: Mrs Mandy Johns Tel: +44 (0)1642 301341 E-Mail: mandy.johns@cleveland.police.uk Website: www.cleveland.police.uk
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
North Ormesby Police Station 51 Kings Road North Ormesby Middlesbrough TS3 6NJ Contact: Mrs Mandy Johns Tel: +44 (0)1642 301341 E-Mail: mandy.johns@cleveland.police.uk	Forensic Analysis	A
Digital Forensics Unit Wynyard Office Wynyard Stockton - on - Tees TS22 5TB Contact: Mrs Mandy Johns Tel: +44 (0)1642 301341 E-Mail: mandy.johns@cleveland.police.uk	Forensic Analysis	B



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES	<u>Forensic Testing</u>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 in relation to the Forensic Activities listed below.</p> <p>In addition, where compliance has been demonstrated for the related FSA specific requirements this is stated below at the relevant schedule entry.</p>	A
	<u>Forensic Analysis</u>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> • Human DNA examination and analysis 	
	<p>Recovery and preparation, including for contingency purposes, for subsequent DNA analysis by an ISO/IEC 17025 accredited laboratory of the following from searched materials:</p> <ul style="list-style-type: none"> - Cellular material 	<p>Documented In-House Methods using (FEL-PR-22):</p> <ul style="list-style-type: none"> - swabs and swabbing - mini-taping 	
Any material			



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:	
Computers			
Computers and digital storage devices - M.2	Capture and preservation of data from storage devices	Documented in-house method(s) (DFU-PR-04) using: - FTK Imager - Tableau T35u - Tableau T7u - Tableau TX2 - Encase	B
Computers and digital storage devices - Hard disk drives - Solid state drives	Capture and preservation of data from storage devices	Documented in-house method(s) (DFU-PR-04) using: - FTK Imager - EnCase - Tableau T35u - Tableau TX2	B
Computers and digital storage devices - Memory cards - USB flash drives	Capture and preservation of data from storage devices	Documented in-house method(s) (DFU-PR-04) using: - FTK Imager - EnCase - Tableau T8u - Tableau TX2	B
Data associated with the following: - Microsoft Windows	Processing of data	Documented in-house methods (DFU-PR-22) using: - EnCase - Griffeye Analyze with LACE Carver - AXIOM - X-Ways Forensics	B



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: • Digital forensics	
Computers (cont'd)			
Data associated with the following: - Microsoft Windows	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house methods (DFU-PR-23) - EnCase - AXIOM	B
	Analysis of data - Date/Timelining - File Data Filtering - Application Analysis	Documented in-house methods (DFU-PR-23) - FTK Imager - MD5 VFC	B
Mobile Phones			
Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Apple iPadOS - Android	Capture and preservation of data	Documented in-house method (DFU-PR-19) using: - Inseyets - Graykey - Manual examination using QuickTime (Apple) - SCRCOPY(Android)	B
Mobile phone handsets and tablets associated with the following operating systems: - Non-smartphone proprietary systems	Capture and preservation of data	Documented in-house method (DFU-PR-19) using: - XRY - Inseyets - Manual examination using Inseyets	B



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: • Digital forensics	
Mobile Phones (cont'd)			
Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Apple iPadOS - Android	Processing of data	Documented in-house method using: - Inseyets (DFU-PR-19) - Axiom (DFU-PR-22) - Griffeye Analyze (DFU-PR-22)	B
Mobile phone handsets and tablets associated with the following operating systems: - Non-smartphone proprietary systems	Processing of data	Documented in-house method (DFU-PR-19) using: - XRY/XAMN - Inseyets	B
Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Apple iPadOS - Android	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house method (DFU-PR-21) using: - Axiom - Inseyets	B
Mobile phone handsets and tablets associated with the following operating systems: - Non-smartphone proprietary systems	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering	Documented in-house method (DFU-PR-21) using: - XAMN - Inseyets	B



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:	
(U)SIM cards	Capture and preservation of data	Documented in-house method (DFU-PR-19) using: - Inseyets	B
	Processing of data	Documented in-house method (DFU-PR-19) using: - Inseyets	B
Memory cards associated with mobile phone handsets and tablets	Capture and preservation of data	Documented in-house method (DFU-PR-19) using: - Inseyets	B
	Processing of data	Documented in-house method (DFU-PR-19) using: - Inseyets	B
	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house method (DFU-PR-21) using: - Inseyets	B



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>MARKS AND IMPRESSIONS</p> <p>Any material which is capable of retaining friction ridge marks</p>	<p><u>Forensic Analysis</u></p> <p>Enhancement of fingermarks and palm marks</p>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> • Friction Ridge Detail: visualisation and enhancement <p>Documented In-House Methods using chemical and physical enhancement techniques (method numbers provided in baskets)</p> <ul style="list-style-type: none"> - Ninhydrin (FEL-PR-01) - Cyanoacrylate (CNA) fuming (FEL-PR-02) - Basic Yellow 40 (BY40) aqueous (FEL-PR-02) - Powder suspensions (FEL-PR-03): Titanium Dioxide based - white Carbon based - black - Powdering techniques (FEL-PR-11) Aluminium flake powder - Lifting techniques (FEL-PR-11): Gel lifting 3M tape Eezitab <p>Documented In-House Methods using visual and lighting enhancement techniques:</p> <ul style="list-style-type: none"> - Visual Examination - Crimelite white light (FEL-PR-05) - high intensity light sources (FEL-PR-09) Crime Lite ML2 Blue $\lambda=420-470\text{nm}$ <p>Documented In-House Method for Imaging / Digital Capture using:</p> <ul style="list-style-type: none"> - DCS5 (FEL-PR-04) 	<p align="center">A</p> <p align="center">A</p>



7824
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of Cleveland Police
Issue No: 026 Issue date: 07 January 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
MARKS AND IMPRESSIONS (cont'd) Developed fingerprint marks	<u>Forensic Analysis</u> Determination of the presence of friction ridge characteristics for the purpose of subsequent comparison	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: <ul style="list-style-type: none">• Friction Ridge Detail: visualisation and enhancement Documented In-House Methods (FEL-PR-06) using visual examination	A
END			