


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

|  |  |   |
|--|--|---|
|  <p><b>UKAS</b><br/>MEDICAL<br/>7959</p> <p>Accredited to<br/>IQIPS<br/>Standard:2023</p> | <h3>Royal Berkshire NHS Foundation Trust</h3> <p>Issue No: 012    Issue date: 09 May 2025</p>                          |   |
|  | <p><b>Audiology Department Royal Berkshire Hospital</b><br/>London Road<br/>Reading<br/>RG1 5AN<br/>United Kingdom</p> | <p><b>Contact: Elaine Maynard</b><br/>Tel: +44 (0) 0118 322 7238<br/>Fax: +44 (0) 0118 322 7070<br/>E-Mail: elaine.maynard@royalberkshire.nhs.uk<br/>audiology@royalberkshire.nhs.uk<br/>Website: www.royalberkshire.nhs.uk</p> |
| <p><b>Examinations performed by the Organisation at the locations specified below</b></p>  |  |   |

### Locations covered by the organisation and their relevant activities

#### Service locations:

| Primary location details   |  | Activity                                  | Location code |
|--|--|---|---------------|
| <p><b>Address with full postcode</b><br/>Audiology Department Royal Berkshire Hospital<br/>London Road<br/>Reading<br/>RG1 5AN</p> | <p><b>Local contact</b><br/>Elaine Maynard</p> | <p>Audiology<br/>Paediatric Audiology</p> | A             |

#### Activities performed away from the primary location listed above:

| Other location details with full postcode  | Activity                                  | Location code |
|--|---|---------------|
| <p>Audiology Department<br/>West Berkshire Community Hospital<br/>London Road<br/>Benham Hill<br/>Thatcham<br/>RG18 3AS</p>        | <p>Audiology<br/>Paediatric Audiology</p> | B             |
| <p>Audiology Department<br/>Royal Berkshire Bracknell Healthspace<br/>Eastern Gate<br/>Brant Bridge<br/>Bracknell<br/>RG12 9RT</p> | <p>Audiology<br/>Paediatric Audiology</p> | C             |
| <p>Audiology Department<br/>Townlands Hospital<br/>York Road<br/>Henley<br/>RG9 2DR</p>  | <p>Audiology<br/>Paediatric Audiology</p> | D             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| <b>Other location details with full postcode</b>  | <b>Activity</b>                   | <b>Location code</b> |
|---|-----------------------------------|----------------------|
| The Audiology Department<br>Wokingham Community Hospital<br>Barkham Road<br>Wokingham<br>RG41 2RE | Audiology                         | E                    |
| Domiciliary Services  | Audiology<br>Paediatric Audiology | F                    |



7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

DETAIL OF ACCREDITATION

| Modality  | Type of Examination/Procedure Performed   | Equipment used   | Location Code |
|-----------|---|--|---------------|
| Audiology | Adult Hearing Services:<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Loudness Discomfort Level<br>BKB Sentences or other Speech Material<br>COSI<br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and Adjustment<br>Unaided & Aided Sound Field Thresholds<br>BKB Sentences or other Speech Material<br>AB Word Lists<br>Hearing Handicap Inventory<br>Quick SIN<br>Bone Anchored Hearing Aid Fitting | GN Aurical Freefits<br>GN AuricalTest box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br><br>GN Aurical Freefits<br>GN AuricalTest box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Audioscan verifit<br>Automated McCormack<br>Toy Test<br>OAE Echo check<br>Kamplex audiometer (for VRA)<br>Kamplex KC50<br>Audiometer (for 'play audiometry') Kamplex KC35<br>Bio-Logic SIROCCO | A             |
| Audiology | Complex Adult Hearing Services<br><br>Adults with Complex Needs Assessment<br>Adults with Complex Needs Rehab<br>Otoacoustic Emissions Tests - Transient Evoked<br>Electrophysiology; Neuro-otological ABR<br>Cortical Evoked Response Audiometry<br>Screening/Automated OAE<br>Bone Anchored Hearing Aid Assessment<br>Electrocochleography  |  | A             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality             | Type of Examination/Procedure Performed  | Equipment used   | Location Code |
|----------------------|--|--|---------------|
| Audiology            | Complex Adult Services<br>Tinnitus:<br><br>Tinnitus Functional Index<br>Tinnitus Counselling<br>Fitting of White Noise Generators  | GN Aurical Freefits<br>GN Aurical Test box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>OAE Echo check   | A             |
| Paediatric Audiology | Paediatric Audiology Services<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Distraction Testing<br>Visual Reinforcement Audiometry<br>Performance Test<br>McCormick Toy Test<br>Manchester Picture Test<br>Play Audiometry<br>Otoacoustic Emissions Tests -<br>Transient Evoked<br>High Frequency Probe Tone<br>Tympanometry<br>Screening/Automated OAE<br>BKB Sentences or other Speech<br>Material<br>AB Word Lists<br>Cooperative Testing | GN Aurical Freefits<br>GN Aurical Test box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Audioscan verifit<br>Automated McCormack<br>Toy Test<br>OAE Echo check<br>Kamplex audiometer<br>(for VRA)<br>Kamplex KC50<br>Audiometer (for 'play<br>audiometry') Kamplex<br>KC35 | A             |



7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality             | Type of Examination/Procedure Performed  | Equipment used  | Location Code |
|----------------------|--|---|---------------|
| Paediatric Audiology | Paediatric Audiology Services<br><br>Electrophysiology; Steady State Evoked Potentials<br>Electrophysiology; Cortical Evoked Response Audiometry<br>Electrophysiology; Neuro-otological Auditory Brainstem Responses<br>Electrophysiology; Threshold Auditory Brainstem Responses<br>Electrophysiology; Cochlear Microphonic Testing<br>High Frequency Probe Tone<br>Tympanometry<br>ABR Thresholds<br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and Adjustment<br>Unaided & Aided Sound Field Thresholds | Bio-Logic SIROCCO<br>Bio-Logic Navpro<br>Audiometer<br>Interacoustics AD226<br>Tympanometer GN<br>Oscillar                        | A             |
| Audiology            | Adult Hearing Services<br><br>Otoscopy<br>Wax Removal – Jobson Horne Probe<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry & Reflex testing<br>Loudness Discomfort Level   | GN Aurical Freefit<br>GN Aurical Test box<br>Tymp : Grasson<br>Stadler GSI 38<br>Verifit<br>Audiometer<br>Kamplex AD27<br>Hi-Pros | B             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality  | Type of Examination/Procedure Performed   | Equipment used   | Location Code |
|-----------|---|--|---------------|
| Audiology | COSI<br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and Adjustment<br>Unaided & Aided Sound Field Thresholds<br>BKB Sentences or other Speech Material<br>AB Word Lists<br>Quick SIN | GN Aurical Freefit<br>GN Aurical Test box<br>Tymp : Grasson<br>Stadler GSI 38<br>Verifit<br>Audiometer<br>Kamplex AD27<br>Hi-Pros  | B             |
| Audiology | Distraction Testing<br>McCormick Toy Test<br>Play Audiometry  | GN Aurical Freefits<br>GN Aurical Test box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Audioscan verifit<br>Automated<br>McCormack Toy Test<br>OAE Echo check | B             |
| Audiology | Complex Adult Services<br>Tinnitus:<br><br>Tinnitus Functional Index<br>Tinnitus Counselling<br>Fitting of White Noise Generators   | GN Aurical Freefits<br>GN Aurical Test box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>OAE Echo check   | B             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality             | Type of Examination/Procedure Performed   | Equipment used   | Location Code |
|----------------------|---|--|---------------|
| Paediatric Audiology | Paediatric Audiology Services-<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Performance Test<br>McCormick Toy Test<br>Play Audiometry<br>Otoacoustic Emissions Tests -<br>Transient Evoked<br>Screening/Automated OAE<br>BKB Sentences or other Speech<br>Material<br>AB Word List | Tymp Grasson Stadler<br>GSI 38:<br>VRA: Grason Stadler<br>GSI 61Audiometer<br>Play: Kamplex KD29<br>Audioscan Verifit<br>Interacoustic PA5<br>Warbler<br>OAE echocheck | B             |
| Paediatric Audiology | Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and<br>Adjustment<br>Unaided & Aided Sound Field<br>Thresholds   |  | B             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No: 012      Issue date: 09 May 2025**

**Examinations performed by the Organisation at the locations specified below**

| Modality  | Type of Examination/Procedure Performed   | Equipment used   | Location Code |
|-----------|---|--|---------------|
| Audiology | Adult Hearing Services<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex testing<br>Loudness Discomfort Level<br>Performance Test<br>McCormick Toy Test<br>COSI<br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and Adjustment<br>BRK Sentences of other speech material<br>AB Word lists<br>Quick SIN | GN Aurical Freefit<br>GN Aurical<br>Hi-Pro<br>Tympanometer<br>Grasson Stadler GSI 38<br>Warbler:<br>Focus Research CE70<br>OAE Otoport | C             |
| Audiology | Complex Adult Services<br>Tinnitus:<br><br>Tinnitus Functional Index<br>Tinnitus Counselling<br>Fitting of White Noise Generators   | GN Aurical Freefits<br>GN Aurical Test box<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>OAE Otoport                    | C             |







7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality             | Type of Examination/Procedure Performed   | Equipment used  | Location Code |
|----------------------|---|---|---------------|
| Paediatric Audiology | Paediatric Audiology Services<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Performance Test<br>Play Audiometry<br>Otoacoustic Emissions Tests -<br>Transient Evoked<br><br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and<br>Adjustment<br>Unaided & Aided Sound Field<br>Thresholds | GN Aurical Freefits<br>GN Aurical<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Automated<br>McCormack Toy Test<br>OAE Echo check<br><br>Audiometer<br><br>Tymp Grasson Stadler<br>GSI 38:<br>VRA: Grason Stadler<br>GSI 61<br>Play: Kamplex KD29<br>Audioscan Verifit<br>Interacoustic PA5<br>Warbler | C             |



7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality  | Type of Examination/Procedure Performed  | Equipment used   | Location Code |
|-----------|--|--|---------------|
| Audiology | Adult Hearing Services<br><br>Otoscopy<br>Wax Removal – Jobson Horne Probe<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex testing<br>Loudness Discomfort Level<br>BKB Sentences or other Speech Material<br>COSI<br>Impression Taking<br>Hearing Aid Fitting<br>Real Ear Measurement<br>Real Ear to Coupler Differences<br>Hearing Aid Diagnostics and Adjustment<br>BRK Sentences of other speech material<br>AB Word List<br>Quick SIN | GN Aurical Freefits<br>GN Aurical<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Warbler:<br>Focus Research CE70 | D             |
| Audiology | Complex Adult Hearing Services<br><br>Adults with Complex Needs Assessment<br>Adults with Complex Needs Rehab<br>Otoacoustic Emissions Tests - Transient Evoked<br>Electrophysiology; Cortical Evoked Response Audiometry<br>Electrophysiology; Neuro-otological Auditory Brainstem Responses<br>Screening/Automated OAE<br>Bone Anchored Hearing Aid Assessment<br>Electrocochleography   |  |               |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality             | Type of Examination/Procedure Performed  | Equipment used   | Location Code |
|----------------------|--|--|---------------|
| Paediatric Audiology | Paediatric Audiology Services  |  | D             |
|                      | Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Distraction Testing<br>Visual Reinforcement Audiometry<br>Performance Test<br>McCormick Toy Test<br>Manchester Picture Test<br>Play Audiometry<br>Otoacoustic Emissions Tests -<br>Transient Evoked<br>High Frequency Probe Tone<br>Tympanometry<br>Screening/Automated OAE<br>Cochlear Microphonic Testing<br>BKB Sentences or other Speech<br>Material<br>AB Word Lists | GN Aurical Freefits<br>GN Aurical<br>Hi-Pro<br>Grayson Stadler<br>Tympanometers:<br>GSI38/9<br>Automated<br>McCormack Toy Test<br>OAE Echo check<br>Audiometer | D             |
|                      | Electrophysiology; Cortical Electric<br>Response Audiometry<br>Electrophysiology; Neuro-otological<br>Auditory Brainstem Responses<br>Electrophysiology; Threshold<br>Auditory Brainstem Responses<br>High Frequency Probe Tone<br>Tympanometry  | Bio-Logic SIROCCO<br>Bio-Logic Navpro<br><br>Interacoustics AD226<br>Tympanometer GN<br>Oscillar   |               |



7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality | Type of Examination/Procedure Performed  | Equipment used   | Location Code |
|----------|--|--|---------------|
|          | Vestibular Services<br><br>History Taking<br>Dizziness Handicap Inventory<br>Caloric Irrigation Testing<br>VNG<br>Positional Manoeuvres for BPPV<br>Posturography<br>vHIT<br>Head Impulse Testing<br>VEMP Testing<br>Rotatory Chair Testing<br>Vestibular Rehabilitation<br>VRBQ | Otometrics Chartr 200<br>VNG/ENG System<br>Type:1068<br><br>Otometrics Chartr<br>EP200<br>preamp(VEmps)<br>Type:1073<br><br>Otometrics LB 200<br>Lightbar Type :1070<br><br>Otometrics VNG<br>goggles Type: 1047<br><br>Synapsys VVIB (VIN)<br>vestibular vibrator<br><br>Otometrics AirCal air<br>caloricType: 1079<br><br>Otometrics vHIT ICS<br>Impulse Type 1085<br><br>Interacoustics Eclipse<br>VEMP<br><br>Micromedical<br>(Interacoustics)<br>Aquastim water caloric | D             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality  | Type of Examination/Procedure Performed   | Equipment used  | Location Code |
|-----------|---|---|---------------|
| Audiology | <p>Adult Hearing Services</p> <p>Otoscopy<br/>History Taking<br/>Pure Tone Audiometry<br/>Tympanometry<br/>Acoustic Reflex Testing with Interpretation of Results<br/>Loudness Discomfort Level</p> <p>COSI<br/>Impression Taking<br/>Hearing Aid Fitting<br/>Real Ear Measurement<br/>Hearing Aid Diagnostics and Adjustment</p> | <p>GN Aurical Freefits<br/>GN Auricaltest box<br/>Hi-Pro<br/>Grayson Stadler<br/>Tympanometers:<br/>GSI38/9</p> | E             |





7959

Accredited to  
IQIPS  
Standard:2023

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Royal Berkshire NHS Foundation Trust**

**Issue No:** 012      **Issue date:** 09 May 2025

**Examinations performed by the Organisation at the locations specified below**

| Modality  | Type of Examination/Procedure Performed  | Equipment used  | Location Code |
|-----------|--|---|---------------|
| Audiology | Adult Hearing Services<br><br>Otoscopy<br>History Taking<br>Pure Tone Audiometry<br>Tympanometry<br>Acoustic Reflex Testing<br>Loudness Discomfort Level<br><br>COSI<br>Impression Taking<br>Hearing Aid Fitting<br>Hearing Aid Diagnostics and Adjustment | Callisto audiometer<br>GN Aurical test box<br>Tympanometer GSI38<br>Hand held warbler<br>OAE screener | F             |



