


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

| | | |
|--|--|--|
|  Accredited to ISO/IEC 17025:2017 | R P Compliance Testing Ltd Issue No: 011 Issue date: 23 January 2024 | |
| | 72 Westgate Hunstanton PE36 5EP United Kingdom | Contact: Mrs Ros Piggott Tel: +44 (0)1485 580 018 Fax: +44 (0)1485 580 028 E-Mail: admin@rp-compliance.co.uk Website: www.rp-compliance.co.uk |
| Testing performed by the Organisation at the locations specified below | | |

Locations covered by the organisation and their relevant activities

Site activities performed away from the locations listed above:

| Location details | Activity | Location code |
|--------------------------------|---|---------------|
| Any suitable customer premises | Building air leakage tests | Site |
| | Sound insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010. Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). | Site |



7970
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

R P Compliance Testing Ltd
Issue No: 011 **Issue date:** 23 January 2024

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---|--|---|---------------|
| <u>Buildings</u> | <u>Physical Tests</u> | | |
| | Building Air Leakage Test | ISO 9972:2015 BS EN 13829:2001 (Withdrawn) CIBSE TM 23:2022 (Fan pressurisation method only) | Site |
| Dwellings | Building Air Leakage Test | ATTMA TSL1:2021 ATTMA TSL1:2016 (Withdrawn) ATTMA TSL1: 2010 (Withdrawn) ATTMA TSL2:2021 | Site |
| Non-dwellings | Building Air Leakage Test | ATTMA TSL2: 2010 (Withdrawn) ATTMA TSL1:2021 ATTMA TSL2:2021 ATTMA TSL3:2021 | Site |
| | Building Air Leakage Test Passivhaus and Low Energy Buildings | ATTMA TSL4:2021 | |
| <u>Building Elements</u> such as partitions, walls, floors | Field measurement of airborne sound insulation, i.e. Level Difference and related factors | Sound insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010. Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). | Site |
| <u>Floors</u> | Field measurement of impact sound insulation of floors between rooms, i.e. Impact Sound Pressure Level and related factors | Sound insulation tests including pre-completion testing for dwellings and rooms for residential purpose for The Building Regulations 2010. Approved Document E (2003 Edition incorporating 2004, 2010, 2013 & 2015 amendments). | Site |
| END | | | |