


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 UKAS TESTING 8303 Accredited to ISO/IEC 17025:2017	The City of London Police Commissioner	
	Issue No: 023 Issue date: 16 June 2026	
	182 Bishopsgate London EC2M 4NP	Contact: Tracy Alexander Tel: +44 (0)20 7601 2330 E-Mail: Tracy.Alexander@cityoflondon.police.uk Website: www.cityoflondon.police.uk
Testing performed by the Organisation at the locations specified		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address: Kings College London Local contact: Tracy Alexander Tracy.Alexander@cityoflondon.police.uk	Fingerprint Enhancement	A
Address 182 Bishopsgate London Local contact: Tracy Alexander Tracy.Alexander@cityoflondon.police.uk	Fingerprint Comparison	B
Address 21 New Street London EC2M 4TP Local contact: Tracy Alexander Tracy.Alexander@cityoflondon.police.uk	Digital Forensics	C



8303

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The City of London Police Commissioner

Issue No: 023 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA	<u>Forensic Testing</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 in relation to the Forensic Activities listed below. In addition, where compliance has been demonstrated for the related FSA specific requirements this is stated below at the relevant schedule entry.	A, B
Computers	Forensic Testing	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: • Digital forensics	
Computers and digital storage devices - Hard disk drives - Solid state drives - m.2 SSD - USB flash drives	Capture and preservation of data from storage devices	Documented in-house method(s) (SOP_DFU1, SOP_DFU10, APP_DFU1a, APP_DFU1b and APP_DFU1e) using: - FTK Imager - Tableau T8u - TX1 - Paladin	C
Computers and digital storage devices - Memory cards	Capture and preservation of data from storage devices	Documented in-house method(s) (SOP_DFU1, SOP_DFU10, APP_DFU1a and APP_DFU1e) using: - FTK Imager - Tableau T8u - Paladin	C



8303

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The City of London Police Commissioner

Issue No: 023 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>MARKS AND IMPRESSIONS</p> <p>Fingermarks. Any material which is capable of retaining friction ridge marks</p>	<p><u>Forensic Testing</u></p> <p>Enhancement of fingermarks, palm marks and plantar marks</p>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> •Friction Ridge Detail: visualisation and enhancement <p>Documented In-House Methods using chemical enhancement and lighting techniques (method numbers provided in brackets):</p> <ul style="list-style-type: none"> - Powder Suspensions (SOP_05): Carbon based - black Titanium dioxide based – white - Acid dye treatments - ethanolic formation (SOP_07) Acid Black 1 Acid Violet 17 Acid Yellow 7 - Cyanoacrylate (CNA) Fuming (SOP-03) - Basic Yellow 40 (BY40) ethanol based (SOP_04) - Ninhydrin (SOP_01) - 1,8-Diazafluoren-9-one (DFO) (SOP_02) 	<p align="center">A</p>



8303

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The City of London Police Commissioner

Issue No: 023 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>MARKS AND IMPRESSIONS (cont'd)</p> <p>Fingermarks Any material which is capable of retaining friction ridge marks</p>	<p><u>Forensic Testing</u> (cont'd)</p> <p>Enhancement of fingermarks, palm marks and plantar marks</p>	<p>Documented In-House Methods using visual and lighting enhancement techniques:</p> <ul style="list-style-type: none"> - Visual examination (SOP_09 & 10) - White light - High Intensity Light Sources (SOP_09) <p>LED</p> <ul style="list-style-type: none"> UV ($\lambda = 350-380\text{nm}$) Blue ($\lambda = 420-470\text{nm}$) Green ($\lambda = 490-560\text{nm}$) Violet ($\lambda = 400-430\text{nm}$) Blue ($\lambda = 430-470\text{nm}$) Blue/green ($\lambda = 460-510\text{nm}$) Green ($\lambda = 500-550\text{nm}$) UV ($\lambda = 350-380\text{nm}$) Green ($\lambda = 480-560\text{nm}$) Orange ($\lambda = 570-610\text{nm}$) Violet ($\lambda = 395-425\text{nm}$) Blue/green ($\lambda = 445-510\text{nm}$) 	<p align="center">A</p>
<p>Developed fingerprint marks</p>	<p>Determination of the presence of friction ridge characteristics for the purpose of subsequent comparison</p>	<p>Documented In-House Methods (SOP_11) for imaging / digital capture</p> <ul style="list-style-type: none"> - DCS5 with UV, IR and reflectance modes <p>Documented In-House methods (SOP-10) using visual examination</p>	<p align="center">A</p>



8303

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The City of London Police Commissioner

Issue No: 023 Issue date: 16 June 2026

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>FRICITION RIDGE DETAIL (cont'd)</p> <p>Finger and Palm (Non-Cadaver) (cont'd)</p> <p><u>Ten Prints</u></p> <ul style="list-style-type: none"> - Ink - Powder - Livescan 	<p><u>Forensic Testing</u> (cont'd)</p> <p>Analysis, comparison, and evaluation of Friction Ridge Detail as outlined below for the purpose of:</p> <ul style="list-style-type: none"> - Criminal Investigation - Elimination Databases <p><u>Comparison with Marks</u></p> <ul style="list-style-type: none"> - CSI/FEL Recovered Lifts from physical scenes - CSI/FEL Photographs of marks from physical scenes - Fingerprint Enhancement Laboratory Recovered Lifts from physical items - Fingerprint Enhancement Laboratory photographs of marks from physical exhibits <p><u>Opinion and Interpretation</u></p> <p>The evaluation of the significance of any matching and non-matching features between sources of friction ridge detail as outlined in the above scope of accreditation.</p>	<p>Documented in house procedures using visual manual techniques:</p> <ul style="list-style-type: none"> - Fingerprint glass - Reference collections - Comparators (optical) - High Quality Printer <p>Documented In-House methods using</p> <ul style="list-style-type: none"> - Personal experience - database 	<p align="center">B</p> <p align="center">B</p> <p align="center">B</p>
END			