


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>9773</p> <p>Accredited to ISO/IEC 17025:2017</p>	<h3>Chief Constable of North Yorkshire Police</h3> <p>Issue No: 024 Issue date: 05 December 2025</p>	
	<p>Digital Forensics Unit Alverton Court Crosby Road Northallerton North Yorkshire DL6 1BF</p>	<p>Contact: Logan Bull Tel: +44 (0)7802295342 E-Mail: Logan.Bull@northyorkshire.police.uk Website: www.northyorkshire.police.uk</p>
<p>Testing performed at the above address only</p>		

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>DIGITAL DEVICES AND DATA</p> <p>Computers</p> <p>Computers and digital storage devices</p> <ul style="list-style-type: none"> - Hard disk drives - Solid state drives <p>Computers and digital storage devices</p> <ul style="list-style-type: none"> - Hard disk drives - Solid state drives - USB flash drives <p>Computers and digital storage devices</p> <ul style="list-style-type: none"> - M.2 SSD 	<p><u>Forensic Testing</u></p> <p><u>Forensic Analysis</u></p> <p>Capture and preservation of data from storage devices</p> <p>Capture and preservation of data from storage devices</p> <p>Capture and preservation of data from storage devices</p>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 in relation to the Forensic Activities listed below.</p> <p>In addition, where compliance has been demonstrated for the related FSA specific requirements this is stated below at the relevant schedule entry.</p> <p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> • Digital forensics <p>Documented in-house method(s) (DFU/TECH/005) using:</p> <ul style="list-style-type: none"> - FTK Imager - Tableau T8u - Tableau T35u <p>Documented in-house method(s) (DFU/TECH/005) using:</p> <ul style="list-style-type: none"> - Forensic Falcon-NEO - Forensic Falcon-NEO 2 <p>Documented in-house method(s) (DFU/TECH/005) using:</p> <ul style="list-style-type: none"> - Forensic Falcon-NEO - Forensic Falcon NEO 2 - Tableau T7u - FTK Imager



9773

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of North Yorkshire Police

Issue No: 024 Issue date: 05 December 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u> (cont'd)	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: <ul style="list-style-type: none"> Digital forensics
Computers and digital storage devices <ul style="list-style-type: none"> Memory cards 	Capture and preservation of data from storage devices	Documented in-house method(s) (DFU/TECH/005) using: <ul style="list-style-type: none"> FTK Imager
Computers and digital storage devices <ul style="list-style-type: none"> USB flash drives 	Capture and preservation of data from storage devices	Documented in-house method(s) (DFU/TECH/005) using: <ul style="list-style-type: none"> FTK Imager Tableau T8u
Data associated with the following: Microsoft Windows	Processing of data	Documented in-house method(s) (DFU/TECH/026) using: <ul style="list-style-type: none"> Griffeye LACE Forensic Carver AXIOM Nevis
Data associated with the following: Microsoft Windows	Analysis of data <ul style="list-style-type: none"> Keyword Analysis Date/Timelining Manual Bookmarking File Data Filtering Database Analysis Application Analysis 	Documented in-house method(s) (DFU/TECH/037) using: <ul style="list-style-type: none"> AXIOM
Data associated with the following: Microsoft Windows	Analysis of data <ul style="list-style-type: none"> Keyword Analysis Date/Timelining Manual Bookmarking File Data Filtering 	Documented in-house method(s) (DFU/TECH/037) using: <ul style="list-style-type: none"> Griffeye



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of North Yorkshire Police
Issue No: 024 Issue date: 05 December 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>DIGITAL DEVICES AND DATA (cont'd)</p> <p>Mobile phones</p> <p>Mobile phone handsets and tablets associated with the following operating systems:</p> <ul style="list-style-type: none"> - Apple iOS - Android <p>Mobile phone handsets and tablets associated with the following operating systems:</p> <ul style="list-style-type: none"> - Android <p>Mobile phone handsets and tablets associated with the following operating systems:</p> <ul style="list-style-type: none"> - Non-smartphone proprietary systems <p>Mobile phone handsets and tablets associated with the following operating systems:</p> <ul style="list-style-type: none"> - Apple iPadOS 	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Capture and preservation of data</p> <p>Capture and preservation of data</p> <p>Capture and preservation of data</p> <p>Capture and preservation of data</p>	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> • Digital forensics <p>Documented in-house method(s) (DFU/TECH/020, DFU/TECH/023, DFU/TECH/040, DFU/TECH/046) using:</p> <ul style="list-style-type: none"> - UFED 4PC - XRY - Cellebrite Premium ES - Graykey - Manual examination using Digital Camera, IPEVO, UFED 4PC, XRY <p>Documented in-house method(s) (DFU/TECH/023) using:</p> <ul style="list-style-type: none"> - Manual examination using SCRCPY <p>Documented in-house method(s) (DFU/TECH/020, DFU/TECH/023) using:</p> <ul style="list-style-type: none"> - UFED 4PC - XRY - Manual examination using Digital Camera, IPEVO <p>Documented in-house method(s) (DFU/TECH/040, DFU/TECH/023):</p> <ul style="list-style-type: none"> - Graykey - Manual examination using Digital Camera, IPEVO, UFED 4PC, XRY



9773

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of North Yorkshire Police

Issue No: 024 Issue date: 05 December 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements: <ul style="list-style-type: none"> Digital forensics
Mobile phones (cont'd)		
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Apple iOS Android Non-smartphone proprietary systems 	Processing of data	Documented in-house method(s) (DFU/TECH/049) using: <ul style="list-style-type: none"> Physical Analyzer XRY/XAMN
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Apple iOS Apple iPadOS Android 	Processing of data	Documented in-house method(s) (DFU/TECH/049) using: <ul style="list-style-type: none"> AXIOM
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Apple iOS 	Processing of data	Documented in-house method(s) (DFU/TECH/049) using: <ul style="list-style-type: none"> Griffeye
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Android 	Processing of data	Documented in-house method(s) (DFU-TECH-049) using: <ul style="list-style-type: none"> Griffeye LACE Forensic Carver
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Apple iOS Android 	Analysis of data <ul style="list-style-type: none"> Keyword Analysis Date/Timelining Manual Bookmarking File Data Filtering Database Analysis Application Analysis 	Documented in-house method(s) (DFU/TECH/037) using: <ul style="list-style-type: none"> Physical Analyzer AXIOM XAMN
Mobile phone handsets and tablets associated with the following operating systems: <ul style="list-style-type: none"> Apple iOS Android 	Analysis of data <ul style="list-style-type: none"> Keyword Analysis Date/Timelining Manual Bookmarking File Data Filtering 	Documented in-house method(s) (DFU/TECH/037) using: <ul style="list-style-type: none"> Griffeye



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of North Yorkshire Police
Issue No: 024 Issue date: 05 December 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u>	The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:
Mobile phones (cont'd)		<ul style="list-style-type: none"> • Digital forensics
Mobile phone handsets and tablets associated with the following operating systems: - Apple iPadOS	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis	Documented in-house method(s) (DFU/TECH/037) using: - AXIOM
(U)SIM cards	Capture and preservation of data	Documented in-house method(s) (DFU/TECH/020) using: - UFED 4PC - XRY
(U)SIM cards	Processing of data	Documented in-house method(s) (DFU/TECH/049) using: - Physical Analyzer - XRY/XAMN
(U)SIM cards	Analysis of data - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering	Documented in-house method(s) (DFU/TECH/037) using: - Physical Analyzer - XAMN



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Chief Constable of North Yorkshire Police
Issue No: 024 Issue date: 05 December 2025

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>DIGITAL DEVICES AND DATA (cont'd)</p> <p>Mobile phones (cont'd)</p> <p>Memory cards associated with mobile phone handsets and tablets</p> <p>Memory cards associated with mobile phone handsets and tablets</p> <p>Memory cards associated with mobile phone handsets and tablets</p> <p>Memory cards associated with mobile phone handsets and tablets</p>	<p><u>Forensic Analysis</u></p> <p>Capture and preservation of data</p> <p>Processing of data</p> <p>Analysis of data</p> <ul style="list-style-type: none"> - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering <p>Analysis of data</p> <ul style="list-style-type: none"> - Keyword Analysis - Date/Timelining - Manual Bookmarking - File Data Filtering - Database Analysis - Application Analysis 	<p>The organisation has demonstrated compliance to the Forensic Science Regulator Code of Practice V2 FSA Specific Requirements:</p> <ul style="list-style-type: none"> • Digital forensics <p>Documented in-house method(s) (DFU/TECH/020) using:</p> <ul style="list-style-type: none"> - FTK Imager - UFED 4PC <p>Documented in-house method(s) (DFU/TECH/049) using:</p> <ul style="list-style-type: none"> - Physical Analyzer - XRY/XAMN - Griffeye - LACE Forensic Carver - AXIOM <p>Documented in-house method(s) (DFU/TECH/037) using:</p> <ul style="list-style-type: none"> - Griffeye <p>Documented in-house method(s) (DFU/TECH/037) using:</p> <ul style="list-style-type: none"> - Physical Analyser - XAMN - AXIOM

END