

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



0012

Accredited to
ISO/IEC 17025:2017

The Sheffield Assay Office

Issue No: 055 Issue date: 23 June 2021

Guardian Hall
Beulah Road
Hillsborough
Sheffield
S6 2AN

Contact: Mr M Hawker
Tel: +44 (0)114 231 2121
Fax: +44 (0)114 233 9079
E-Mail: hawker@assayoffice.co.uk
Website: www.assayoffice.co.uk

Testing performed at the above address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
METALS and METAL ALLOYS (Including PRECIOUS METALS/ALLOYS)	<u>Chemical Tests for the purpose of Hallmarking</u>	Documented In-House Methods
Precious metals and alloys	Gold, Silver, Platinum, Palladium	X-ray fluorescence analysis (XRF) - ATM 105
	Gold, Silver, Platinum, Palladium	Optical Emission Spectrometry (ICP-OES) - ATM 74
	Gold	Fire assay technique (cupellation) - ATM 01
	Silver	Potentiometric titration - ATM 11
METALS and METAL ALLOYS (Including PRECIOUS METALS/ALLOYS)	<u>Chemical Tests</u>	Documented In-House Methods
<u>Precious metal alloys & powders</u>	Gold, Copper, Nickel, Palladium, Platinum, Rhodium	ATM 74 using Optical Emission Spectrometry (ICP-OES)
<u>Precious metal alloys & powders</u>	Elemental analysis	Analysis through the appropriate application of documented in house methods for sampling, preparation and measurement for additional parameters using Flexible Scope Protocol AP 10 and ICP-OES instrumentation by method ATM 074
	Silver	Potentiometric titration - ATM 11 or ATM 12
		Fire assay technique (cupellation) - ATM 02



0012
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Sheffield Assay Office
Issue No: 055 Issue date: 23 June 2021

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
METALS and METAL ALLOYS (Including PRECIOUS METALS/ALLOYS) (cont'd)	<u>Chemical Tests</u> (cont'd)	<u>Documented In-House Methods</u>
Precious metal powders	Gold	Fire assay technique (cupellation) – ATM 01
High purity silver	Gold, Platinum, Palladium	Lead fusion/fire assay/ICP-OES ATM 03
Base metals & alloys (e.g. steels)	Aluminium, Arsenic, Gold, Bismuth, Cadmium, Cobalt, Chromium, Copper, Iron, Magnesium, Manganese, Nickel, Lead, Palladium, Platinum, Antimony, Selenium, Silicon, Tin, Tellurium, Titanium, Zinc, Boron, Mercury, Indium, Phosphorous, Ruthenium,	ATM 79 using Optical Emission Spectrometry (ICP-OES)
Base metals & alloys (e.g. steels)	Aluminium, Boron, Bismuth, Cobalt, Chromium, Copper, Iron, Magnesium, Manganese, Nickel, Molybdenum, Niobium, Phosphorous, Silicon, Tin, Tantalum, Titanium, Vanadium, Tungsten, Zinc, Zirconium	ATM 150 using Optical Emission Spectrometry (ICP-OES)
Base metals & alloys (e.g. steels)	Elemental analysis	Analysis through the appropriate application of documented in house methods for sampling, preparation and measurement for additional elements using Flexible Scope Protocol AP 10 and ICP-OES instrumentation by Method ATM150, ATM101, ATM102, ATM72
	Carbon Sulphur	Combustion/Infra-red analysis - ATM 82
	Silver	Potentiometric titration - ATM 11 or ATM 12
Metals, Metal Alloys, and Metal Powders (e.g titanium and steels)	Nitrogen,Oxygen, & Hydrogen	Thermoconductivity and IR absorption (Eltra ONH 2000 Analyser) using in-house method ATM 149



0012
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Sheffield Assay Office
Issue No: 055 Issue date: 23 June 2021

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
METALS and METAL ALLOYS (Including PRECIOUS METALS/ALLOYS) (cont'd)	<u>Chemical Tests (cont'd)</u>	<u>Documented In-House Methods</u>
Copper and Brass alloys	Aluminium, Bismuth, Cadmium, Chromium, Copper, Iron, Manganese, Molybdenum, Nickel, Phosphorus, Lead, Antimony, Silicon, Tin, Titanium, Zinc	ATM 101 using Optical Emission Spectrometry (ICP-OES)
Aluminium alloys	Aluminium, Bismuth, Chromium, Copper, Iron, Gallium, Lithium, Magnesium, Manganese, Molybdenum, Nickel, Lead, Antimony, Silicon, Tin, Titanium, Zinc, Zirconium	ATM 102 using Optical Emission Spectrometry (ICP-OES)
Lead/Tin Alloys	Silver, Aluminium, Arsenic, Gold, Bismuth, Cadmium, Copper, Iron, Indium, Nickel, Lead, Palladium, Antimony, Tin Zinc	ATM 72 using Optical Emission Spectrometry (ICP-OES)
Metal powders and Turnings	Loss-on-ignition at 120 °C, 500 °C and 800 °C	Gravimetric determination - ATM 144
Metals in solution (eg, cyanide in plating solutions, tank washings, process waste (not including waters /effluent))	Gold, Silver, Platinum, Palladium, Aluminium, Arsenic, Boron, Barium, Beryllium, Bismuth, Calcium, Cadmium, Cerium, Chromium, Copper, Iron, Gallium, Hafnium, Mercury, Indium, Iridium, Potassium, Lanthanum, Magnesium, Manganese, Molybdenum, Sodium, Niobium, Nickel, Phosphorus, Lead, Rhenium, Rhodium, Ruthenium, Selenium, Silicon, Tin, Strontium, Tantalum, Tellurium, Thorium, Thallium, Titanium, Vanadium, Tungsten, Yttrium, Zinc, Zirconium	ICP-OES - ATM 83



0012
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Sheffield Assay Office
Issue No: 055 Issue date: 23 June 2021

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>METALS and METAL ALLOYS (Including PRECIOUS METALS/ALLOYS) (cont'd)</p> <p>Metals in solution (e.g. cyanide in plating solutions, tank washings, process waste (not including waters/effluent))</p> <p>Jewellery and related products</p> <p>Jewellery and related products (including childrens jewellery and painted jewellery)</p> <p>Paint</p>	<p><u>Chemical Tests</u> (cont'd)</p> <p>Elemental analysis</p> <p>Nickel (releasable)</p> <p>Lead and Cadmium</p> <p>Lead and Cadmium</p> <p>Lead and Cadmium</p> <p>Lead and Cadmium</p>	<p><u>Documented In-House Methods</u></p> <p>Analysis through the appropriate application of documented in house methods for sampling, preparation and measurement for additional elements using Flexible Scope Protocol AP 10 and ICP-OES instrumentation by ATM83</p> <p>Acid dissolution followed by ICP-OES or ICP-MS based on BS EN 1811:2011 + A1:2015/, BS EN 12472:2020 + A1:2009 (ATM 87, ATM 89)</p> <p>16 CFR part 1303: Documented in house method ATM 134 based on CPSC-CH-E1001-08.1 using ICP-OES</p> <p>Documented in house method ATM 134 based on CPSC-CH-E1001-08.1 and CPSC-CH-E1003-09.1. using ICP-MS</p> <p>16 CFR part 1303: Documented in house method ATM 134 based on CPSC-CH-E1003-09.1 using ICP-OES)</p> <p>Documented in house method ATM 134 based on CPSC-CH-E1001-08.1 and CPSC-CH-E1003-09.1. using ICP-MS</p>
<p>BODY FLUIDS</p> <p>Urine samples (human)</p>	<p><u>Chemical Tests</u></p> <p>Mercury content</p> <p>Creatinine content</p>	<p><u>Documented In-House Method</u></p> <p>Atomic fluorescence spectrometry (cold vapour technique - CV-AFS) - ATM 103</p> <p>UV/VIS spectrophotometry - ATM 104</p>



0012
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

The Sheffield Assay Office
Issue No: 055 Issue date: 23 June 2021

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
MEDICAL MATERIALS	<u>Chemical Tests</u>	<u>Documented In-House Method</u>
Alginate Fibres	Silver, Arsenic, Cadmium, Cobalt, Copper, Iron, Mercury, Sodium, Nickel, Lead, Tin, Zinc	ATM 99 using ICP-MS
Medical Materials	Silver	ATM 106 using Optical Emission Spectrometry (ICP-OES)
Silver Migration into Simulated Wound Fluid	Silver	ATM 115 using Optical Emission Spectrometry (ICP-OES)
Alginate Fibres & Medical Materials	Elemental analysis	Analysis through the appropriate application of documented in house methods for sampling, preparation and measurement for additional elements using Flexible Scope Protocol AP 10 and ICP-OES instrumentation by ATM99, ATM106
OTHER	<u>Chemical Tests</u>	<u>Documented In-House Methods</u>
Charcoal, Gypsum, SKC tubes/badges and Phosphor Powder	Mercury	Documented In-House Method by CV-AFS based on MDHS 16/2 (ATM 147)
Cell culture solutions, animal feed samples metal powders, tunings, drillings, & granules	Determination of: Sb, As, Bi, Cd, Ca, Cr, Co, Cu, Hf, In, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Te, Sn, Ti, Tl, Th, Zn, Zr, Hg	Documented in house test method using ICP-MS (ATM 160)
Solutions (for example nutritional oils, food flavourings, glues and dyes) and Acid Soluble Materials (for example, glues, dyes, pastes, and cosmetic products such as lipstick)	Determination of: Al, Sb, As, Ba, Be, Bi, Cd, Ca, Ce, Cr, Co, Cu, Dy, Eu, Er, Gd, Ga, Ge, Hf, In, Fe, La, Pb, Mg, Mn, Mo, Nd, Ni, Pd, Pt, K, Pr, Re, Rb, Ru, Sm, Sc, Se, Sr, Te, Tb, Sn, Ti, Tl, Th, W, Zn & Zr	Analysis through the appropriate application of documented in house methods for sampling, preparation and measurement for additional elements using Flexible Scope Protocol AP 10 and ICP-MS instrumentation by ATM160
END		