


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

| | | |
|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
|  Accredited to ISO/IEC 17025:2017 | Element Materials Technology Warwick Ltd Issue No: 177 Issue date: 19 June 2025 | |
| | Rothwell Road Warwick CV34 5JX | Contact: Mr Neil Roche Tel: +44 (0)1926 478478 Fax: +44 (0)1926 478479 E-Mail: Neil.roche@element.com Website: www.element.com |

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

| Location details | Activity | Location code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| Address Rothwell Road Warwick CV34 5JX Local contact Mr M Raven Mr M Pitham (Structural/Fatigue) Tel: +44 (0)1926 478478 Fax: +44 (0)1926 478479 E-Mail: info.warwick@element.com Website: www.element.com | Environmental Ingress Protection Pressure Structural/Fatigue | P |
| Address 100 Frobisher Business Park Leigh Sinton Road Malvern Worcestershire WR14 1BX Local contact Mr I Forshaw Tel: +44 (0)1684 571700 Fax: +44 (0)1684 571701 E-Mail: info.malvern@element.com Website: www.element.com | EMC | A |
| Address Unit 1 Pendle Place Skelmersdale West Lancashire WN8 9PN Local contact J Charters Tel: +44 (0)1695 556666 Fax: +44 (0)1695 557077 E-Mail: info.skelmersdale@element.com Website: www.element.com | EMC EX Product Testing Ingress Protection Radio | B H |
| Address 74-78 Condor Close Woolsbridge Industrial Park Three Legged Cross Wimborne Dorset BH21 6SU Local contact Mr J Cozens Tel: +44 (0)1202 811700 Fax: +44 (0)1202 811701 E-Mail: info.wimborne@element.com Website: www.element.com | EMC | C |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Location details | | Activity | Location code |
|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------|
| Address Unit E South Orbital Trading Park Hedon Road Hull HU9 1NJ | Local contact Mr P. Harrison Tel: +44 (0)1482 801801 Fax: +44 (0)1482 801806 E-Mail: info.hull@element.com Website: www.element.com | Electrical Safety Environmental Engineering (Climatic/Dynamic) | F |
| Address Unit E South Orbital Trading Park Hedon Road Hull HU9 1NJ | Local contact Mr M Baker (EMC) Mr L Giddings (Telecoms) Tel: +44 (0)1482 801801 Fax: +44 (0)1482 801806 E-Mail: info.hull@element.com Website: www.element.com | EMC Telecoms | G |
| Address Units 13/15 Nuffield Way Abingdon Oxfordshire OX14 1RL | Local Contact Mr S Boag 01235 540970 | EMC | K |
| Address Unit 15b Henley Business Park Pirbright Road Guildford Surrey GU3 2DX | Local Contact Mr P Blackett Tel: TBC E-mail: Paul.blackett@element.com | EMC Radio SAR | S |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Site activities performed away from the locations listed above:

| Location details | Activity | Location code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|---------------|
| Address Any Customer Premises Local contact Mr K Anderson (EMC) Mr P. Harrison (Electrical Safety) Tel: +44 (0)1482 801801 Fax: +44 (0)1684 571701 E-Mail: info.hull@element.com Website: www.element.com | EMC Electrical Safety | E |
| Address Any Customer Premises Local contact Mr J Charters (Ex Product) Tel: +44 (0)1695 556666 Fax: +44 (0)1695 557077 E-Mail: info.skelmersdale@element.com Website: www.element.com | Ex Product Testing | I |

Flexible Scope

The laboratory is accredited for the use of a Flexible Scope for testing activities in the areas of EMC (Military and Commercial), Radio, SAR and in the areas of Electrical Safety, Environmental Testing and Ex Product Testing as detailed within Element In House procedure EL-CTE-QU-X-X-SOP101465.

This may include tests on the same or similar product types against standards, or customer-specified methods that are not specifically listed in this Schedule for EMC Military, EMC Commercial, Radio, SAR, Electrical Safety, Ex Product Testing and Environmental Testing providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined in this Schedule.

Information about flexible scopes of accreditation is available in UKAS document GEN 4

NOTE: Where EN Standards have exact equivalents in IEC, or BS EN Standards, these are also included in the accreditation



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| GENERAL NON-EXPLOSIVE STORES AND EQUIPMENT including: AEROSPACE STRUCTURES, MATERIALS AND EQUIPMENT AGRICULTURAL EQUIPMENT COMPUTERS AND PERIPHERALS CONSTRUCTION PLANT, EQUIPMENT, PRODUCTS AND MATERIALS CRYOGENIC EQUIPMENT DOMESTIC APPLIANCES ELECTRICAL/ELECTRONIC COMPONENTS, CONNECTORS AND PRODUCTS ELECTRO-MECHANICAL DEVICES FIREARMS FIRE FIGHTING AND DETECTION EQUIPMENT HYDRAULIC EQUIPMENT AND FITTINGS MARINE EQUIPMENT MECHANICAL PRODUCTS AND PLANT MINING EQUIPMENT AND COMPONENTS MISSILE AND COMPONENTS MOTOR VEHICLE ACCESSORIES AND COMPONENTS OFFICE EQUIPMENT PACKAGES AND PACKAGING MATERIAL PLASTICS AND PRODUCTS PRESSURE VESSELS RADAR EQUIPMENT RADIO AND TV EQUIPMENT | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) 1.1 CLIMATIC 1.1.1 High temp – low humidity - constant and cyclic Max temp: +170 °C Max chamber size: 1.2 m x 1.2 m x 1.2 m Max temp: +70 °C Max chamber size: 4.0 m x 2.5 m x 2.5 m | DEF STAN 00-35 Pt 3, Iss3:1999 Tests CL1 and CL2 DEF STAN 00-35 Pt 3, Iss4:2006 Tests CL1 and CL2 DEF STAN 00-035 Pt 3, Iss5:2017 Test CL2 ETSI EN 300 019-2-1:2000 ETSI EN 300 019-2-1 v2.3.1 2017-11 ETSI EN 300 019-2-2:1999 ETSI EN 300 019-2-2:2013 ETSI EN 300 019-2-3:2003 ETSI EN 300 019-2-3:2015 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E: 2004 RTCA DO 160F: 2007 RTCA DO 160G: 2010 RTCA DO 160G: CN1: 2014 TR 2130C:2005 TR 2130D:2011 TR 2130E:2014 BS EN 50155:10.2.4:2007 BS EN 50155:13.4.5:2017 BS EN 50133-1:1997 BS EN 60839-11-1:2013 BS EN 60068-2-2:2007 BS EN 60945:2002 IEC 68-2-2:1974(1994) BS 3G100: Part 2:Subsect 3.2: 1970(1983) DEF STAN 07-55:1983 Tests B1, B2 MIL-STD 810B:1967 Method 501 MIL-STD 810C:1975 Method 501.1 MIL-STD 810D:1983 Method 501.2 MIL-STD 810E:1983 Method 501.3 MIL-STD 810F:1989 Method 501.4 MIL-STD 810G:2008 Method 501.5 MIL-STD 810G:CN1:2014 Method 501.6 MIL-STD 810H:2019 Method 501.7 | P |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| GENERAL NON-EXPLOSIVE STORES AND EQUIPMENT including: (cont'd) SAFETY APPLIANCES AND EQUIPMENT SATELLITES AND SUB-ASSEMBLIES SECURITY DEVICES AND ALARMS STRUCTURES AND COMPONENTS TELECOMMUNICATION EQUIPMENT THERMAL IMAGING WEAPONS AND SUB-ASSEMBLIES | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.1 High temp – low humidity - constant humidity Max temp: +500 °C Max chamber size: 0.54 m x 0.47 m x 0.54 m | JCPS 05-07:1987, Clause 7.1.4.2 NES 1004:1995 Data Sheet 7 DEF STAN 08-123:2000 Data Sheet 7 DEF STAN 08-123: Iss 2: 2012 Data Sheet 7 Lloyds Register Specification No 1:1996: Dry Heat Test Lloyds Register Specification No 1:2013: Section 17 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1.2 Low temperature - constant and cyclic Min temp: -70 °C Max chamber size: 1.2 m x 1.2 m x 1.2 m Min temp: -50 °C Max chamber size: 4.0 m x 2.5 m x 2.5 m | DEF STAN 00-35 Pt 3, Iss3:1999 Tests CL4 and CL5 DEF STAN 00-35 Pt 3, Iss4:2006 Tests CL4 and CL5 DEF STAN 00-035 Pt 3, Iss5:2017 Tests CL5 BS EN 60068-2-1:2007 Tests Aa, Ab, Ad ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2:2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 IEC 68-2-1:1990 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS 3G100: Part 2: Subsect 3.2: 1970(1983) RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E: 2004 RTCA DO 160F: 2007 RTCA DO 160G: 2010 RTCA DO 160G: CN1: 2014 DEF STAN 07-55:1983 Tests B4, B5 BS EN 50155:12.2.3 and 12.2.14:2007 BS EN 50155:13.4.4 and 13.4.6.:2017 MIL-STD 810B:1967 Method 502 MIL-STD 810C:1975 Method 502.1 MIL-STD 810D:1983 Method 502.2 MIL-STD 810E:1989 Method 502.3 MIL-STD 810F:2003 Method 502.4 MIL-STD 810G:2008 Method 502.5 MIL-STD 810G:CN1 2014 Method 502.6 MIL-STD 810H:2019 Method 502.7 BS EN 50133-1:1997 BS EN 60839-11-1:2013 NES 1004:1995 Data Sheet 8 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.2 Low temperature - constant and cyclic (cont'd) | DEF STAN 08-123:2000 Data Sheet 8 DEF STAN 08-123 Issue 2:2012 Data Sheet 8 Lloyds Register Specification No 1:1996: Low temperature test | P |
| | 1.1.3 Thermal Shock a) Automatic transference Max temp: +170 °C Min temp: -70 °C Max chamber size: 0.6 m x 0.6 m x 0.4 m b) Manual transference Max temp: +170 °C Min temp: -70 °C Max chamber size: 1.2 m x 1.2 m x 0.9 m | BS EN 60068-2-14:2000 Tests Na, Nb BS EN 60068-2-14:2009 Tests Na, Nb BS 3G100: Part 2: Subsect 3.15:1978(1983) DEF STAN 00-35 Pt 3, Iss3:1999 CL14 DEF STAN 00-35 Pt 3, Iss4:2006 CL14 DEF STAN 00-035 Pt 3, Iss5:2017 CL14 DEF STAN 07-55:1983 Test B14 MIL-STD 810B:1967 Method 503 MIL-STD 810C:1975 Method 503.1 MIL-STD 810D:1983 Method 503.2 MIL-STD 810E:1989 Method 503.3 MIL-STD 810F:2003 Method 503.4 MIL-STD 810G:2008 Method 503.5 MIL-STD 810G:CN1 2019 Method 503.6 MIL-STD 810H:2008 Method 503.7 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.4 Temperature Change/Variation Max temp: +200 °C Min temp: -70 °C Max chamber size: 1.2 m x 1.2 m x 0.9 m | RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:5.3:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 ETSI EN 300 19-2-1:2000 ETSI EN 300 019-2-1 v2.3.1 (2017-11) ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 | P |
| | 1.1.5 High temp - high humidity - constant and cyclic Max temp: +70 °C Humidity range: 10 to 98% rh Max chamber size: 4.0 m x 2.5 m x 2.5 m Max temp: +80 °C Humidity range: 30 to 98% rh Max chamber size: 0.91 m x 0.91 m x 0.91 m | DEF STAN 00-35 Pt 3, Iss3:1999 Test CL7 DEF STAN 00-35 Pt3, Iss4:2006 Test CL7 DEF STAN 00-035 Pt 3,Iss5:2017 Test CL6 NES 1004:1995 Data Sheet 7 DEF STAN 08123:2000 Data Sheet 7 DEF STAN 08-123 Issue 2:2012 Data Sheet 7 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G:CN1:2014 MIL-STD 810B:1967 Method 507 MIL-STD 810C:1975 Method 507.1 MIL STD 810D:1983 Method 507.3 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.5 High temp - high humidity - constant and cyclic (cont'd) | MIL STD 810D:1983 Method 507.3 MIL-STD 810E:1989 Method 507.3 MIL-STD 810F:2003 Method 507.4 MIL-STD 810G:2008 Method 507.5 MIL-STD 810G;CN1:2014 Method 507.6 MIL-STD 810H:2019 Method 507.6 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS EN 50155:10.2.5:2007 BS EN 50155:13.4.7:2017 BS 2011: Ca:1977 BS 2011: Cab:1990 BS 2011: Cb:1990 BS EN 60068-2-30:2005 BS EN 60068-2-78:2002 BS EN 60068-2-78:2013 BS EN 60945:2002 IEC 68-2-3:1969 IEC 60068-2-30:1980 IEC 68-2-56:1988 BS 3G100: Part 2:Subsect 3.7: 1972(1983) DEF STAN 07-55:1983 Tests B6, B7 ETSI EN 300 19-2-1:2000 ETSI EN 300 19-2-1v2.3.1(2017-11) ETSI EN 300 19-2-2:1999 ETSI EN 300 19-2-2:2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 19-2-3:2015 NES 1004:1995 Data Sheet 9 DEF STAN 08-123:2000 Data Sheet 9 DEF STAN 08-123 Issue 2:2012 Data Sheet 9 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.5 High temp - high humidity - constant and cyclic (cont'd) | Lloyds Register Specification No 1:1996: Humidity tests 1 and 2 Lloyds Register Specification No 1:2013 Sections 14 and 15 | P |
| | 1.1.6 High/low temp - low/high pressure (atmospheric) - high humidity (combined and sequential) Temperature range: -70 °C to +150 °C Humidity range: 30 to 98 %rh Pressure range: 35 mbar to 1090 mbar Chamber size: 1.01 m x 1.01 m x 1.02 m | BS EN 60068-2-13:1999 BS EN 60068-2-40:2000 BS EN 60068-2-41:2000 BS EN 60068-2-61:1994 DEF STAN 00-35 Pt 3, Iss 3:1999 Tests CL11, CL12 and CL21 DEF STAN 00-35 Pt 3, Iss 4:2006 Tests CL11, CL12, and CL21 DEF STAN 00-035 Pt 3, Iss 5:2017 test CL11 DEF STAN 07-55:1983 Test B11 and B12 MIL-STD 202F:105C:1980 MIL-STD 810B:1967 Method 500 MIL-STD 810C:1975 Method 500.1 MIL-STD 810D:1983 Method 500.2 Method 520 MIL-STD 810E:1989 Method 500.3 Method 520.1 MIL-STD 810F:2003 Method 500.4 Method 520.2 MIL-STD 810G:2008 Method 500.5 Method 520.3 MIL-STD 810G w/Change 1:2014 Method 500.6 Method 520.4 MIL-STD 810H:2019 Method 500.6 Method 520.5 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.7 Dust and Sand - Driving Chamber size: 1.5 m x 1.5 m x 2.5 m Temperature Range: +20 to +71 °C Maximum Test Area: 200 mm diameter Maximum Velocity: 25 m/s with 200 mm dia Duct 40 m/s with 140 mm dia Duct Dust Concentration: 0.1 g/m ³ to 20 g/m ³ | DEF STAN 07-55:1983 Test D1 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:12.0:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 MIL-STD 810B:1967 Method 510 MIL-STD 810C:1975 Method 510.1 MIL STD 810D:1983 Method 510.2 MIL-STD 810E:1989 Method 510.3 MIL-STD 810F:2003 Method 510.4 MIL-STD 810G:2008 Method 510.5 MIL-STD 810G:CN1:2014 Method 510.6 MIL-STD 810H:2019 Method 510.7 Procedures I and II DEF STAN 00-35 Pt 3, Iss 3:1999 Test CL25 DEF STAN 00-35 Pt 3, Iss 4:2006 Test CL25 DEF STAN 00-035 Pt 3, Iss 5:2017 Test CL25 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.8 Dust and Sand - Turbulent Chamber size: 1.5 m x 1.5 m x 2.5 m Temperature Range: +20 to +70 °C Dust Concentration: 0.1 g/m ³ to 20 g/m ³ | DEF STAN 07-55:1983 Test D1 DEF 133:1971 para 10 | P |
| | 1.1.9 Drip Proof Drip Tray area: 0.77 m x 0.77 m | ETSI EN 300 19-2-1:2000 ETSI EN 300 019-2-1 v2.3.1(2017-11) BS 3G100: Part 2: Subsect 3.11: 1973(1983) Grade B RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:10.3.1:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 DEF STAN 00-35 Pt 3, Iss 3:1999 Test CL28 DEF STAN 00-35 Pt 3, Iss 4:2006 Test CL28 DEF STAN 00-035 Pt 3, Iss 5:2017 Test CL28 BS EN 60068-2-18:2001 BS EN 60068-2-18:2017 IEC 60068-2-18:2000 IEC 60068-2-18:2017 DEF STAN 07-55:1983 Test D4 BS EN 50133-1:1997 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.9 Drip Proof (cont'd) | MIL-STD 810B:1967 Method 506 MIL-STD 810C:1975 Method 506.1 MIL STD 810D:1983 Method 506.2 MIL-STD 810E:1989 Method 506.3 MIL-STD 810F:2003 Method 506.4 MIL-STD 810G:2008 Method 506.5 Procedure III MIL-STD 810G CN 1:2014 Method 506.6 Procedure III MIL-STD 810H:2019 Method 506.6 Procedure III | P |
| | 1.1.11 Spray Proof Max Item size: 3.0 m x 3.0 m x 3.0 m | RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CN1:2014 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.12 Driving Rain Max item size: 3.0 m x 3.0 m x 3.0 m (single pass) | BS EN 60068-2-17:1995 IEC 68-2-17:1994 BS 3G100: Part 2: Subsect 3.11:1973(1983) Grade B DEF STAN 00-35 Pt 3, Iss 3:1999 Test CL27 DEF STAN 00-35 Pt 3, Iss4: 2006 Test CL27 DEF STAN 00-035 Pt 3, Iss5:2017 Test CL27 DEF STAN 07-55:1983 Test D3 NES 1004:1995 Data Sheet 18 DEF STAN 08-123:2000 Data Sheet 18 DEF STAN 08-123 Issue 2:2012 Data Sheet 18 | P |
| | 1.1.13 Icing/Freezing Rain Min temp: -50 °C Max chamber size: 4.0 m x 2.5 m x 2.5 m | MIL STD 810D: 1983 Method 521.0 MIL-STD 810E:1989 Method 521.1 MIL-STD 810F:2003 Method 521.2 MIL-STD 810G:2008 Method 521.3 MIL-STD 810G CN1:2014 Method 521.4 MIL-STD 810H:2019 Method 521.4 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:24.0:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 DEF STAN 00-35 Pt 3, Iss 3:1999 Test CL10 DEF STAN 00-35 Pt 3, Iss4:2006 Test CL10 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.13 Icing/Freezing Rain (cont'd) | DEF STAN 00-035 Pt 3, Iss5:2017 Test CL10 NES 1004:1995 Data Sheet 15 DEF STAN 08-123:2000 Data Sheet 15 DEF STAN 08-123 Issue 2:2012 Data Sheet 15 | P |
| | 1.1.14 Corrosion Salt Max chamber size: 1.9 m x 1.2 m x 0.9 m | BS EN 60068-2-11:1999:Ka BS EN 60068-2-52:1996:Kb BS EN 60068-2-52:2018:Kb IEC 68-2-11:1981 IEC 68-2-52:1996 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS 3G100: Part 2: Subsection 3.8:1977(1983) BS EN 50155:12.2.10:2007 BS EN 50155:13.4.10:2017 BS EN ISO 9227:2006: NSS BS EN ISO 9227:2017: NSS DEF STAN 07-55:1983 Tests C2, C5 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:14.0:2007 RTCA DO 160G:2010 RTCA DO 160G:CN1:2014 MIL-STD 810B:1967 Method 509 MIL-STD 810C:1975 Method 509.1 MIL STD 810D:1983 Method 509.2 MIL-STD 810E:1989 Method 509.3 MIL-STD 810F:2003 Method 509.4 MIL-STD 810G:2008 Method 509.5 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.1 CLIMATIC (cont'd) 1.1.14 Corrosion Salt (cont'd) | MIL-STD 810G CN1:2014 Method 509.6 MIL-STD 810H:2019 Method 509.7 DEF STAN 00-35 Pt 3, Iss 3:1999 Tests CN2 and CN5 DEF STAN 00-35 Pt 3, Iss 4:2006 Tests CN2 and CN5 DEF STAN 00-035 Pt 3, Iss 5:2017 Tests CN2 and CN5 NES 1004:1995, Data Sheet 21 DEF STAN 08-123:2000 Data Sheet 21 DEF STAN 08-123 Issue 2:2012 Data Sheet 21 Lloyds Register Specification No 1:1996: Salt mist Lloyds Register Specification No 1:2013 Section 16 BS EN 60068-2-52:2018: Kb IEC 68-2-11:1981 IEC 68-2-52:1996 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS 3G100: Part 2: Subsection 3.8:1977(1983) BS EN 50155:12.2.10:2007 BS EN 50155:13.4.10:2017 BS EN ISO 9227:2006: NSS BS EN ISO 9227:2017: NSS | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | <p>1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd)</p> <p>1.2 DYNAMIC</p> <p>(a) Ambient Temperature</p> <p>(electromagnetic) Freq range: 3 to 3000 Hz Max peak thrust: 160 kN Max payload (vertical):</p> <p>2000 kg Max payload (horizontal): 7000 kg</p> <p>Max displacement: 40 mm pk-pk</p> <p>(b) High/Low Temperature (Prefabricated Enclosure) Max temp: +150 °C Min temp: -70 °C</p> | <p>NES 1004:1995 Data Sheet 25 (externally generated) DEF STAN 08-123:2000 Data Sheet 25 (externally generated) DEF STAN 08-123 Issue 2:2012 Data Sheet 25 (externally generated) DEF STAN 07-55:1983 Test A1 Test A2 MIL-STD 810B:1967 Method 514 Method 519 MIL-STD 810C:1975 Method 514.2 Method 519.2 MIL STD 810D:1983 Method 514.3 Method 519.3 MIL-STD 810E:1989 Method 514.4 Method 519.4 MIL-STD 810F:2003 Method 514.5 Method 519.5 MIL-STD 810G:2008 Method 514.6 Method 519.6 MIL-STD 810G CN1:2014 Method 514.7 Method 519.7 MIL-STD 810H:2019 Method 514.8 Method 519.8</p> | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.2 DYNAMIC (cont'd) 1.2.1 Vibration Sine, random, broadband random, swept sine, fixed sine dwell, notching, force notching, sine-on-random, random-on-random, sine-on-random-on-random, and gunfire - with slip table facility | DEF STAN 00-35 Pt 3, Iss 3:1999 Test M1 DEF STAN 00-35 Pt 3, Iss 4:2006 Test M1 DEF STAN 00-035 Pt 3, Iss 5:2017 Test M1 BS 2011: Fd:1973(1984) BS 2011: Fda:1973(1984) BS 2011: Fdb:1973(1984) BS 2011: Fdc:1973(1984) BS EN 60068-2-6:2008:Fc BS EN 60945:2002 IEC 60068-2-64:2008 IEC 68-2-6:1993 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS 3G100: Part 2: Subsection 3.1:1969(1983) RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CN1:2014IEC 61373:1999 IEC 61373:2010 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.2 DYNAMIC (cont'd) 1.2.1 Vibration (cont'd) | BS EN 50155-1:2007 BS EN 50155:13.4.11:2017 BS EN 60255-21-1:1996 ETSI EN 300 19-2-1:2000 ETSI EN 300 019-2-1 v 2.3.1 (2017-11) ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 MIL-STD167-1A 2005 | P |
| | 1.2.2 Shock Classical shock with half sine, initial and terminal peak sawtooth, trapezoidal, and rectangular pulse shape Shock response spectrum synthesis (SRS) - Vertical half sine, sawtooth Max item mass: 2000 kg | DEF STAN 00-35 Pt 3, Iss 3:1999 Tests M3, M6 and M7 DEF STAN 00-35 Pt 3, Iss 4:2006 Tests M3, M6 and M7 DEF STAN 00-035 Pt 3, Iss 5:2017 Tests M3 and M6 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CN1:2014 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS EN 60068-2-27:1993:Ea BS EN 60068-2-27:2009 EN 60068-2-81:2003 IEC 68-2-27:1987 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.2 DYNAMIC (cont'd) 1.2.2 Shock (cont'd) - Ambient temperature Severity: 1 g to 210 g Duration: 1 ms to 70 ms (severity dependent) - with temperature (prefabricated enclosure) Severity: 3 g to 1500 g Duration: 0.2 ms to 70 ms (severity dependent) Max temp: +150 °C Min temp: -70 °C | DEF STAN 07-55:1983 Test A3 MIL-STD 810B:1967 Method 516 MIL-STD 810C:1975 Method 516.2 MIL STD 810D:1983 Method 516.3 MIL-STD 810E:1989 Method 516.4 MIL-STD 810F:2003 Method 516.5 MIL-STD 810G:2008 Method 516.6 MIL-STD 810G:CN1:2014 Method 516.7 MIL-STD 810H:2019 Method 516.8 BRB/RIA 20:1995 IEC 61373:1999 IEC 61373:2010 BS EN 50155:12.2.11:2007 BS EN 50155:13.4.11:2017 BS EN 60255-21-2:1996 BS EN 60255-21-1:1996 ETSI EN 300 19-2-1:2000 ETSI EN 300 019-2-1 v 2.3.1 (2017-11) ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 NES 1004:1995, Data Sheet 28 DEF STAN 08-123:2000 Data Sheet 28 DEF STAN 08-123 Issue 2:2012 Data Sheet 28 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | <p>1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd)</p> <p>1.2 DYNAMIC (cont'd)</p> <p>1.2.2 Shock (cont'd)</p> <p>- Horizontal half sine, sawtooth Max item mass: 7000 kg</p> <p>- ambient temperature Severity: 1 g to 210 g Duration: 1 ms to 70 ms (severity dependent)</p> | <p>DEF STAN 00-35 Pt 3, Iss 3:1999 Tests M3, M6 and M7 DEF STAN 00-35 Pt 4, Iss 4:2006 Tests M3, M6 and M7 DEF STAN 00-035 Pt 3, Iss 5:2017 Tests M3 and M6 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014</p> <p>BS EN 60068-2-27:1993:Ea BS EN 60068-2-27:2009 IEC 68-2-27:1987 DEF STAN 07-55:1983 Test A3 MIL-STD 810B:1967 Method 516 MIL-STD 810C:1975 Method 516.2 MIL STD 810D:1983 Method 516.3 MIL-STD 810E:1989 Method 516.4 MIL-STD 810F:2003Method 516.5 MIL-STD 810G:2008 Method 516.6 MIL-STD 810G CN 1:2014 Method 516.7 MIL-STD 810H:2019 Method 516.8</p> | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | <p>1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd)</p> <p>1.2 DYNAMIC (cont'd)</p> <p>1.2.2 Shock (cont'd)</p> <p>- with temperature (prefabricated enclosure) Severity: 1 g to 210 g Duration: 1 ms to 70 ms (severity dependent)</p> <p>Max temp: +150 °C Min temp: -70 °C</p> <p>- SRS Limited by: 210g acceleration 50mm displacement</p> | <p>BRB/RIA 20:1995 IEC 61373:1999 IEC 61373:2010 BS EN 50155:12.2.11:2007 BS EN 50155:13.4.11:2017 ETSI EN 300 19-2-1:2000 ETSI EN 300 019-2-1 v 2.3.1 (2017-11) ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 NES 1004:1995 Data Sheet 28 DEF STAN 08-123:2000 Data Sheet 28 DEF STAN 08-123 Issue 2:2012 Data Sheet 28</p> <p>MIL STD 810D:1983 Method 516.3 MIL-STD 810E:1989 Method 516.4 MIL-STD 810F:2003 Method 516.5 MIL STD 810G:2008 Method 516.6 MIL-STD 810G CN1:2014 Method 516.7 MIL-STD 810H:2019 Method 516.8</p> | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.2 DYNAMIC (cont'd) 1.2.3 Bump - ambient temperature Max item mass: 2000 kg - with temperature (prefabricated enclosure) Max item mass: 2000 kg Max temp: +150 °C Min temp: -70 °C | DEF STAN 00-35 Pt 3, Iss 3:1999 Test M12 DEF STAN 00-35 Pt 3, Iss 4:2006 Test M12 DEF STAN 00-035 Pt 3, Iss 5:2017 Test M12 TR 2130C:2005 TR 2130D:2011 TR 2130E:2014 BS EN 60068-2-29:1993:Eb IEC 68-2-29:1987 DEF STAN 07-55:1983 Test A5 ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 ETSI EN 300 19-2-3:2003 ETSI EN 300 019-2-3:2015 | P |
| | 1.2.4 Drop and Topple - with temperature (prefabricated enclosure) Max item mass: 2000 kg Max temp: +150 °C Min temp: -70 °C | DEF STAN 00-35 Pt 3, Iss 3:1999 Test M4 DEF STAN 00-35 Pt 3, Iss 4:2006 Test M4 DEF STAN 00-035 Pt 3, Iss 5:2017 Test M4 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS EN 60068-2-31:2008:Ec IEC 68-2-31:1969 ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 DEF STAN 07-55:1983 Test A4 BR 967:1973:Mechanical Environmental Clause 5.1 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) 1.2 DYNAMIC (cont'd) 1.2.5 Free Fall Impact Test - with temperature (prefabricated enclosure) Max drop ht: 4.5 m Max item mass: 8000 kg Max temp: + 150 °C Min temp: -70 °C | DEF STAN 00-35 Pt 3, Iss 3:1999 Test M5 DEF STAN 00-35 Pt 3, Iss 4:2006: Test M5 DEF STAN 00-035 Pt 3, Iss 5:2017 Test M5 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 BS EN 60068-2-31:2008 IEC 68-2-32:1975 ETSI EN 300 19-2-2:1999 ETSI EN 300 019-2-2 2013 DEF STAN 07-55:1983 Test A9 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Pages 4 and 5 | 1 ENVIRONMENTAL TESTS (NON-EXPLOSIVE ITEMS) (cont'd) 1.2.11 Acceleration - steady state Max acceleration: 70 g Max radius: 1.22 m Max item mass: 22 kg (at max gn) Max item size: length 0.5 m width 0.3 m height 0.3 m | BS EN 60068-2-7:1993: Ga IEC 68-2-7:1983 BS 3G100: Part 2: Subsection 3.6:1972(1983) DEF STAN 07-55:1983 Test A6 DEF STAN 00-35 Pt 3, Iss 3:1999 Test M13 DEF STAN 00-35 Pt 3, Iss 4:2006 Test M13 DEF STAN 00-035 Pt 3, Iss 5:2017 Test M13 MIL-STD 810B:1967 Method 513 MIL-STD 810C:1975 Method 513.2 MIL STD 810D:1983 Method 513.3 MIL-STD 810E:1989 Method 513.4 MIL-STD 810F:2003 Method 513.5 MIL-STD 810G:2008 Method 513.6 MIL-STD 810G CN1:2014 Method 513.7 MIL-STD 810H:2019 Method 513.8 RTCA DO 160B:1984 RTCA DO 160C:1989 RTCA DO 160D:1997 RTCA DO 160E:2004 RTCA DO 160F:2007 RTCA DO 160G:2010 RTCA DO 160G CHG1:2014 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| ENCLOSURES FOR ELECTRICAL EQUIPMENT | 2 INGRESS PROTECTION TESTS | BS EN 60529:1992 +A2:2013 EN 60529:1991 IEC 60529:1989 BS EN 60598-1:2008, Clause 9.2 Lloyds Register Specification No 1:1996: Enclosure test Lloyds Register Specification No 1:2013 Section 20 TR 2130C:2002 TR 2130D:2011 TR 2130E:2014 | P |
| | <p>IP1X Protected against solid objects greater than 50 mm dia</p> <p>IP2X Protected against solid objects greater than 12.5 mm dia</p> <p>IP3X Protected against solid objects greater than 2.5 mm dia</p> <p>IP4X Protected against solid objects greater than 1.0 mm dia</p> <p>IP5X Dust protected</p> <p>IP6X Dust tight</p> <p>IPX1 Protected against dripping water</p> <p>IPX2 Protected against dripping water when tilted up to 15°</p> <p>IPX3 Protected against spraying water</p> <p>IPX4 Protection against splashing water</p> <p>IPX5 Protected against water jets</p> <p>IPX6 Protected against powerful water jets</p> <p>IPX7 Protected against the effects of immersion</p> <p>IPX8 Protected against submersion</p> | | P |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------|
| AMUNITION EXPLOSIVES and PROPELLANTS FUZES: WEAPONS FIREARMS WEAPONS and SUB-ASSEMBLIES | 3 ENVIRONMENTAL TESTS (EXPLOSIVE ITEMS) (UN Class 1 Hazard Divisions 1.3 and 1.4) All tests in Section 1 and 2 may be carried out Certain tests listed in Sections 1 and 2 can/may increase the potential hazard of the explosive item The hazard classifications mentioned above (1.3 and 1.4) must not be violated before, during, or after testing | See Sections 1 and 2 Where necessary, prefabricated Standard Safety Cells are constructed for containment | P |
| | All tests in Section 1 and 2 may be carried out (cont'd) Assurances that the item will remain potentially safe under the test conditions must be furnished by the customer | See Sections 1 and 2 | P |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| AEROSPACE STRUCTURES, MATERIALS AND EQUIPMENT AGRICULTURAL EQUIPMENT CONSTRUCTION PLANT, EQUIPMENT, PRODUCTS AND MATERIALS CRYOGENIC EQUIPMENT ELECTRICAL/ELECTRONIC COMPONENTS, CONNECTORS AND COMPONENTS ELECTRO-MECHANICAL DEVICES ENCLOSURES MARINE EQUIPMENT MECHANICAL PRODUCTS AND PLANT MINING EQUIPMENT AND COMPONENTS MOTOR VEHICLE ACCESSORIES AND COMPONENTS PACKAGES AND PACKAGING MATERIAL STRUCTURES AND COMPONENTS WELDMENTS | 4 MECHANICAL TESTS 4.1 Structural Tests (a) Static (universal testing machines) Max force: 53 kN Max crosshead ht: 0.45 m (b) Static/low frequency (reaction frames) - ambient, high/low temp (prefabricated enclosures) Purpose built reaction frames Maximum specimen size: 4 m x 4 m x 3 m (high) Max single force: 500 kN (hydraulic actuators) Max temp: +70°C Min temp: -70°C Properties measured: - displacement mechanical strain | Documented In-House Procedure COP-015 COP-016 DEF STAN 00-970:1989 Part 2:Chapter 200 NES 1004:1995 Data Sheet 36 DEF STAN 08-123:2000 Data sheet 3 DEF STAN 08-123 Issue 2:2012 Data Sheet 36 DEF STAN 00-35 Pt 3, Iss3:1999 Tests M15, M16 and CL22 DEF STAN 00-35 Pt 3, Iss 4:2006 Tests M15, M16 and CL22 DEF STAN 00-035 Pt 3, Iss 5:2017 Tests M15, M16 and CL22 NES 1004:1995 Data Sheet 35 DEF STAN 08-123:2000 Data Sheet 35 DEF STAN 08-123 Issue 2:2012 Data Sheet 35 Lloyds Register Specification No 1:2013 Section 10 & 11 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 28 | 4 MECHANICAL TESTS (cont'd) 4.1 Structural Tests (cont'd) Fatigue Tests - Mechanical sinusoidal, random, synthesised Purpose built reaction frame Maximum specimen size: 4 m x 4 m x 3 m (high) Max force: 53 kN Max freq: 10 Hz (force/stiffness dependent) | Documented In-House Procedure COP-015 DEF STAN 00-970:1989 Part 2: Chapter 201 COP-005 Hydraulic mechanical fatigue test procedure | P |
| | Endurance Tests - Mechanical Purpose-built rigs utilising pneumatic/hydraulic/electric actuators Measurement of: force - static and dynamic displacement strain frequency-cycles completed : at failure | Documented In-House Procedure COP-015 and COP-005 Hydraulic mechanical fatigue test method | P |
| | High Cycle Fatigue Testing (HCF) Electromagnetic shaker, or air-jet excitation Frequency range: 50Hz to 3kHz | Documented In-house Procedure: COP-086 | P |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| HOSES, PIPES AND TUBES HYDRAULIC EQUIPMENT AND FITTINGS PRESSURE VESSELS | 4 MECHANICAL TESTS (cont'd) 4.2 Pressure Tests (a) Hydraulic fatigue Max pressure : 22MPa (3200 lb/in ²) Cycle rate 2 to 600 cpm (b) Hydrostatic proof Max pressure: 60 MPa (8700 lb/in ²) c) Air pressure/vacuum Positive gauge pressure limit: 13.79 MPa (2000 lb/in ²) Negative gauge pressure limit: -96 kPa (-14 lb/in ²) | DEF STAN 00-35 Pt 3, Iss 3:1999 Test CL15 DEF STAN 00-35 Pt 3, Iss 4:2006 Test CL15 DEF STAN 00-035 Pt 3, Iss 5:2017 Test CL11 NES 1004:1995 Data Sheet 13 DEF STAN 08-123:2000 Data Sheet 13 DEF STAN 08-123 Issue 2:2012 Data Sheet 13 BS EN 60068-2-13:1999 COP-138 Hydraulic pressure fatigue testing COP-140 Pneumatic testing | P |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| ELECTRICAL/ELECTRONIC COMPONENTS and PRODUCTS | 5 ELECTRICAL OPERATION AND MEASUREMENT Voltage: DC: 100 mV to 1000 V AC: 10 mV to 1000 V at 10 Hz AC: 100 mV to 10 V at 50 kHz Frequency: 1 Hz to 100 kHz Current: AC: 1 mA to 1000 A DC: 10 μ A to 1000 A Resistance: 1 m Ω to 10 M Ω Insulation Resistance: 100 M Ω to 1 T Ω at 500 V 100 M Ω to 1 G Ω at 1 kV max Break detection (Contacts): 1 μ S to 100 mS (max current: 100 mA) | Documented In-House Methods (as agreed with the client) TEP-10 | P |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|---------------|
| ELECTRO-MECHANICAL and MECHANICAL PRODUCTS | 6 MECHANICAL OPERATION AND MEASUREMENTS Torque: 1 lb-in to 500 lb-ft Air Pressure: 0 to 16,000 psi Vacuum: 100 mb to 1050 mb Internal Dimensions: 0.1 to 150 mm External Dimensions: 0.1 to 150 mm Weight: 1.00g to 12 kg | Documented In-House Methods (as agreed with the client) TEP-10 | P |
| | SECTION 7 VOID – NOT CURRENTLY IN USE | | |
| | SECTION 8 VOID – NOT CURRENTLY IN USE | | |
| | SECTION 9 VOID – NOT CURRENTLY IN USE | | |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service


2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Aerospace Equipment Circuit Breakers/Switches Computers and Peripherals Domestic Appliances Electrical/Electronic Components Electrical/Electronic Connectors Electrical/Electronic Products Electric Cables Electronic Products: Digital Enclosures for Electrical Equipment Electrically Driven Wheelchairs Electro-Mechanical Devices Fans Fire Fighting and Detection Equipment Generators, Electrical Generators, Power Instruments, Indicating/Recording IT Equipment Lamps, Electrical Luminaries Magnetic Materials Marine Equipment Measuring Equipment Medical Equipment Micro Electronic Circuits and Components Motors, Electrical Office Equipment: Electrical, Optical, and Photometric Equipment Plugs and Sockets: Electrical Printed Circuit Boards Power Supplies: Electrical Radio and TV Equipment Safety Appliances/ Equipment Security Devices and Alarms Telecoms Equipment Toys | 10 EMC TESTS 10.1 CIVIL EMC TESTS 10.1.1 Conducted Emissions: Power Leads: 9 kHz to 30 MHz | EN 55011:2007+A1:2007 EN 55011:2009+A1:2010 EN 55011:2016 (excluding grid connect power converter equipment) AS/NZS CISPR 11:2004 EN 55013:2001+A1:2003+A2:2006 CISPR 13:2006 Edition 4.2 CISPR 13:2009 Edition 5.0 AS/NZS CISPR 13:2004 EN 55014-1:2006+A1:2009 | A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G G G G G A,B,C,E,G,S |




2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Page 34 of 103



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified




0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) | | |
| | 10.1 CIVIL EMC TESTS (cont'd) | | |
| | 10.1.3 Conducted Current Harmonics (Emissions): Measurements up to 40 th Harmonic | EN 61000-3-2:2006 + A1:2009+ A2:2009 | A,B,C,G,S |
| | | IEC 61000-3-2:2009 Ed 3.2 | A,B,C,G,S |
| | | EN 61000-3-2:2014 | A,B,C,G,S |
| | | EN IEC 61000-3-2:2019 + A1:2021 | A,B,C,G,S |
| | | IEC 61000-3-2:2018/A1:2020 | A,B,C,G,S |
| | 10.1.4 Conducted AC Mains Flicker (Emissions): | EN 61000-3-3:2008 EN 61000-3-3:2013 EN 61000-3-3:2013 +A1:2019 +A2:2021 | A,B,C,G,S A,B,C,G,S A,B,C,G,S |
| | | IEC 61000-3-3:2008 Ed 2.0 IEC 61000-3-3 Amd1:2017 IEC 61000-3-3:2013/A2:2021 | A,B,C,G,S A,B,C,G,S A,B,C,G,S |
| | 10.1.5 Radiated Emissions: Magnetic Field 9 kHz to 30 MHz | EN 55011:2007 + A2:2007 EN 55011:2009 + A1:2010 EN 55011:2016 (excluding grid connect power converter equipment) AS/NZS CISPR 11:2004 | A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S |
| | | EN 60945:2002 Section 9.3 | A,B,C,E,G |
| | | FCC CFR 47:Part 18 | A,B,C,E,G,S |
| | | ICES-001:Issue4:2006 | A,B,C,E,G,S |



Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) | | |
| | 10.1 CIVIL EMC TESTS (cont'd) | | |
| | 10.1.6 Radiated Emissions Electric Field (cont'd) 30 to 26.5GHz | ICES-003 Issue 5:2012 ICES-003 Issue 6:2016 ICES-003 Issue 7:2020 EN 55032:2012 EN 55032:2015 EN 55032:2015+AC:2016-07+A11:2020+A1:2020 CISPR 32:2015/COR1:2016/A11:2019/A1:2019 GEL210 11-14-0182 | A,B,C,E,G,S A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,E,G,S |
| | 10.1.7 Interference Power Measurements 30 MHz to 1GHz | EN 55013:2001+ A1:2001+ A2:2006 CISPR 13:2006 Edition 4.2 CISPR 13:2009 Edition 5.0 AS/NZS CISPR 13:2004 EN 55014-1:2006+A1:2009 +A2:2011 EN 55014-1:2021 IEC CISPR 14-1 Ed 7.0 2020-09 | G G G G A,B,C,G A,B,C,G |
| | 10.1.8 Magnetic field emissions 10 kHz to 400 kHz | EN 50366:2003 + A1:2006 Time Domain Evaluation Method EN 62233:2008 | G |
| | 10.1.9 Electrostatic Discharge Immunity | EN 61000-4-2:2009 IEC 61000-4-2:2008 Ed 2.0 EN 55020:2002 | A,B,C,E,G,S G |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.1 CIVIL EMC TESTS (cont'd) 10.1.10 Radio Frequency Susceptibility Magnetic Field DC and 10 Hz to 50 kHz 500 A/m | EN 61000-4-8:2010 IEC 61000-4-8:2009 Ed 2.0 EN 61000-4-9:1994+ A1:2001 IEC 61000-4-9:2001 Ed 1.1 | A,B,C,G, S A,B,C,E, G A,B,C,G |
| | 10.1.11 Radio Frequency Susceptibility Electric Field 14 kHz to 6 GHz 100 V/m maximum 10 kHz to 6 GHz Field uniformity: 0 to +6 dB for 1.5 m x 1.5 m plane using 75 % rule (10 kHz to 1 GHz) up to 20 V/m at 3 m (1 GHz to 6 GHz) up to 10 V/m at 3 m Stripline up to 10 V/m | EN 61000-4-3:2006+A1:2008 EN 61000-4-3:2006 + A2:2010 IEC 61000-4-3:2006 Ed 3.0 IEC 61000-4-3:2008 Ed 3.1 IEC 61000-4-3:2010 Edition 3.2 | A,B,C,E, G,S |

NOTE: Radiated Immunity Tests
These tests must normally be carried out in a screened enclosure, or other arrangements made to prevent contravention of the Wireless Communications Act.



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.1 CIVIL EMC TESTS (cont'd) 10.1.12 Fast Transient/Burst Immunity: 0.25 kV to 5.0 kV (A,B,C) Up to 4kV (G) Positive and Negative Polarity 5 ns rise time 10 ns duration 15 or 75 ms burst duration | EN 61000-4-4:2004 + A1:2010 EN 61000-4-4:2012 IEC 61000-4-4:2004 Ed 2.0 EN 55020:2002 Documented Element Procedure STP-1009 Electrical Fast Burst Transient | A,B,C,E,G,S G A,B,C,E |
| | 10.1.13 Surge Immunity Waveforms: 0.2 kV to 6.6 kV (A,B,C) up to 6 kV/3 kA (G) 1.2/50 (8/20) μ s Common mode Differential mode 10/700 μ s (up to 7 kV) (G) | EN 61000-4-5:2006 EN 61000-4-5:2014 ITU-T K20:2003 ITU-T K21:2000 ITU-T K21:2003 ITU-T K44:2000 ITU-T K44:2003 | A,B,C,E,G,S G G G G G |




0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025


Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.1 CIVIL EMC TESTS (cont'd) 10.1.14 Conducted Susceptibility CW, Transients and Magnetic Field: 20 Hz to 230 MHz, 20 V rms Broadband impulsive conducted disturbances applied to xDSL ports | EN 61000-4-6:2009 IEC 61000-4-6:2008 Ed 3.0 EN 61000-4-6:2014 EN 55035:2017 +A11 2020 CISPR 35:2016 | A,B,C,E,G,S A,B,C,G,S A,B,C,G |
| <p align="center">NOTE: Conducted Immunity Tests These tests must normally be carried out in a screened enclosure, or other arrangements made to prevent contravention of the Wireless Communications Act.</p> | | | |
| Coating, Metallic Composite Materials | 10.1.15 Voltage Dips, Interruptions and Voltage Variations | EN 61000-4-11:2004 EN 61000-4-11:2020 IEC 61000-4-11:2004 Ed 2.0 IEC 61000-4-11:2020 Ed 3.0 | A,B,C,G,S |
| | 10.1.16 Site Surveys Conducted Emissions Radiated E-Field Radiated H-Field | Documented Element Procedures STP-1004 Power Line Conduction STP-1005 Magnetic Field (H) Emissions STP-1006 E-Field Emissions Testing | E |
| | 10.1.17 VOID | | |
| | 10.1.18 Compass Safe Distance | EN 60945:2002 Section 11.2 | A, C |



Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified



Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| As listed on Page 33 | <p>10 EMC TESTS (cont'd)</p> <p>10.1 CIVIL EMC TESTS (cont'd)</p> <p>10.1.19 EMC Tests (cont'd)</p> <p>Note: International Standards, EN, ENV and IEC, listed in this Schedule, that have been adopted nationally as BS EN DD ENV and BS IEC are technically identical, can be considered as being included in this schedule.</p> | <p>EN 61326-1:2013 EN IEC 61326-1:2021 EN 61326-2-1:2013 EN IEC 61326-2-1:2021</p> <p>EN 61326-2-2:2013 EN IEC 61326-2-2:2021 EN 61326-2-3:2013 EN IEC 61326-2-3:2021 EN 61326-2-4:2013 EN IEC 61326-2-4:2021 EN 61326-2-5:2013 EN IEC 61326-2-5:2021 EN 61326-2-6:2013 EN IEC 61326-2-6:2021 EN 61326-3-1:2017 EN 61326-3-2:2018 EN 61547:2009</p> <p>EN 61800-3:1996 excluding "walkie talkie" tests BS IEC 62003:2009 excluding testing to EN 61000-4-10:1993 EN 61000-4-13:2002 EN 61000-4-14 (undated ref) EN 61000-4-12:2006 EN 61000-4-16 EN 61000-4-28</p> <p>Lloyds Register Test Specification No.1:1990</p> <p>EN 300 386 V1.5.1 EN 300 386-2:1997 EN 300 386 V1.6.1:2012</p> | <p>A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,G,S</p> <p>A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,G,S S S A,B,C,E,G</p> <p>A,B,C,E A,B,C,E</p> <p>A,B,C,E</p> <p>B,G B,G A,B,C,D, E</p> |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.1 CIVIL EMC TESTS (cont'd) 10.1.19 EMC Tests (cont'd) Note: International Standards, EN, ENV and IEC, listed in this Schedule, that have been adopted nationally as BS EN DD ENV and BS IEC and are technically identical, can be considered as being included in this Schedule. | EN 301 489-1 V1.8.1:2008 EN 301 489-1 V1.9.2:2011 EN 301 489-1 V2.1.1:2016 EN 301 489-1 V2.2.3 (2019-11) excluding EN 61000-4-34 EN 301 489-2:V1.3.1:2002 EN 301 489-3:V1.6.1:2013 EN 301 489-3:V2.1.1:2019 EN 301 489-3:V2.3.2:2023 EN 301 489-4 V1.4.1:2009 EN 301 489-5:V1.3.1:2002 EN 301 489-6 V1.3.1:2008 EN 301 489-7 V1.3.1: 2005 EN 301 489-8 V1.2.1:2002 EN 301-489-9 V1.4.1:2007 EN 301 489-10 V1.3.1:2002 EN 301 489-11 V1.3.1:2006 EN 301 489-12 V2.2.2:2008 EN 301 489-13 V1.2.1:2002 EN 301 489-14 V1.2.1:2003 EN 301 489-15 V1.2.1:2002 EN 301 489-16 V1.2.1:2002 EN 301 489-17 V3.3.1:2024 EN 301 489-17 V3.2.4:2020 EN 301 489-17 V3.1.1:2017 EN 301 489-17 v2.2.1:2012 EN 301 489-18 V1.3.1:2002 EN 301 489-19 V2.2.1:2022 EN 301 489-19 V1.2.1:2002 EN 301 489-20 V1.2.1:2002 EN 301 489-23 V2.2.3:2019 EN 301 489-24 V1.5.1:2010 EN 301 489-28 V1.1.1:2004 EN 301 489-33 V2.2.1:2019 EN 301 489-33 V2.1.1:2016 EN 301 489-52 V1.2.1:2011 EN 60945:2002 Section 10 | A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S A,B,C,E,G,S B,G,S A,B,C,E,G,S B,G,S A,B,C,E,G,S B,G,S B,G,S B,G,S B,G,S A,B,C,E,G,S B,G,S A,B,C,G,S A,B,C,G,S A,B,C,G,S A,B,C,G,S B,G,S B, G, S B,G,S B,G,S S B,G,S B,G S S S A,B,C,E,G |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | <p>10 EMC TESTS (cont'd)</p> <p>10.1 CIVIL EMC TESTS (cont'd)</p> <p>10.1.20 Site testing</p> <p>The in house procedures indicate how various test methods may be implemented on a customer site. All procedures at version 3 June 2015</p> | <p>STP-1001 Site Safety Procedures</p> <p>STP-1002 Initial Site Survey(s) and Test Plan(s)</p> <p>STP-1003 Equipment Verification</p> <p>STP-1004 Power Line Conduction</p> <p>STP-1005 Magnetic Field (H) Emissions</p> <p>STP-1006 E-Field Emissions Testing</p> <p>STP-1007 Radiated Immunity Using Licensed Transmitters</p> <p>STP-1008 Conducted Immunity Testing as per EN61000-4-6 2009</p> <p>STP-1009 Electrical Fast Burst Transient Testing as per EN6100-4-4 2004</p> <p>STP-1010 Voltage Surge Testing as per EN61000-4-5 2006</p> <p>STP-1011 Electrostatic Discharge Testing as per EN61000-4-2 2009</p> <p>STP-1012 Voltage Dips and Interruptions</p> <p>STP-1013 Voltage Fluctuations and Flicker Testing</p> | E |



0026
Accredited to
ISO/IEC 17025:2017


Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS 10.2.1 Conducted Emissions: Power, Control and Signal Leads: DC to 400 MHz Antenna Terminals 10 kHz to 18 GHz | BS 3G100 Part 4 Section 2:1980 RTCA/DO-160B:1988 RTCA/DO-160C:1989 RTCA/DO-160 D E, F G Section 21 RTCA/DO-160E Section 21 RTCA/DO-160F Section 21 MVEE 595:1970 DGS 250B:1981 SP-P-90003 Issue 3:1970 MIL STD 461 B:1980 MIL STD 462:1967 MIL STD 461C, CE01, CE02, CE101, CE102, CE03 and CE04 DEF STAN 59-41:Issue 3 and 5 DCE01 and DCE02 DEF STAN 59-41:Part 3, Section 2, Issue 2:1999, DCE01 and DCE 02 Def Stan 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DCE01 and DCE 02 Def Stan 59-411 Part 3 Issue 3: 2019 DCE01, DCE02 and NCE06 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE01, DCE02 and DCE03 MIL STD 461D, E and F and G CE101, CE 102 and CE106 DEF STAN 59-411:Part 4:2007 Inc A1 DCE01 and DCE02 EuroFighter SPE-J-000-E-1000 CE-EFA-1, CE-EFA-2, CE-EFA-3 AECTP-500 Edition 4: 2011 (Category 501 & 502) NCE01, NCE02, NCE03, NCE05 and NCE05.2 | A, C, E |



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Page 48 of 103



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.2 Radiated Emissions: Electric Field: 20 Hz to 18 GHz (cont'd) | DEF STAN 59-411:Part 4:2007 inc A1 DRE01, DRE03 and DRE04 AECTP-500 Edition 4: 2011 (Category 501 & 502) NRE02, NRE02.2 and NRE03 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NRE02, NRE02.2 and NRE03 | |
| | 10.2.3 Radiated Emissions: Magnetic Field: 20 Hz to 30 MHz | MIL STD 461C, RE01, RE04 MIL STD 461D, E, F and G RE101 DEF STAN 59-41:1998 Issue 3 DEF STAN 59-41:Issue 3 and 5, DRE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE02.3 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DRE02 Def Stan 59-411 Part 3 Issue 3: 2019 DRE02 AECTP-500 Edition 4: 2011 (Category 501 & 502) NRE01 and NRE01.2 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NRE01 and NRE01.2 | A, C, E |
| | 10.2.4 Exported Transients Power Lines | DEF STAN 59-41:Issue 3 and 5, DCE03 DEF STAN 59-41 Part 3 Iss 1:1993 DCE03 EuroFighter SPE-J-000-E-1000 CE-EFA-3 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE03.3 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DCE03 | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.4 Exported Transients Power Lines (cont'd) | Def Stan 59-411 Part 3 Issue 3: 2019 DCE03 AECTP-500 Edition 4: 2011 (Category 501) NCE04 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NCE04 | A, C, E |
| | 10.2.5 Radiated Susceptibility: Electric Field: 14 kHz to 18 GHz Maximum Field Strength: 200 V/m | BS 3G100 Part 4 Section 2:1980 Bureau Veritas Part III:1991 Chapters 19 - 25, Clause 8 MIL STD 461B:1980 MIL STD 461C, RS03 MIL STD 461D, E, F, and G RS103 MIL STD 462:1967 DEF STAN 59-41:Issue 3 and 5, DRS02 DEF STAN 59-41 Part 3 Iss 1:1993 DRS02 DEF STAN 59-41:Part 3, Section 2, Issue 2:1999 DRS02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS02.3 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DRS02 Def Stan 59-411 Part 3 Issue 3: 2019 DRS02 RTCA/DO-160B, C, D, E, F, G Sections 19, 20 and Change Notice 2 BOEING D6-16050:para 7.3 DEF STAN 59-411:Part 4:2007 Inc A1 Low Level Swept Current | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | <p>10 EMC TESTS (cont'd)</p> <p>10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd)</p> <p>10.2.5 Radiated Susceptibility: (cont'd)</p> <p>HIRF The following levels have been demonstrated:</p> <p>400 MHz to 1 GHz 700 V/m</p> <p>1 GHz to 1.6 GHz 4000 V/m</p> <p>1.6 GHz to 2 GHz 5000 V/m</p> <p>2 GHz to 6 GHz 7000 V/m</p> <p>6 GHz to 8 GHz 2500 V/m</p> <p>8 GHz to 12 GHz 6000 V/m</p> <p>12 GHz to 18 GHz 4000 V/m</p> <p>Levels up to 8000 V/m in restricted bands</p> | <p>DEF STAN 59-411:Part 4:2007 Inc A1</p> <p>DRS02 DGS 250B:1981</p> <p>MVEE 595:1970 NWS 3:1981 EuroFighter SPE-J-000-E-1000 RS-EFA-2, RS EFA-3 SP-P-90003 Issue 3:1970</p> <p>AECTP-500 Edition 4: 2011 (Category 501 & 502) NRS02 and NRS02.2 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NRS02 and NRS02.2</p> <p>Section 20.5 RTCA/DO 160F & G DEF STAN 59-41/411 Issues 1 & 2 DRS02,B</p> | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.6 Radiated Susceptibility: Magnetic Field: 20 Hz to 100 kHz Maximum Field Strength: 170 dBV | MIL STD 461C, RS01 and RS02 MIL STD 461D, E, F and G RS101 EN61000-4-39:2017 (30 kHz, 134.2 kHz and 13.56 MHz only) IEC 61000-4-39:2017 (30 kHz, 134.2 kHz and 13.56 MHz only) DEF STAN 59-41 Part 3 Iss 1:1993 DRS01 DEF STAN 59-41:1988 Issue 3 DEF STAN 59-41:Issue 3 and 5, DRS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS01.3 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DRS01 Def Stan 59-411 Part 3 Issue 3: 2019 DRS01 RTCA/DO-160D, E, F and G Section 19 EuroFighter SPE-J-000-E-1000 RS-EFA-1 AECTP-500 Edition 4: 2011 (Category 501 & 502) NRS01 and NRS01.2 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NRS01 and NRS01.2 | A, C, E A, C, E, G |
| | 10.2.7 Magnetostatic Field Susceptibility | DEF STAN 59-41:1988 Issue 3 DEF STAN 59-41 Part 3 Iss 1:1993 DMFS01 DEF STAN 59-41:Issue 3 and 5, DMFS01 and DRS03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS03 | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.7 Magnetostatic Field Susceptibility (cont'd) | DEF STAN 59-411:Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DRS03 Def Stan 59-411 Part 3 Issue 3: 2019 DRS03 AECTP-500 Edition 4: 2011 (Category 501) NRS04 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NRS04 | A, C, E |
| | 10.2.8 Conducted Susceptibility: Inter and Cross Modulation and Rejection of Unwanted Signals: 10 kHz to 20 GHz | MIL STD 461D, E,F and G CS103, CS104 and CS105 Def Stan 59-411 Part 3 Issue 3: 2019 NCS03, NCS04 and NCS05 AECTP-500 Edition 4: 2011 (Category 501) NCS03, NCS04 and NCS05 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NCS03, NCS04 and NCS05 | A, C |
| | 10.2.9 Conducted Susceptibility: Structure Current | MIL STD 461 G CS 109 AECTP-500 Edition 4: 2011 (Category 501) NCS06 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NCS06 | A, C |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| As listed on Page 33 | <p>10 EMC TESTS (cont'd)</p> <p>10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd)</p> <p>10.2.10 Conducted Susceptibility: Power, Control and Signal Lines including Bulk Current Injection 20 Hz to 400 MHz</p> <p>Maximum current: 2 A</p> | <p>BS 3G100 Part 3:1979 Bureau Veritas Part III:1991 Chapters 19 - 25, Clause 9 MIL STD 461B:1980 MIL STD 461C, CS02 MIL STD 461D, E,F and G CS114 MIL STD 462:1967</p> <p>DEF STAN 59-41:1998 Issue 3 DEF STAN 59-41:Issue 3 and 5, DCS02 and DCS03</p> <p>DEF STAN 59-41:Part 3, Section 2, Issue 2:1999 DCS02 and DCS03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS02, DCS03 DEF STAN 59-41 Part 3:Iss 1:1993 DCS02 DEF STAN 59-41 Part 3 Section 3 Issue 1:2003 DCS02.3 and DCS03.3 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DCS02 and DCS03</p> | <p>A, C, E</p> <p>A, C, E</p> |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.10 Conducted Susceptibility: (cont'd) | Def Stan 59-411 Part 3 Issue 3: 2019 DCS02 and DCS03 AECTP-500 Edition 4: 2011 (Category 501 & 502) NCS02, NCS07 and NCS07.2 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NCS01, NCS02, NCS07 and NCS07.2 RTCA/DO-160B, C, D, E F and G Sections 18, 19, 20 and Change Notice 2 DEF STAN 59-411:Part 4:2007 Inc A1 High level bulk current injection DGS 250B:1981 EuroFighter SPE-J-000-E-1000 CS EFA-2 SP-P-90003 Issue 3:1970 TS 1527 Issue 2:1976 | A, C, E |
| | 10.2.11 Conducted Susceptibility Transients | MIL STD 461C, CS06 MIL STD 461D, E,F and G CS115 and CS116 DEF STAN 59-41:Issue 3 and 5, DCS04, DCS05, DCS06, DCS07 and DCS08 DEF STAN 59-41:Part 3, Section 2, Issue 2:1999 DCS05 and DCS06 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS04, DCS05, DCS06, DCS08 and DCS12 DEF STAN 59-411 Part 3 inc A1 Def Stan 59/411 Part 3 iss 2:2014 DCS04, DCS05, DCS06, DCS08, DCS09 and DCS12 | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.11 Conducted Susceptibility Transients (cont'd) | Def Stan 59-411 Part 3 Issue 3: 2019 DCS04, DCS05, DCS06 DCS08, DCS09 and DCS12 DEF STAN 59-411:Part 4:2007 Inc A1 DCS05 and DCS06 RTCA/DO-160C, D, E F and G Sections 17 and 19 EuroFighter SPE-J-000-E-1000 CS-EFA-4 MIL-STD-704E & F Inc Notice 1 MIL HNBK 704-1 to 8 AECTP-500 Edition 4: 2011 (Category 501) NCS08, NCS09, NCS10, NCS11 and NCS13 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NCS08, NCS09, NCS10, NCS11 and NCS13 | A, C, E |
| | 10.2.12 Conducted Susceptibility: Primary Power Lines, 20 Hz - 50 kHz | MIL STD 461D, E and F CS101 MIL STD 461C, CS01 DEF STAN 59-41:Issue 3 and 5, DCS01 DEF STAN 59-41:Part 3, Section 2, Issue 2:1999 DCS01 DEF STAN 59-411:Part 4:2007 Inc A1 DCS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS01 Def Stan 59-411 Part 3 inc A1 DCS01 | A, C |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.12 Conducted Susceptibility (cont'd): Primary Power Lines, 20 Hz - 50 kHz | Def Stan 59-411 Part 3 Iss 2: 2014 DCS01 Def Stan 59-411 Part 3 Issue 3: 2019 DCS01 RTCA/DO-160C, D, E ,F and G Section 18 EuroFighter SPE-J-000-E-1000 CS-EFA-1 AECTP-500 Edition 4: 2011 (Category 501) NCS01 AECTP-500 Edition E, Ver. 1: 2016 (Category 501) NCS01 | A, C |
| | 10.2.13 Electrostatic Discharge | DEF STAN 59-41:Issue 3 and 5, DCS10 DEF STAN 59-41:Part 3 Issue 5 DCS10 DEF STAN 59-41:Part 3, Section 2, Issue 2:1999 DCS10 DEF STAN 59-41 Part 3, Section 3, Issue 1:2003 DCS10.3 DEF STAN 59-411 Part 3 Def Stan 59/411 Part 3 iss 2:2014 DCS10 Def Stan 59-411 Part 3 Issue 3: 2019 DCS10 RTCA/DO-160B, C, D, E , F and G Section 25 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS10 MIL STD 461 G CS 118 | A, C, E |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 10.2.13 Electrostatic Discharge (cont'd) | AECTP-500 Edition 4: 2011 (Category 501 & 502) NCS12 and NCS12.2 AECTP-500 Edition E, Ver. 1: 2016 (Category 501 & 502) NCS12 and NCS12.2 | A, C |
| | 10.2.14 Compass Safe Distance | BS 3G100 Part 2, Section 2:1972 RTCA/DO-160B, C, D, E F and G Section 15 IATA Packing Instruction 902:1999 | A, C |
| | 10.2.15 Power Input Checks and 28 V DC Electrical Systems in Military Vehicles | DEF STAN 61-5 Part 6: Issue 4:1984 DEF STAN 61-5:Part 6: Issue 5:1990 DEF STAN 61-5 Part 6: Issue 6:2009 Vehicle testing Det 01A, Det 02A, Det 03A, Det 04A, Det 05A, Det 06A, Det 07A, Det 08A Dit 01A, Dit 02A, Dit 03A, Dit 04A Platform and Terminal Equipment testing DET01.B, DET02.B, DET03.B DIT01.B, DIT02.B, DIT03.B DIT04.B, DIT05.B, DIT06.B DIT07.B, DIT08.B, DIT01.B MIL STD 1275B, C, D E and F RTCA/DO-160C, D, E, F and G Section 16 | A, C |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.2 MILITARY AND AEROSPACE EMC TESTS 10.2.16 Lightning Effects | RTCA/DO-160C, D, E, F and G Section 22 MIL STD 461 G CS 117 MIL STD 461 G CS 117 (excluding waveform 6) BOEING D6-16050:Section 7.4 Def Stan 59-113 issue 3:2019 (Annex H and Annex I section 4 only (excluding damped sinusoidal waveforms)) | A, C, E, K A, C, E K A, C, E A, C, E |
| | Damage (Cat a, B & C) and functional upset (Cat D & E) testing (multiple stroke/burst) | Airbus ABD0100.1.2 Issue G Section 3.2.2 | A, C |
| | 10.2.17 Ground Reference Fluctuation | Airbus ABD0100.1.2 Issue G Section 3.4.6 | A, C |
| | 10.3 AUTOMOTIVE EMC TESTS 10.3.1 Conducted and Radiated Emissions 9 kHz to 18 GHz Components/ESA (whole vehicle only at Location A) | CISPR 12:2001 CISPR 25:2002 2004/104/EC, Annexes IV, V, VII and VIII 2005/83/EC EN50498:2010 72/245/EEC 97/24/EEC Chapter 8 2009/64/EC ECE Regulation 10.04 ECE Regulation 10.05 +Amd1 ECE Regulation 10.06 EN 13309:2010 ISO 14982:2009 EN ISO13766-1:2018 EN ISO 13766-2:2018 EN 13766:2006 EN 12895:2015+A1:2019 1EN 55025:2008 | A, C A, C, E A, C, E A, C, E A, C, E A, C, E A |
| | Excluding vehicle antenna port emissions | | |



0026
Accredited to
ISO/IEC 17025:2017


Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| As listed on Page 33 | 10 EMC TESTS (cont'd) 10.3 AUTOMOTIVE EMC TESTS (cont'd) 10.3.2 Radiated Immunity Absorption Chamber 400 MHz - 10 GHz at 200 V/m Components / ESA (whole vehicle only at Location A) | ISO 11452-1:2005+A1:2008 ISO 11452-2:2004, substitution method ISO 11451-1:2005+A1:2008 ISO 11451-2:2005 ISO 11451-2:2015 ISO 11451-4:2013 2004/104/EC Annexes VI, IX 2005/83/EC EN50498:2010 72/245/EEC 97/24/EEC Chapter 8 | A, C |
| | 10.3.2 Radiated Immunity Absorption Chamber 400 MHz - 10 GHz at 200 V/m Components / ESA (whole vehicle only at Location A) (cont'd) | 2009/64/EC ECE Regulation 10.04 ECE Regulation 10.05 + Amd1 ECE Regulation 10.06 EN 13309:2010 ISO 14982:2009 EN ISO 13766-1:2018 EN ISO 13766-2:2018 EN 13766:2006 ISO 11452-1:2015 | A, C A, C, E A, C, E A, C, E A, C, E A, C, E A, C, E |
| | 10.3.3 Conducted Immunity BCI 1 MHz to 400 MHz | ISO 11452-1:2005 ISO 11452-4:2005, substitution method 2004/104/EC Annexes IX 2005/83/EC EN50498:2010 72/245/EEC 97/24/EEC Chapter 8 2009/64/EC ECE Regulation 10.04 ECE Regulation 10.05 + Amd1 ECE Regulation 10.06 EN 13309:2010 | A, C A, C, E A, C, E A, C, E |



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Page 61 of 103



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Audio, Video and similar Electronic Apparatus | 11 ELECTRICAL SAFETY TESTS Electrical Safety | EN 60065: 2014 (Withdrawn) Excluding: 6.2 (laser radiation test) 8.22 (thin sheet insulation test) 12.3 (cable connected remote control devices) 12.5 (coax sockets, including on TV receivers) 14 (components) 18 (cathode ray tubes) | E, F |
| Household and Similar Electrical Appliances | Electrical Safety | EN 60335-1:2012+A11:2014 + A13 2017 IEC 60335-1-2010, IEC 60335-1-2010+Am1:2013, IEC 60335-1-2010+Am2:2016 Excluding: 15.1 (ingress protection) 22.32 (rubber-aging test) 22.48 (backsiphonage test) 24.1 (component tests) 24.7 (hose-set tests) | E, F |
| Household and Similar Electrical Appliances | Electrical Safety | EN 60335-1:2023 + A11:2023, IEC 60335-1: 2020 Excluding: 15.1 Ingress protection, 22.16 Automatic cord reels, 22.32 Rubber-aging test, 22.48 Back siphonage test, 24.1 Component tests, 24.7 Hose-set tests, 32.2 Optical radiation hazards, Annex F Capacitors, Annex H Switches & Annex T UV-C radiation effect on non-metallic material. | E, F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------|
| Household and Similar Electrical Appliances | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | Only Clause 15.1 (ingress protection) | B |
| Vacuum cleaners and water-suction cleaning appliances | Electrical Safety | EN.60335-2-2 2010 IEC 60335-2-2:2009+Am.2:2016 Excluding: current carrying hoses | E, F |
| Skin or Hair Care Appliances (excluding heated curlers, helmet type, flexible hood, fixed hairdryers and those with a swivel cord connector) | Electrical Safety | IEC 60335-2-23:2016+Am.1:2019 | E, F |
| Battery chargers | Electrical Safety | EN 60335-2-29:2004 + A2:2010 Excluding: Clause 15.1 (moisture resistance) | E, F |
| Floor treatment machines for commercial use | Electrical Safety | EN 60335-2-67: 2012 IEC 60335-2-67:2012+Am.1:2016 Excluding: Current carrying hoses) | E, F |
| Spray extraction machines, for commercial use | Electrical Safety | EN.60335-2-68: 2012 IEC 60335-2-68:2012+Am.1:2016 | E, F |
| Wet and dry vacuum cleaners, including power brush, for commercial use | Electrical Safety | EN.60335-2-69: 2012 IEC 60335-2-69:2016 Excluding: (Current carrying hoses) | E, F |




0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Automatic machines for floor treatment for commercial use | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | EN.60335-2-72: 2012 | E, F |
| High pressure cleaners and steam cleaners | Electrical Safety | IEC 60335-2-79: 2012 IEC 60335-2-79:2016 Particular requirements for high pressure cleaners and steam cleaners Excluding: 11.101 Temperature of flue gases 19.101 oil fired and gas fired machines 19.102 downdraft pressure of oil fired and gas fired machines Annex AA Requirements to avoid backsiphonage | F |
| Fans | Electrical Safety | EN 60335-2-80:2003 + A1:2004 + A2: 2009 | E, F |
| Service and Amusement Machines (excluding Kiddie Rides and equipment intended for outdoor use) | Electrical Safety | EN 60335-2-82:2003 + A1: 2008 IEC 60335-2-82:2002 + A1:2008 + A2:2015 | E, F |
| Particular requirements for cosmetic and beauty care appliances incorporating lasers and intense light sources | Electrical Safety | IEC 60335-2-113:2016/AMD1:2021 IEC 60335-2-113:2016 Excluding: Clauses 22.108 and 32.101 (Testing to IEC 60825-1) Clauses 22.109 and 32.102 (Testing to IEC 62471) | E, F |
| Particular requirements for the safety of appliances for the generation of directly inhalable aerosols | Electrical Safety | IEC 60335-2-120:2024 | F |



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Page 65 of 103



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Audio/video, information and communication technology equipment | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | IEC 62368-1:2014 EN 62368-1:2014 EN 62368-1:2014/A11:2017 | E, F |
| | | Excluding: Clause 8.5.5 (High pressure lamps), Clause 10 (Radiation.) Except 10.2 (classification) Annex C, Annex J, Annex S.3, S.4 and S.5 | E, F |
| Audio/video, information and communication technology equipment | Electrical Safety | IEC 62368-1:2023 EN IEC 62368-1:2024 IEC 62368-1:2018 EN IEC 62368-1:2020/A11:2020 | E, F |
| | | Excluding: Clause 8.5.5 (High pressure lamps) Clause 10 (Radiation) Annex C (UV Radiation) Annex J (Insulated winding wires) Clause 5.4.4.6.5 (Mandrel test) Annex G.15 (Liquid filled components) Annex G.5.3.4 (FIW) Annex S.3 (Flammability for bottom of fire enclosure) Annex S.5 (Flammability for enclosures exceeding 4000 W) Annex U (CRTs) Annex Y.2 (Resistance to UV Radiation) Annex Y.3 (Resistance to corrosion) Annex Y.5.2 (Protection from moisture) Annex Y.5.3 (Water spray test) Annex Y.5.5 (Protection from excessive dust) | E, F |
| | | IEC 62368-1:2014 clause 10.6 IEC 62368-1:2018 clause 10.6 | F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Audio/video, information and communication technology equipment | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | Only Clause Y.5.2 (Protection from moisture) | B |
| Safety aspects for DC power transfer through communications cables and ports | Electrical Safety | IEC 62368-3:2017 EN IEC 62368-3:2020 | E, F |
| Power transformers, power supplies and reactors | Electrical Safety | IEC 61558-1:2005 | F |
| Safety isolating transformers for power supplies | Electrical Safety | IEC 61558-2-6:2005 | F |
| Transformers for switched mode power supplies | Electrical Safety | IEC 61558-2-16:2009 | F |
| Electrical Equipment for Measurement, Control and Laboratory use. | Electrical Safety | EN 61010-1:2001 EN 61010-1:2010 IEC 61010-1:2010 IEC 61010-1:2010 Am 1:2016 EN 61010-1:2010 + A1:2019 Excluding: 11.6 (ingress protection) 12.2.1 (ionising radiation) 12.3 (UV radiation) 12.4 (microwave radiation) 12.5.1 (sound level) 12.5.2 (ultrasonic pressure) 12.6 (laser sources) 14.1(d) (components, non-IEC standards compliance) Only 11.6 (ingress protection) | E, F E, F E, F E, F E, F E, F B |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------|------------------|
| Laboratory equipment for the heating of material | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | IEC 61010-2-010:2014 EN 61010-2-010:2014 IEC 61010-2-010:2019 EN IEC 61010-2-010:2020 | F E |
| Testing and measuring circuits | Electrical Safety | IEC 61010-2-030:2010 EN 61010-2-030:2010 | E, F |
| Automatic and semi-automatic laboratory equipment for analysis | Electrical Safety | IEC 61010-2-081:2015 EN61010-2-081:2015 IEC 61010-2-081:2019 EN IEC 61010-2-081:2020 | E, F E, F |
| In vitro diagnostic (IVD) medical equipment | Electrical Safety | IEC 61010-2-101:2015 IEC 61010-2-101:2018 EN 61010-2-101:2017 | E, F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <p>Medical Electrical intended for oxygen-rich environment, use with flammable anaesthetics, and programmable electrical medical systems (PEMS)</p> <p>Equipment, except those</p> | <p>11 ELECTRICAL SAFETY TESTS (cont'd)</p> <p>Electrical Safety</p> | <p>EN.60601-1:2006 + A1:2013 + A12:2014 EN.60601-1:2006 + A1:2013 + A12:2014 + A2:2021 IEC 60601-1:2005 +A1:2012 IEC 60601-1:2005 +A1:2012 + AMD2:2020</p> <p>Excluding: 8.8.4.2 (environmental stress) 8.11.1e (supply mains switch) 9.6.2.1 (noise measurement) 9.6.3 (hand transmitted vibration) 9.7.5 (pressure tests) 10.1 (x-rays) 10.4 (laser and LED emissions) 10.5 (Other visible electromagnetic radiation) 10.6 (Infra-red radiation) 10.7 (Ultra violet radiation) 11.6.5 (ingress protection) 11.6.7 (sterilization) 11.7 (biocompatibility) 12.4.5 (diagnostic or therapeutic radiation) 15.4.3.4 (lithium batteries) Annex L (insulated winding wire) Only 11.6.5 (ingress protection)</p> | <p>E, F</p> <p>B</p> |
| Safety of Infusion Pumps | Electrical safety | <p>IEC 60601-2-24: 2012</p> <p>Excluding: - 208 (alarm noise level measurement)</p> <p>Only Clause 201.11 (ingress protection)</p> <p>Only Clause 208 (alarm noise level measurement)</p> | <p>F</p> <p>B</p> <p>G</p> |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Safety and essential performance of electromyographs and evoked response equipment | 11 ELECTRICAL SAFETY TESTS (cont'd) Electrical Safety | IEC 60601-2-40:2016 | F |
| | | Excluding:- 201.12.4.104: limitation of visual stimulator output 202: EMC testing Only Clause 201.12.4.6 (acoustic pressure) | G |
| Safety of non-laser light source equipment for therapeutic, diagnostic, monitoring and cosmetic use | Electrical safety | IEC 60601-2-57:2023 | F, E |
| | | Excluding: 201.6.1.102: risk group class 201.10.103: output uniformity 201.12: accuracy of controls EN 60601-2-57: 2011 Excluding: 201.6.1.102: risk group class 201.10.103: output uniformity for risk group 3 | F |
| Safety and essential performance of home light therapy equipment | Electrical safety | IEC 60601-2-83:2019 + Amd1:2022 | F, E |
| | | Excluding: 201.6.101: risk group classification 201.10.103 c stray optical radiation 201.107 optical radiation at a sampling frequency (flickering and flashing light) IEC 60601-2-83:2019 | F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Medical electrical equipment | 11 ELECTRICAL SAFETY TESTS (cont'd) Part 1-6 General requirements for Basic Safety and essential performance - Collateral standard: Usability | IEC 60601-1-6:2010 + AMD1:2013 (incl IEC 62366-1:2007 + AMD1:2014) IEC 60601-1-6:2010 + AMD1:2013 + AMD2:2020 EN 60601-1-6:2010 +A1:2015 + A2:2021 (incl IEC 62366-1:2015 + AMD1:2020) | F |
| Alarm systems in medical electrical equipment | Electrical safety noise emission | IEC 60601-1-8:2006 + A1 EN 60601-1-8:2007 + A1 IEC 60601-1-8:2006 + A2:2020 EN 60601-1-8:2007 + A2:2021 Excluding: 6.3.3 (alarm noise level measurement) Only Clause 6.3.3 (alarm noise level measurement) | F G |
| Safety of Home Healthcare Equipment | Electrical safety | EN 60601-1-11:2015 EN 60601-1-11:2015 + A1:2021 IEC 60601-1-11:2015 + AMD1:2020 Excluding: 4.2.3.1: Pressure Testing 12: EMC Testing 13: Acoustic Alarms testing Only Clause 8.3 (ingress protection) Only Clause 13 (Acoustic alarms) | F B G |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| Safety of Emergency Medical Equipment | Electrical safety | IEC 60601-1-12:2014 BS EN 60601-1-12:2015 IEC 60601-1-12:2014 + A1:2020 EN 60601-1-12:2015 + A1:2020 Excluding:- 11: EMC Testing Only Clause 8.3 (ingress protection) | F B |
| Safety of Emergency Medical Equipment | Basic safety and essential performance of oxygen concentrator equipment | ISO 80601-2-69:2014 Excluding Clauses 201.12 and 201.105; CI 201.11.2.101 and 201.102.3; CI 201.12.4.103 | F |
| Medical device software | Software life cycle processes | IEC 62304:2006+AMD1:2015 | F |
| Medical devices | Part 1: Application of usability engineering to medical Devices | IEC 62366-1:2015 <u>Note: only in conjunction with IEC 60601-1-6:2010/AMD1:2013</u> | F |

Note:

Where EN electrical Safety Standards have exact equivalents in IEC, or BS EN Standards, these are also included in the accreditation.

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Electrical and Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in Potentially Explosive Atmospheres Electrical apparatus for explosive gas atmospheres General requirements | 12 EX PRODUCT TESTS Construction, safety and marking Thermal Stability min temp - 70 °C max temp 200 °C | IEC 60079-0 :2017 (Ed.7) EN 60079-0 :2018 IEC 60079-0:2011 (Ed.6) EN 60079-0:2012/A11:2013 IEC 60079-0:2007 (Ed.5) EN 60079-0:2009 (withdrawn) IEC 60079-0:2004 (withdrawn) EN 60079-0:2006 (withdrawn) | B, I |
| Tests for Flameproof equipment (Exd) | Construction, safety and marking | IEC 60079-1:2014 (Ed.7) EN 60079-1:2014 IEC 60079-1:2007 (Ed.6) (withdrawn) | B, I |
| Tests for Purged and Pressurised equipment (Exp) | Construction, safety and marking | IEC 60079-2:2014 (Ed.6) EN 60079-2:2014 IEC 60079-2:2007 (Ed.5) (withdrawn) EN 60079-2:2007 (withdrawn) | B, I |
| Tests for oil immersion (Exo) | Construction, safety and marking | IEC 60079-6:2007 (Ed.3) EN 60079-6:2007 | B, I |
| Tests for Increased Safety Apparatus (Exe) | Construction, safety and marking | IEC 60079-7:2006 Ed. 4 (withdrawn) EN 60079-7:2007 (withdrawn) EN 60079-7:2015 IEC 60079-7:2015 Ed. 5 | B, I |
| Tests for Intrinsically Safe Apparatus, Associated Apparatus and Systems (Exi) | Construction, safety and marking | IEC 60079-11:2011 (Ed.6) EN 60079-11:2012 IEC 60079-11:2006 (Ed.5) (withdrawn) EN 60079-11:2007 (withdrawn) | B, I |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Tests for Electrical Apparatus for Explosive Atmospheres with Pressurized room "p" | 12 EX PRODUCT TESTS (cont'd) Construction, safety and marking | IEC 60079-13:2010 (Ed.1) EN 60079-13:2010 | B, I |
| Tests for Electrical Apparatus for Explosive Atmospheres with Type of Protection n (Exn) | Construction, safety and marking | IEC 60079-15 :2017 (Ed.5) EN 60079-15 :2019 IEC 60079-15:2010 (Ed.4) EN 60079-15:2010 IEC 60079-15:2005 (Ed.3) (withdrawn) EN 60079-15:2005 (withdrawn) | B, I |
| Tests for Encapsulated equipment (Exm) | Construction, safety and marking | IEC 60079-18:2014/A1:2017 EN 60079-18:2015/A1:2017 IEC 60079-18:2009 (Ed.3) (withdrawn) EN 60079-18:2010 (withdrawn) EN 60079-18:2015 IEC 60079-18:2014 (Ed. 4) IEC 60079-18:2004 (Ed. 2) (withdrawn) EN 60079-18:2004 (withdrawn) | B, I |
| Equipment with equipment protection level (EPL) Ga | Construction, safety and marking | IEC 60079-26:2007 EN 60079-26:2007 | B, I |
| Protection of equipment and transmission systems using optical radiation | Construction, safety and marking | IEC 60079-28:2015 (Ed.2) EN 60079-28:2015 IEC 60079-28:2006 (Ed.1) (withdrawn) EN 60079-28:2007 (withdrawn) | B, I |
| Protection by enclosure "t" | Construction, safety and marking | IEC 60079-31:2013 (Ed 2) IEC 60079-31:2008 (Ed.1) EN 60079-31:2009 | B, I |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|---------------|
| Non-Electrical Equipment for explosive atmospheres | 12 EX PRODUCT TESTS (cont'd) Basic method and requirements | IEC 80079-36:2016 | B, I |
| Non-Electrical Equipment for explosive atmospheres | Non-electrical type of protection constructional safety "c", control of ignition "b", liquid immersion "k" | IEC 80079-37:2016 | B, I |
| Tests for Electrical Apparatus with Protection by Enclosure for use in the presence of Combustible Dusts General requirements | Construction, safety and marking | IEC 61241-0:2004 (withdrawn) | B, I |
| Tests for Electrical Apparatus with Protection by Enclosure for use in the presence of Combustible Dusts Protection by enclosure "tD" | Construction, safety and marking | IEC 61241-1:2004 (withdrawn) Excluding: Practice B | B, I |
| Tests for Purged and Pressurised equipment (Exp) Enclosure for use in the presence of Combustible Dusts | Construction, safety and marking | IEC 61241-4:2001 (withdrawn) | B, I |
| Tests for Encapsulated equipment for use in the presence of Combustible Dusts (ExmD) | Construction, safety and marking | IEC 61241-18:2004 (withdrawn) | B, I |
| Protection by intrinsic safety "iD" | Construction, safety and marking | IEC 61241-11:2005 (withdrawn) | B, I |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------------------------------|--------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Basic Methods and Requirements | 12 EX PRODUCT TESTS (cont'd) Construction, safety and marking | EN 13463-1:2009 EN 13463-1:2001 (withdrawn) | B, I |
| Constructural safety 'c' | Construction, safety and marking | EN 13463-5:2011 EN 13463-5:2003 (withdrawn) | B, I |
| Protection by liquid immersion "k" | Construction, safety and Marking | EN 13463-8:2003 | B, I |
| Environmental Conditions and test procedures for Airborne Equipment | Explosion Testing Explosive Atmospheres | RTCA DO-160F Section 9 General exclusions to Ex tests (a) HV machines operating at >1000V e.g. motors and transformers; (b) Shock and Vibration tests; (c) UV light testing; (d) Specific tests on luminaires: torque tests (clause 5.3); asymmetric pulse test (Annex H); sulphur dioxide test (clause 6.3). | B, I |

Where IEC or EN standards have exact equivalents in BS, EN or BS EN Standards these are also included in the accreditation.



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Enclosures for Electrical Equipment | 13 INGRESS PROTECTION TESTS IP1X Protected against solid objects greater than 50 mm diameter IP2X Protected against solid objects greater than 12 mm diameter IP3X Protected against solid objects greater than 2.5 mm diameter IP4X Protected against solid objects greater than 1.0 mm diameter IP5X Dust Protected Excluding: Objects greater than 2500 x 2500 x 2500 mm Max weight: 800 kg IP6X Dust Tight Excluding: Objects greater than 2500 x 2500 x 2500 mm Max weight: 800 kg IPX2 Protected against vertically falling water drops when enclosure tilted up to 15° IPX3 Protected against spraying water IPX4 Protected against splashing water IPX5 Protected against water jets | IEC 60529:1989/A2:2013 EN 60529:1992/A2:2013 | B |

Where IEC or EN standards have exact equivalents in BS, EN or BS EN Standards, these are also included in the accreditation.



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Enclosures for Electrical Equipment (cont'd) | 13 INGRESS PROTECTION TETS (cont'd) IPX6 Protected against powerful water jets IPX7 Protected against the effects of temporary immersion in water IPX8 Protected against the effects of continuous immersion in water Max Immersion Depth 2000 mm | IEC 60529:1989/A2:2013 EN 60529:1992/A2:2013 | B |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Aerospace Components and Equipment Audio Amplifying Equipment Battery Chargers Circuit Breakers and Switches Computer and Peripherals Data terminal equipment Electrical/Electronic Components Electrical Cables Electrical Control Equipment Electrical and Electronic Products Electrical Musical Instruments Electrical Measurement and Test Equipment Electronic Products: Digital Enclosures for Electrical Equipment Fans Fire Fighting and Detection Equipment Generators: Electric Generators: Power Instruments: Indicating and Recording IT Equipment Measuring Equipment Medical/Dental Equipment Micro-Electronic Circuits and Components Missile Components Motors: Electrical Motor Vehicle Accessories and Components Office Equipment: Electrical Photocopying Machines Plugs and Sockets: Electrical Point of Sale Terminals | 14 ENVIRONMENTAL TESTS 14.1 LOW TEMPERATURE (constant and cyclic) Min temp: -50 °C Max chamber size: 2100 x 1650 x 2550h mm Min temp: -65 °C Max chamber size: 750 x 1000 x 750 mm | BS EN 60068-2-1:1993+ A1:1993+ A2 !994 IEC 60068-2-1:1990 IEC/EN 60068-2-1:2007 BS 2011:Part 2.1A:1990+A1: Including Amendment 1 BS 2011:Part 2.1A:1977 EN 50130-5:1999 EN 50130-5:2011 | F |
| | 14.2 HIGH TEMPERATURE (constant only) Max temp: +200 °C Max chamber size: 530 x 470 x 800 mm (constant and cyclic) Max temp: +70 °C Max chamber size: 2100 x 1650 x 2550h mm Max temp: +150 °C Max chamber size: 750 x 1000 x 750 mm Max temp: +200 °C Max chamber size: 390 x 270 x 300 mm | BS EN 60068-2-2:1993+ A1:1993 IEC 60068-2-2:1974 IEC/EN 60068-2-2:2007 BS 2011:Part 2.1B:1977 EN 50130-5:1999 EN 50130-5:2011 | F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 79 | 14 ENVIRONMENTAL TESTS (cont'd) 14.3 HIGH HUMIDITY (Constant and cyclic) Temp range: +20 °C to +70 °C Humidity range: 40 % rh to 98 % rh Max chamber size: 2100 x 1650 x 2550h mm Temp range: +20 °C to +100 °C Humidity range: 40 % rh to 98 % rh Max chamber size: 750 x 1000 x 750 mm (constant only) Temp range: +30 °C to +100 °C Humidity range: 40 % rh to 98 % rh Max chamber size: 640 x 500 x 540 mm | BS 2011:Part 2.1Ca:1977+A1 IEC 60068-2-3:1969 BS 2011:Part 2.1Cb:1990 IEC 60068-2-56:1988 BS EN 60068-2-30:1999 BS EN 60068-2-30:2005 IEC 60068-2-30:1980 IEC/EN 60068-2-30:2005 IEC/EN 60068-2-78:2001 EN 50130-5:1999 EN 50130-5:2011 BS 2011:Part 2.1Db:1981+A1 BS EN 60068-2-38:1999 BS EN 60068-2-38:2009 IEC 60068-2-38:1974 IEC/EN 60068-2-38:2009 BS 2011:Part 2.1Z/AD:1977 | F |
| | 14.4 THERMAL SHOCK Max temp: +150 °C Min temp: -65 °C Max chamber size: 750 x 1000 x 750 mm Max temp: +200°C Max chamber size: 530 x 470 x 800 mm | BS EN 60068-2-14:2000 IEC 60068-2-14:1984 IEC/EN 60068-2-14:2009 BS 2011:Part 2.1N:1985,+ A1 Tests Na, Nb EN 50130-5:1999 EN 50130-5:2011 | F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 79 | 14 ENVIRONMENTAL TESTS (cont'd) 14.5 VIBRATION (Ambient temperature only) Sinusoidal VP30 Freq range: 5 to 4000 Hz Max peak thrust: 1245 N Max payload (vertical): 22.7 kg Max displacement: ± 6.35 mm VP1200 Freq range: 5 to 1000 Hz Max peak thrust: 55600 N Max payload (vertical): 750 kg Max displacement: ± 12.5 mm Random VP30 Freq range: 5 to 4000 Hz Max peak thrust: 587 N Max payload (vertical): 22.7 kg Max displacement: ± 6.35 mm VP1200 Freq range: 5 to 2500 Hz Max peak thrust: 35140 N Max payload (vertical): 750 kg Max displacement: ± 12.7 mm | BS EN 60068-2-6:1996 IEC 60068-2-6:1995+C1:1995 IEC/EN 60068-2-6:2008 BS 201:Part 2.1Fc:1983+A1+A2 BS 2011:Part 2.1Fd:1973 BS 2011:Part 2.1Fda:1973 BS 2011:Part 2.1Fdb:1984+A1+A2 BS 2011:Part 2.1Fdc:1973+A1+A2 BS EN 60068-2-64:1995 IEC 60068-2-64:1993+C1:1993 IEC/EN 60068-2-64:2008 EN 50130-5:1999 EN 50130-5:2011 | F |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| As listed on Page 79 | 14 ENVIRONMENTAL TESTS (cont'd) 14.6 SHOCK/BUMP (Ambient temperature only) Half sign Rectangle Triangle Sawtooth VP30 Severity: 1 g to 30 g Duration: 2 ms to 25 ms (severity dependant) Max item mass: 10 kg VP1200 Severity: 1 g to 80 g Duration: 2 ms to 25 ms (severity dependant) Max item mass: 750 kg | BS EN 60068-2-27:1993+A1 IEC 60068-2-27:1987 IEC/EN 60068-2-27:2009 EN 50130-5:1999 EN 50130-5:2011 BS 2011:Part 2.1Ea:1987 BS EN 60068-2-29:1993+A1 IEC 60068-2-29:1987 BS 2011:Part 2.1Eb:1987 ETS 300 019-2-1:1994 ETS 300 019-2-2:1999 ETS 300 019-2-3:1999 ETS 300 019-2-4:1999 ETS 300 019-2-5:1994 ETS 300 019-2-6:1994 ETS 300 019-2-7:1994 ETS 300 019-2-8:1999 Excluding: ETS 300 019-2-2 T2.3 rain test ETS 300 019-2-3 T3.1 to 3.5 Earthquake test ETS 300 019-2-4 T4.1 Earthquake test T4.1 and 4.1E rain tests ETS 300 019-2-5 T5.1 and T 5.2 (IEC Class 5M3) Shock test ETS 300 019-2-6 T6.2 and 6.3 rain tests ETS 300 019-2-7 T7.3 and 7.3E rain tests ETS 300 019-2-8 T8.1 water tests | F |
| | 14.7 Free Fall (Operational) Height: 0.5 m to 1.5 m | EN 50130-5:1999 EN 50130-5:2011 | F |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Telecommunications Equipment IT Equipment Electronic Products, Digital | 15 TELECOMMUNICATIONS TESTING 15.3 Analogue and Digital attachments to the PSTN | FCC:Part 68:Sub Part D TIA-968-B:2009 TIA-968-B1:2012 TIA-968-B2: 2015 TIA-968-B3: 2016 TIA-168-C: October 2015 TIA 1096-A:2008 TIA/EIA/TSB 168-B-1:2012 CS-03, Part I Issue 9, Amdt 5 CS-03, Part II, Issue 9, Amdt 1 CS-03, Part V Issue 9, Amdt 2 + Amnd 3 Aug 2021 CS-03, Part VI Issue 9, Amdt 1 AS/ACIF S004:2013 | G |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------|-------------------------------------------------------|----------------------------------------------------|---------------|
| Short Range Radios | 16 RADIO TESTING | | |
| DECT Telephones | Analogue measurements | | H |
| CT1 & CT1+ Telephones | 9 kHz to 1000 MHz | EN 300 086-1:V1.4.1:2010 | |
| Land Mobile Radio (PMR) | Digital measurements | | |
| Public mobile services | 9 kHz to 2500 MHz | EN 300 086-2:V1.3.1:2010 | S |
| Equipment | | ETSI 302 065-1 V2.1.1:2016 | |
| Personal Communications | DECT test cases 1 to 26 | | |
| Services Equipment | as stated in EN 301 406 | | |
| Satellite communications | | | |
| Equipment | 16.1 Frequency Error | | |
| Radio Broadcast Services | | ETSI EN 300 113 V2.2.1(2016-12) | H |
| Equipment | | ETSI EN 301 511 V12.5.1:2017 | S |
| Experimental radio, auxiliary | | (RSE only) | |
| Special broadcast and | 0.5 MHz to 2.6 GHz | 3GPP TS 34.124 (RSE only) | S |
| Other program | | 3GPP TS 36.124 (RSE only) | S |
| distributional | | 3GPP TS 38.124 (RSE only) | S |
| Services equipment | | | |
| Private Land Mobile radio | 16.2 Transmitter Carrier | ETSI EN 300 220-1 v3.1.1 | H |
| Services Equipment | Power | | |
| Personal Radio services | 5 mW to 50 W | ETSI EN 300 220-2 v3.1.1 | |
| Equipment | | ETSI EN 300 220-2 v3.2.1 | |
| Amateur Radio Service | | ETSI EN 300 220-3-1 v2.1.1 | |
| Equipment | | ETSI EN 300 220-3-2 v1.1.1 | |
| | | ETSI EN 300 220-4 v1.1.1 | |
| | | ETSI EN 300 224-1:V1.3.1:2001 | |
| | | EN 300 224-2:V1.1.1:2001 | |
| | 16.3 Adjacent Channel | | |
| | Power | | |
| | 4 MHz to 1000 MHz | EN 300 296-1:V1.4.1:2013 | |
| | 5 mW to 50 W | | |
| | 16.4 Adjacent Channel | EN 300 296-2:V1.4.1:2012 | |
| | Selectivity | | |
| | 0.5 MHz to 1000 MHz | EN 300 328 V2.2.2 (2019-07) | H, S |
| | | EN 301 908-1 V15.2.1 (2023-01) | H, S |
| | | EN 301 908-1 V15.1.1:2021 | S |
| | | EN 301 908-13 V13.1.1:2021 | S |
| | 16.5 Co-Channel Rejection | | |
| | 0.5 MHz to 1000 MHz | ETSI EN 300 330 v2.1.1 (2017-02) | H, S |
| | 16.6 Conducted Spurious | | |
| | Emissions | | |
| | 9 kHz to 140 GHz | EN 302 291-1 V1.1.1:2005 | H |
| | 16.7 Radiated Spurious | | |
| | | ETSI EN 300 440 v2.2.1 (2018-07) | H, S |
| | 9 kHz to 140 GHz | | |




0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| As listed on page 84 | 16 RADIO TESTING (cont'd) | | |
| | 16.8 Transient Power | EN 300 422-1:V1.2.2:2000 EN 300 422-2:V1.1.1:2000 | H |
| | 16.9 Modulation Bandwidth | EN 302 208-1:V1.4.1:2011 | H |
| | 16.10 Frequency Stability | EN 302 208-2:V1.4.1:2011 AS/NZS 4268:2008 ETSI EN 303 413 V1.2.1:2021 | S |
| | 16.11 Receiver Sensitivity | ETSI EN 301 893 V2.1.1 (2017-05) ETSI EN 302 502 V1.2.1 (2008-07) ETSI EN 303 687 V1.1.1 (2023) | H, S H, S S |
| | | ETSI EN 301 908-11 V11.1.2 ETSI EN 301 908-15 V15.1.1 (2020-01) ETSI EN 301 908-15 V11.1.2 ETSI EN 303 609 V12.5.1 | H |
| | | AS/NZS 4268:2012 AS/NZ 4295:2004 AS NZS 4415:1996 | |
| | 16.12 Channel Characteristics | ETSI EN 302 625 V1.1.1 (2009-07) | |
| | | EN 303 372-1:V1.1.1 (excluding clause 4.3.2 Antenna gain pattern) | H, E |
| | | Radiated LO and EIRP tests in Reverb Chamber. Excludes Wind tunnel tests other than pointing accuracy part. EN 303 372-2:V:1.1.1 EN 303 340:V1.1.2 | H, E H, E |
| | 16.13 Intermodulation | | |
| | 16.14 Distortion | BETS-1 Issue 1 (FM only) BETS-6 Issue 2 (FM only) | H H |
| | 16.15 SINAD and S/N Ratio | | |
| | 16.16 Selectivity | | |
| | 16.17 Non-Occupancy Period | | |



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

Page 86 of 103



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Flexible Use Broadband Equipment Operating in the Band 3900-3980MHz | Occupied bandwidth Frequency stability Transmitter output Power (EIRP&TRP) Transmitter unwanted emissions (up to 39.8GHz) | RSS-198 Issue 1, July 2023 | H |
| Wireless Broadband Access Equipment Operating in the Band 3650-3700 MHz | Channel Bandwidth Transmitter Frequency Stability Transmitter Output Power and EIRP Transmitter Unwanted Emissions (up to 37 GHz) Receiver Spurious Emissions (up to 37 GHz) | RSS-197, Issue 1, Feb 2010 | H |
| Radio Local Area Network (RLAN) devices | 5925 – 7125 MHz | RSS-248 Issue 2:2022 | S |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Electronic and Electrical Equipment with intentional Transmitters – intended to be used within less than 20 cm of body or head | 17 SAR Testing 17.1 Specific Absorption Rate SAR: 6MHz to 8.7GHz Using the DASY 8 system PD: 6GHz to 110GHz Absorbed Power Density 5925 to 7125 MHz | FCC 47 CFR Part 1.1310 FCC 47 CFR Part2.1093 FCC KDB 447498 D01 v06 ***D02, D03, D04*** FCC KDB 616217 D04 FCC KDB 648474 D03, D04 FCC KDB 865664 D01, D02 FCC KDB 248227 D01 FCC KDB 615223 D01 FCC KDB 680106 D01 FCC KDB 643646 D01 FCC KDB 941225 D01, D05, D05A, D06, D07 FCC OET Bulletin 65 IEEE C95.1:2019/Corr2:2020 IEEE C95.3:2021 RSS-102 issue 6 RSS-102 SAR.MEAS RSS-102 IPD.MEAS SPR-APD issue 1 BS EN IEC/IEEE 63195-1:2023 EN 63195-1:2023 Nov 2017; Oct 2018; April 2019; Nov 2019; Oct 2020 TCB Workshop Notes (IEEE 80211ax) SPEAG DASY8 Application Note (updated Interim Procedures (version 9.0) for Devices Operating at 6 – 10 GHz (August 2023) Interim procedures introduced during the TCB October 2022 EN/IEC/IEEE 62209-1528:2021 IEC/IEEE 62209-1528:2020 | S |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Electronic and Electrical Equipment with intentional Transmitters – intended to be used within less than 20 cm of body or head (cont'd) | 17.1 Specific Absorption Rate (cont'd) | PD IEC TR 63170:2018 IEC 62479:2010 EN 62479:2010 EN 50566: 2017 EN 50360: 2017 EN 50663: 2017 EN 50665: 2017 EN 50364: 2018 EN 62209-1: 2016 IEC 62209-1:2016 EN 62209-2: 2010 +A:2019 IEC 62209-2: 2010 including A1 IEC 62311: 2019 EN 62311: 2020 IEC 62311: 2007 EN 62311: 2008 IEEE Std 1528:2013 AS/NZS 2772.2:2016+A1:2018 General public exposure limits from ARPANSA Radiation Protection Series S-1 (Rev.1) (2021) | S |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| | <p>Facilities at Skelmersdale:</p> <p>Shielded Room A: 9 m x 5.7 m x 5.75 m Semi / Fully Anechoic (Chamber 1) Shielded Room B: 9 m x 5.7 m x 5.75 m Semi / Fully Anechoic (Chamber 2) Shielded Room C: 7.1 m x 4.1 m x 3.5 m Semi / Fully Anechoic (Immunity) Shielded Room D: 5.1 m x 3.1 m x 2.6 m Screened Room (Transient) Shielded Room E: 5.6 m x 2.4 m x 2.6 m (Semi / Fully Anechoic (MAC) Numerous Bench Laboratories ranging from 5 m x 3 m x 2.5 m to 6 m x 6 m x 3 m Secure Storage Room: 10.1 m x 2.7 m x 3 m Dimensions = Length (l) x Width (w) x Height (h) Max EUT Size: 2 m x 2 m x 3 m Max EUT Weight: 5000 kg Max Turntable Weight of EUT:2000 kg</p> <p>Power Supplies Available: ≤ 240V AC 13A, 1 phase 50Hz 240V AC 16A, 1 phase 50Hz ≤ 240V AC 32A, 1 phase 50Hz 240V AC 64A, 1 phase 50Hz 415V AC 92A (115kVA), 3 phase 50Hz 415V AC 64A, 3 phase 50Hz ≤ 415V AC 32A, 3 phase 50Hz 115V AC 13A, 1 phase 50 / 60Hz 0.1V AC - 341V AC, 3 phase 20Hz – 5kHz (6kVA) 0 - 110V DC 10A 0 - 60V DC 50A</p> | | |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| | <p>Facilities at Skelmersdale (cont'd):</p> <p>Freezer/Oven enclosure size for Thermal Stability test -40 °C to 60 °C, 490 x 500 x 480 mm</p> <p>Freezer enclosure size for Thermal Stability test -70 °C, 1120 x 540 x 650 mm</p> <p>Humidity enclosure size for Thermal Stability test -25 °C to 100 °C, 650 x 650 x 600 mm</p> <p>Humidity enclosure size for Thermal Stability test -25 °C to 100 °C, 700 x 700 x 500mm</p> <p>Dust Chamber for IP5X and IP6X, size 2500 x 2500 x 2500 mm</p> <p>Max weight: 800 kg</p> | | |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| | <p>Facilities at Malvern:</p> <p>Shielded Room A: 8.7 m x 5.7 m x 5.4 m Shielded Room B: 8.7 m x 5.7 m x 5.4 m Shielded Room C: 2.5 m x 2.5 m x 3 m Shielded Room D: 5.7 m x 2.6 m x 2.4 m Shielded Room E: 18 m x 16 m x 6 m Shielded Room F: 5 m x 5 m x 4 m Shielded Room G: 5.5 m x 5 m x 4 m Shielded Room H: 4 m x 3 m x 3 m Shielded Room I: 4 m x 3 m x 3 m GTEM 1650</p> <p>Power supplies Available:- 240V AC 13A, 1 phase 240V AC 32A, 1 phase 115V AC 13A, 1 phase 415V AC 16A, 3 phase 415V AC 32A, 3 phase 415V AC 64A, 3 phase 60V DC 100A 415V AC 400Hz 32A, 3 phase</p> | | |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| | <p>Facilities at Wimborne:</p> <p>Shielded Room A: 9 m x 5.7 m x 5.75 m Semi / Fully Anechoic (Comm 1) Shielded Room B: 9 m x 5.7 m x 5.75 m Semi / Fully Anechoic (Comm 2) Shielded Room C: 5 m x 4 m x 2.5 m Screened Room (Transient 1) Shielded Room D: 8 m x 6 m x 4 m Semi Anechoic (Mil 1) Shielded Room E: 8 m x 6 m x 4 m Semi Anechoic (Mil 2) Shielded Room F: 8 m x 6 m x 4 m Semi Anechoic (Mil 3) Shielded Room G: 3.5 m x 2.5 m x 2.9 m Reverb Chamber (Reverb 1) Shielded Room H 1.3 m x 1.1 m x 1.5 m Reverb Chamber (Reverb 2) 6 x Shielded Control Rooms 3 m x 2.5 m x 2.5 m Indirect Lightning Laboratory</p> <p>Secure Storage Room: 6 m x 5 m x 2.3 m</p> <p>Dimensions = Length (l) x Width (w) x Height (h)</p> <p>Max EUT Size: 2 m x 2 m x 3 m Max EUT Weight: 5000 kg Max Turntable Weight of EUT: 2000 kg</p> <p>Environmental Chamber 940 mm x 870 mm x 775 mm Temperature (- 20 °C to + 100 °C) and Humidity (20 % to 75 %)</p> | | |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| | Facilities at Wimborne (cont'd) Power Supplies Available:- 240V AC 50 / 60 Hz 1 Phase up to 32 A 115V AC 50 / 60 Hz 1 Phase up to 32A 415V AC 50 / 60 Hz 3 Phase up to 125A 3 x115 / 208V AC 400Hz 3 Phase up to 5 kVA 28 V DC up to 100 A 100Vdc up to 100A Programmable 1 Phase Supply DC to 500Hz / 0 to 270 V up to 18.5 A | | |
| | EMC Facilities at Hull: Open Field Site: 3 m and 10 m Screened Rooms (h x w x l) a) 3.66 m x 4.28 m x 6.7 m 2 ft absorbers on all walls: 3 ft absorber on ceiling b) 2.4 m x 2.4 m x 3.66 m c) 2.4 m x 2.4 m x 3.66 m d) 5.8 m x 6.3 m x 9.2 m Ferrite tiles on walls and ceiling (3 m alternative emissions test site) Power supplies: DC and 50/60 Hz | | |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------|
| | EMC Facilities at Hull: (cont'd) a) 3.66 m x 4.28 m x 6.7 m 2 ft absorbers on all walls: 3 ft absorber on ceiling b) 2.4 m x 2.4 m x 3.66 m c) 2.4 m x 2.4 m x 3.66 m d) 5.8 m x 6.3 m x 9.2 m Ferrite tiles on walls and ceiling (3 m alternative emissions test site) | | |
| FCC Scope | | | |
| UNINTENTIONAL RADIATORS FCC Part 15, subpart B | Radiated Emissions 30 MHz to 40 GHz Conducted Emissions 9 kHz to 30 MHz | ANSI C63.4-2014 ANSI C63.4a-2017 | A, B, C, G, H, S |
| INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT Consumer ISM Equipment FCC Part 18 | Radiated Emissions 30 MHz to 40 GHz Conducted Emissions 9 kHz to 30 MHz | FCC MP-5 (February 1986), | A, B, C, G, H, S |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| INTENTIONAL RADIATORS FCC Part 15, subpart C | Radiated Emissions 9 kHz to 110 GHz Conducted Emissions 9 kHz to 30 MHz Radio tests as per standard. Includes but not limited to: <i>Peak transmit power</i> <i>Emission bandwidth /</i> <i>Occupied BW</i> <i>Modulation</i> <i>Power spectral density</i> <i>Band edge tests</i> <i>Permitted Frequency range</i> <i>In-band unwanted emissions</i> <i>Out-of-band emissions</i> <i>Spurious Emissions</i> <i>Reaction time</i> <i>Frequency and Time Stability</i> | ANSI C63.10-2013 | H, S |
| UNLICENSED PERSONAL COMMUNICATION SYSTEMS DEVICES FCC Part 15, Subpart D | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.17-2013 | H |
| UNLICENSED NATIONAL INFORMATION INFRASTRUCTURE DEVICES WITHOUT DFS (INTENTIONAL RADIATORS) FCC Part 15, Subpart E | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.10-2013 KDB Publication 789033 | H, S |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|---------------|
| UNLICENSED NATIONAL INFORMATION INFRASTRUCTURE (U-NII) DEVICES WITH DYNAMIC FREQUENCY SELECTION (DFS) FCC Part 15 Subpart E | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 110 GHz Radio tests as per standard. DFS tests per new rules. | ANSI C63.10-2013 KDB Publication 905462 D02 UNII DFS Compliance Procedures New Rules v02 (April 8, 2016) | H, S |
| ULTRA-WIDEBAND OPERATION INTENTIONAL RADIATORS FCC Part 15, Subpart F | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.10-2013 | H |
| COMMERCIAL MOBILE SERVICES (FCC LICENSED RADIO SERVICE EQUIPMENT) FCC Part 22 (cellular) FCC Part 24 FCC Part 25 (below 3 GHz) FCC Part 27 | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.26 2015 ANSI/TIA-603-E KDB Publication 971168 TIA-102.CAAA-E | H |
| GENERAL MOBILE RADIO SERVICES (FCC LICENSED RADIO SERVICE EQUIPMENT) FCC Part 22 (non-cellular) FCC Part 90 (below 3 GHz) FCC Part 95 (below 3 GHz) FCC Part 97 (below 3 GHz) FCC Part 101 (below 3 GHz) | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.26 2015 ANSI/TIA-603-E TIA-102.CAAA-E | H |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|---------------|
| CITIZENS BROADBAND RADIO SERVICES (FCC LICENSED RADIO SERVICE EQUIPMENT) FCC Part 96 | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard | ANSI C63.26 2015 ANSI/TIA-603-E KDB Publication 971168 KDB Publication 940660 | H |
| MICROWAVE AND MILLIMETRE BANDS RADIO SERVICES (FCC LICENSED RADIO SERVICE EQUIPMENT) FCC Part 25 FCC Part 30 FCC Part 74 FCC Part 90 (above 3GHz) FCC Part 95 (above 3 GHz) FCC Part 97 (above 3 GHz) FCC Part 101 | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.26 2015 ANSI/TIA-603-E TIA-102.CAAA-E KDB Publication 653005 | H |
| BROADCAST RADIO SERVICES (FCC LICENSED RADIO SERVICE EQUIPMENT) FCC Part 73 FCC Part 74 (below 3 GHz) | Radiated Tests 9 kHz to 110 GHz Conducted Tests 9 kHz to 50 GHz Radio tests as per standard. | ANSI C63.26 2015 ANSI/TIA-603-E TIA-102.CAAA-E | H |
| RF EXPOSURE Devices subject to SAR requirements | Specific Absorption Rate 6 MHz to 8.7 GHz | IEEE Std 1528:2013 IEC/IEEE 62209-1528:2020 KDB Publication 865664 KDB Publication 447498 | S |



2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-----------------------|
| Canadian MRA - ISED Scope of Accreditation | | | |
| General Requirements for Compliance of Radio Apparatus | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-Gen Issue 5:2018 ANSI C63.10:2013 ANSI C63.26:2015 | H, S H, S H |
| Radio Frequency (RF) Exposure Compliance of Radiocommunication Apparatus | Exclusion Calculation only | RSS-102 Issue 6:2023 RSS-102.SAR.MEAS RSS-102.IPD.MEAS RSS-102 Issue 6:2023 | S H |
| Broadband Public Safety Equipment | Operating in the Band 4940-4990 MHz | RSS 111 Issue 5 September 2014 | H |
| Land Mobile and Fixed Equipment | Operating in the Frequency Range 27.41 to 960 MHz | RSS 119 issue 12 May 2015 | H |
| Flexible Use Broadband Equipment Operating in the Band 3450-3650 MHz | Occupied bandwidth Frequency stability Transmitter output power, EIRP, TRP Transmitter unwanted emissions (up to 36.5 GHz) | RSS-192, Issue 5, July 2023 | H |
| Wireless Broadband Access Equipment Operating in the Band 3650-3700 MHz | Channel Bandwidth Transmitter Frequency Stability Transmitter Output Power and EIRP Transmitter Unwanted Emissions (up to 37 GHz) Receiver Spurious Emissions (up to 37 GHz) | RSS-197, Issue 1, Feb 2010 | H |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Flexible Use Broadband Equipment Operating in the Band 3900-3980MHz | Occupied bandwidth Frequency stability Transmitter output Power (EIRP&TRP) Transmitter unwanted emissions (up to 39.8GHz) | RSS-198 Issue 1, July 2023 | H |
| Licence-Exempt Radio Apparatus: Category I Equipment | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-210 Issue 11, June 2024 | H |
| 2 GHz Licence-Exempt Personal Communications Services (LE-PCS) Devices | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-213 Issue 3, March 2015 | H |
| Analogue Scanner Receivers | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-215 Issue 2, June 2009 | H |
| Ultra-Wideband (UWB) Technology | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-220 Issue 1, March 2009 (Amendment July 2018) | H |
| Active Medical Implants Operating in the 401-406 MHz Band | Conducted and Radiated Tests 9 kHz to 40 GHz | RSS-243 Issue 3, February 2010 | H |
| Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSS) and Licence-Exempt Local Area Network (LE-LAN) Devices | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-247 Issue 3 August 2023 including DFS | H, S |
| Radio Local Area Network (RLAN) devices | 5925 – 7125 MHz | RSS-248 Issue 2:2022 | S |



0026
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd
Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Field Disturbance Sensors in the Bands 46.7-46.9 GHz (Vehicular Radar) and 76-77 GHz (Vehicular and Airport Fixed Radar) | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-251 Issue 2, July 2018 | H |
| Emergency Position Indicating Radio Beacons (EPIRB), Emergency Locator Transmitters (ELT), Personal Locator Beacons (PLB), and Maritime Survivor Locator Devices (MSLD) | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-287 Issue 2, March 2014 | H |
| Global Maritime Distress and Safety System (GMDSS) | Conducted and Radiated Tests 9 kHz to 110 GHz | RSS-288 Issue 1, January 2012 | H |
| Analogue and Digital attachments to the PSTN | Terminal Equipment (TE) and Related Access Arrangements Intended for Direct Connection to Analog Wireline Facilities | CS-03, Part I Issue 9, Amdt 5 | G |
| | Requirements for Terminal Equipment Intended for Connection to 1.544 Mbps (DS-1) Digital Interfaces | CS-03, Part II, Issue 9, Amdt 1 | G |
| | Requirements and Test Methods for Magnetic Output From Handset Telephones for Hearing Aid Coupling and for Receive Volume Control | CS-03, Part V Issue 9, Amdt 3 | G |
| | Requirements for Integrated Services Digital Network Terminal Equipment | CS-03, Part VI Issue 9, Amdt 1 | G |



0026

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Element Materials Technology Warwick Ltd

Issue No: 177 Issue date: 19 June 2025

Testing performed by the Organisation at the locations specified

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used | Location Code |
|---------------------------|---------------------------------------------------------------------------------------------------|----------------------------------------------------|---------------|
| Broadcast equipment | Low Power Announce Transmitters in the Frequency Bands 525-1,705 kHz and 88-107.5 MHz | BETS-1 Issue 1 | H |
| | BETS-6 — Technical Standards and Requirements for FM Broadcasting Transmitters Low Power Announce | BETS-6 Issue 2 | H |

END