


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>10007</b> Accredited to <b>ISO/IEC 17025:2017</b>	<b>Eurofins Forensic Services Limited</b>	
	<b>Issue No:</b> 065 <b>Issue date:</b> 30 September 2021	<b>Contact:</b> Mr Martin Hanly <b>E-Mail:</b> MartinHanly@eurofins.co.uk
<b>Queens Road</b> <b>Teddington</b> <b>Middlesex</b> <b>TW11 0LY</b>		
<b>Testing performed by the Organisation at the locations specified below</b>		

### Locations covered by the organisation and their relevant activities

#### Laboratory locations:

Location details	Activity	Location code
<b>Address</b> Queens Road Teddington Middlesex TW11 0LY	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Toxicology (Workplace) Forensic Analysis Medical/Veterinary Teddington
<b>Address</b> E4 Culham Science Centre Abingdon Oxfordshire OX14 3ED	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis Culham
<b>Address</b> Darwin House Faraday Street Birchwood Park Risley Cheshire WA3 6FW	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis Medical/Veterinary Birchwood Park
<b>Address</b> Royal Armouries Armouries Drive Leeds LS10 1LT	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis Leeds
<b>Address</b> Building 3 Swiss Lodge Drive Drayton Manor Business Park Tamworth Staffordshire B78 3GL	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis Tamworth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Location details	Activity	Location code
<b>Address</b> Sir Alec Jeffreys Building Peel Avenue Calder Park Wakefield WF2 7UA	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis  Wakefield
<b>Address</b> 109 Lambeth Road London SE1 7LP	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis  Lambeth
<b>Address</b> 1 Dukes Green Avenue Feltham TW14 0LR	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis  Heathrow
<b>Address</b> 22 Gas Street, Birmingham B1 2JT	Mr Martin Hanly Email: martinhanly@eurofins.co.uk Website: www.eurofins.com	Forensic Analysis  Birmingham
Customers' sites or premises  The customer's sites or premises must be suitable for the sampling undertaken and will be subject of contract review arrangements between the provider and the customer		Sampling for COVID-19 testing purposes



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>HUMAN BODY FLUIDS</p> <p>Nasopharyngeal swabs (throat and nasal) (dry swabs and swabs in Viral Transport Media (VTM))</p>	<p><u>Virology Testing</u></p> <p>Detection of SARS-CoV-2 (COVID-19) virus specific gene sequences (N1 gene and E gene) for subsequent clinical interpretation at private or NHS facilities by medically qualified personnel to include testing for the following purposes:</p> <p>General Population Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods or antigen POCT</p> <p>Test to Release 5 Day Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p> <p>Detection of SARS-CoV-2 RNA (COVID-19) virus specific gene sequences using the GSD ViroBOAR SARS-CoV-2 RNA detection kit. Target: Two specific regions of the SARS-CoV-2 N gene</p> <p>For General Population testing and Test to release (TTR) and day 2 and 8 international arrivals (IA)</p> <p>With clinical interpretation by medically qualified personnel</p>	<p>Documented In-House Methods including DHSC requirements for private providers of COVID-19 testing</p> <ul style="list-style-type: none"> <li>- Extraction using GSD ViroBOAR SARS CoV-2 RNA detection kit and Hamilton Starlet, TANBead Maelstrom 9600 or KingFisher Flex robotic systems.</li> <li>- Detection using the GSD ViroBOAR SARS-CoV-2 RNA detection kit, Nayo 96 for qPCR set up and Agilent Aria Dx Real Time PCR system</li> <li>- Extraction using GSD ViroBOAR SARS-CoV-2 RNA detection kit and TANBead Maelstrom 9600 and Kingfisher Flex extraction platforms plus Nayo 96 and Multiflo FX pipetting Platforms</li> <li>- Detection using the GSD ViroBOAR SARS-CoV-2 RNA detection kit, ABI 7500 FAST, QuantStudio 5 and Agilent AriaMx platforms</li> </ul>	<p>Birchwood Park</p>
	<p>Teddington</p>		



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>HUMAN BODY FLUIDS (cont'd)</p> <p>Nasopharyngeal (Nose) Swab</p>	<p><u>Virology Testing (cont'd)</u></p> <p><u>Sampling with subsequent testing at a laboratory accredited to ISO 15189:2012 or ISO/IEC 17025:2017 and who is listed on the DHSC Approved List for the testing performed.</u></p> <p>For:</p> <p>General Population Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods or antigen POCT</p> <p>Test to Release 5 Day Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p> <p>Test to Release 2 and 8 Day Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p> <p><u>Forensic Testing</u></p>	<p>In-house method for COVID-19 sampling for testing purposes</p> <p>The organisation has demonstrated adherence to the relevant requirements of the Forensic Science Regulators Code of Practice and Conduct in relation to their Forensic Activities</p>	<p>Teddington Tamworth Culham Birchwood Park Leeds Wakefield Lambeth Heathrow</p>



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES	<u>Forensic Testing</u>		
Blood	Short Tandem Repeat (STR) DNA profiling for forensic analysis of: - Crime Scene Samples meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database - Environmental Samples	Documented In-House Methods using manual/automated extraction - Auto-Lys - Qiagen DNA Investigator STAR DART Manual Auto-Lys	Birchwood Park
- Stains			
Semen			
- Whole - Azoospermic			
Saliva	Short Tandem Repeat (STR) DNA profiling for forensic analysis of: - Crime Scene Samples meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database	Documented In-House Methods using manual/automated extraction - Qiagen DNA Investigator - Qiagen Maxi Kit - AutoLys	Birchwood Park
- Stains			
- Swabs			
Hair			
Cellular Material	Short Tandem Repeat (STR) DNA profiling for forensic analysis of: - Crime Scene Samples meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database	Documented In-House Method using automated quantification - Power Quant	Birchwood Park
- Ammunition and heavy non-porous objects			
Swabs			
Body Tissue			
- Bone	Documented In-House Methods using automated amplification (PCR) and the following chemistry: - ESI 17 fast - Y23	Birchwood Park	
- Teeth			



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	Forensic Analysis (cont'd)	Documented In-House Method using <ul style="list-style-type: none"> <li>- Electrophoresis</li> <li>- Applied Biosystems 3500 Genetic Analyser©</li> </ul>	Birchwood Park
Product of Conception	Short Tandem Repeat (STR) DNA profiling for forensic analysis of foetal tissue	Documented In-House method using manual/automated extraction <ul style="list-style-type: none"> <li>- Qiagen mini kit</li> </ul>	Birchwood Park
Product of Conception	Short Tandem Repeat (STR) DNA profiling for forensic analysis of foetal tissue (cont'd)	Documented in house methods using manual/automated amplification: <ul style="list-style-type: none"> <li>- ESI 17 fast</li> <li>- Y-23</li> </ul>	Birchwood Park
Product of Conception	Short Tandem Repeat (STR) DNA profiling for forensic analysis of foetal tissue (cont'd)	Documented In-House Methods using Electrophoresis <ul style="list-style-type: none"> <li>- Applied Biosystems 3500 Genetic Analyser©</li> </ul>	Birchwood Park
Blood - FTA cards	DNA Profiling: Short Tandem Repeat (STR) DNA profiling for forensic analysis of:	Documented In-House Methods using manual/automated extraction <ul style="list-style-type: none"> <li>- Qiagen DNA Investigator</li> <li>- Qiagen Maxi Kit</li> <li>- AutoLys</li> </ul>	Birchwood Park
Saliva - FTA Cards	- Subject Samples	Documented In-House Methods using Manual quantification <ul style="list-style-type: none"> <li>- Power Quant</li> </ul>	Birchwood Park
		Documented In-House Methods using Manual amplification (PCR) and the following chemistry: <ul style="list-style-type: none"> <li>- ESI 17 fast</li> <li>- Y23</li> <li>- Promega Fusion 6C</li> </ul>	Birchwood Park



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	Forensic Analysis (cont'd)		
Blood - FTA cards	DNA Profiling: Short Tandem Repeat (STR)	Documented In-House Method using Electrophoresis Applied Biosystems 3500 Genetic Analyser©	Birchwood Park
Saliva - FTA Cards	DNA profiling for forensic analysis of: - Subject Samples		
Blood - Stains	Short Tandem Repeat (STR) DNA profiling for forensic analysis of:	Documented In-House Methods using manual extraction	Lambeth
Semen - Whole - Azoospermic	- Crime Scene Samples meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database	- Qiagen DNA Investigator STAR - EZ1 - Qiagen DNA Investigator STAR DART Manual AutoLys	Lambeth
Saliva - Stains - Swabs		Documented In-House Methods using automated quantification - Power Quant	
Hair		Documented In-House Methods using automated amplification (PCR) and the following chemistry: - ESI 17 fast - Y23	Lambeth
Cellular Material - Ammunition and heavy non-porous objects		Documented In-House Methods using Electrophoresis Applied Biosystems 3500 Genetic Analyser©	Lambeth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p>BODY FLUIDS and TISSUES (cont'd)</p> <p>Blood</p> <ul style="list-style-type: none"> <li>- Whole</li> <li>- Swabs</li> <li>- Stains</li> </ul> <p>Saliva</p> <ul style="list-style-type: none"> <li>- Swabs (buccal cells)</li> </ul> <p>Hair</p> <p>Body Tissue</p> <ul style="list-style-type: none"> <li>- Swabs (including muscle)</li> <li>- Muscle (Teddington only)</li> </ul> <p>Cellular Material</p> <ul style="list-style-type: none"> <li>- Surrogate reference samples (e.g. toothbrushes)</li> </ul>	<p>Forensic Analysis (cont'd)</p> <p>Short Tandem Repeat (STR) DNA profiling for forensic analysis of:</p> <p>Subject Samples (PACE and Volunteer) meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database</p> <p><u>Related Opinions and Interpretation</u></p> <p>Interpretation and analysis of DNA profiles:</p> <ul style="list-style-type: none"> <li>• ESI 17 fast</li> <li>• Y23 (Lambeth only)</li> <li>• Fusion 6C (Birchwood Park only)</li> </ul>	<p>Documented In-House Methods using manual/automated (Hamilton) extraction</p> <ul style="list-style-type: none"> <li>- Promega swab solution</li> </ul> <p>Documented In-House Method using Manual quantification</p> <ul style="list-style-type: none"> <li>- Power Quant</li> </ul> <p>Documented In-House Methods using Manual amplification (PCR) and the following chemistry:</p> <ul style="list-style-type: none"> <li>- ESI 17 fast (direct)</li> <li>- Y23</li> </ul> <p>Documented In-House Methods using - Electrophoresis Applied Biosystems 3500 Genetic Analyser©</p> <p>Documented In-House methods using</p> <ul style="list-style-type: none"> <li>- Genetic Characterisation <ul style="list-style-type: none"> <li>○ GMIDX 1.3 (not Lambeth)</li> <li>○ Insight</li> </ul> </li> </ul>	<p>Birchwood Park Lambeth</p> <p>Lambeth Birchwood Park</p>





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	Forensic Analysis (cont'd)  Comparison, interpretation and statistical analysis of DNA profiles generated from crime stains with compatible reference DNA profiles (internally generated or from other accredited laboratories)	Documented In-House methods EFS-BM-1409, EFS-Bm-1466, EFS-BM-1646, EFS-BM1661, EFS-BM-1662, EFS-BM-1737, EFS-BM-1767, EFS-BM-1923, EFS-BM-2055, EFS BM-2061, EFS-BM-2559, EFS-BM-2587, EFS-BM-683, LGCF-BM-1477 <ul style="list-style-type: none"><li>o Insight</li><li>o Golden gate</li><li>o MatchProb</li><li>o Mix-It</li><li>o Lira 3.0 (ESI17 profiles only)</li><li>o YHRD</li></ul>	Culham Birchwood Park Tamworth Wakefield
Saliva - Swabs (buccal cells)	<u>Related Opinions and Interpretation</u> Interpretation of DNA profiles generated from other accredited laboratories from reference samples	Documented In-House methods using: - Genetic Characterisation - GeneMarker HID v2.9 - Insight	Lambeth
BODY FLUIDS and TISSUES (cont'd)	Forensic Relationship Analysis  Comparison, interpretation and statistical analysis of ESI 17 DNA profiles against compatible DNA Profile information from within submitted cases <ul style="list-style-type: none"><li>- Paternity</li><li>- Maternity</li><li>- Sibling</li></ul>	Documented In-House methods - Genetic Characterisation <ul style="list-style-type: none"><li>o Insight</li><li>o GPS-ibd</li></ul>	Wakefield



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Relationship Analysis (cont'd)</u>  Comparison, interpretation and statistical analysis of Y23 DNA profiles against compatible DNA Profile information from within submitted cases	Documented In-House methods - Genetic Characterisation o Insight o YHRD	Wakefield Culham Birchwood Park Tamworth
	Comparison, interpretation and statistical analysis of Y23 DNA profiles against compatible DNA Profile information from within submitted cases - Paternity - Sibling	- Genetic Characterisation o Insight o YHRD o GPS-ibd	Wakefield
Blood - Whole - Swabs - Stains Saliva - Swabs (buccal cells) Hair Body Tissue - Swabs (including muscle) - Muscle (Teddington only) Cellular Material - Surrogate reference samples (e.g. toothbrushes)	DNA Profiling: Short Tandem Repeat (STR) DNA profiling for forensic analysis of: Subject Samples (PACE and Volunteer) meeting the requirements of the Custodian for the Purpose of Supply to the National DNA Database Database samples (VED/SED and PED)	Documented In-House Methods using manual/automated (Hamilton) extraction - Promega swab solution - Chelex  Documented In-House Methods using Manual quantification - Qiagen Quantiplex  Documented In-House Methods using automated amplification (PCR) and the following chemistry: - ESI17 Fast (Direct)  Documented In-House Methods using Electrophoresis Applied Biosystems 3500 Genetic Analyser©	Birchwood Park



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Related Opinions and Interpretation</u>		
	Interpretation and analysis of DNA profiles	Documented In-House methods -Genetic Characterisation -Insight	Birchwood Park
Any Material	Searching for: - Blood - Semen - Saliva - Faeces (not Culham) - Urine (not Culham) - Hairs	Documented In-House EFS-BM-1336 and specific methods listed belows using: - visual examination - white light and filtered light - low power microscopy - high power microscopy chemical testing (see below)	Culham Birchwood Park Tamworth Wakefield
Any Material	Recovery and preparation, including for contingency purposes, for subsequent DNA analysis at an accredited laboratory of the following from searched materials and swabs: - Blood - Semen - Saliva - Faeces (not Culham) - Urine (not Culham) - Hairs - Cellular Material	Documented In-House Methods methods EFS-BM-186 and EFS-BM-787 using: - cutting - swabs and swabbing - EFS-BM-229 extraction of stained materials - EFS-BM-229 extraction of swabs - taping - EFS-BM-229 extraction of semen from tapes (Wakefield and Tamworth only) - mini-taping	Culham Birchwood Park Tamworth Wakefield



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Any Material (not Lambeth) Swabs Mini-tapes Cigarette butts Chewing gum	Recovery and preparation for subsequent DNA analysis at an accredited laboratory of the following from searched materials and swabs: - Blood - Cellular Material	Documented In-House Methods methods: EFS-BM-2602, EFS-BM-2603, EFS BM1583, EFS-BM-787 and EFS-DNAM-2884 (Lambeth only) using: - cutting - swabs and swabbing (not Lambeth) - mini-taping (not Lambeth)	Birchwood Park Lambeth Tamworth Wakefield
Products of conception	Forensic examination of in order to determine paternity of the aborted foetus in criminal cases	Documented In-House Methods	Wakefield
Any Material	Recovery and preparation for subsequent DNA analysis or for contingency purposes of the following from searched materials and swabs: - Cellular Material	Documented In-House method EFS-BM-FM-1570 using: - swabs and swabbing - mini-taping	Leeds
Any Material	Recovery and preparation for Subsequent DNA analysis or for Preservation for contingency Purposes - Cellular Material	Documented In-House Method EFS-DM-1315a  - swabs and swabbing - mini-taping - cutting	Heathrow
Blood	Presumptive testing for Blood via detection of: - Peroxidase - Human Haemoglobin	Documented In-House method EFS-BM-018 using: - KM (Kastle Meyer) - - EFS-BM-231 Hemastix (Culham only) - EFS-BM-322 Hematrace	Culham Birchwood Park Tamworth  Wakefield



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Blood Swabs	Presumptive testing for Blood via detection of: - Peroxidase	Documented In-House Methods using: - KM (Kastle Meyer)	Lambeth
Blood	<u>Related Opinions and Interpretations</u>  Identification, interpretation and recording of blood patterns (BPA) on clothing and other items examined at the laboratory	Documented In-House Methods EFS-BM-600 and ENF-BM-601 using: - visual examination low power microscopy	Culham Birchwood Park Tamworth Wakefield
Semen	Presumptive testing for seminal fluid, via detection of: - Acid Phosphatase - Choline	Documented In-House Methods using: - EFS-BM-378 Visual Examination - EFS-BM-378 Acid phosphatase detection (colour reaction) - EFS-BM-381 Choline detection by Florence Iodine test (not Culham)	Culham Birchwood Park Tamworth Wakefield
Semen	Confirmatory testing for seminal fluid via identification of: - Spermatozoa	Documented In-House Method method EFS-BM-380 using: - High power microscopy - Christmas Tree staining - Haematoxylin and Eosin staining	Culham Birchwood Park Tamworth Wakefield
Saliva	Presumptive testing for saliva via detection of: - Amylase	Documented In-House Method method EFS-BM-064 using: - Visual examination - Amylase Paper - Phadebas paper - Phadebas tube test (not Culham)	Culham Birchwood Park Tamworth Wakefield



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Urine	Presumptive testing for Urine via detection of: - Urea	Documented In-House Method method EFS-BM-706 using: - Visual examination - DMAC - Creatinine test	Birchwood Park Tamworth Wakefield
Faeces	Presumptive testing for Human Faeces via detection of: - Urobilinogen	Documented In-House Method method EFS-BM-456 using: - Visual examination - High energy light - Schlesinger's test	Birchwood Park Tamworth Wakefield
Hairs	Differentiation of Human and Animal hairs	Documented In-House Method method EFS-BM-062 using: - visual examination - low power microscopy - high power microscopy	Tamworth
Alcohol Technical Defence (in relation to RTA and sexual offences) for sample matrix including Blood/urine/breath	Estimation of alcohol consumption and elimination with respect to validity of drinking patterns: 1) Effect of alleged post accident alcohol consumption on measured breath/body fluids alcohol levels 2) Effect of alleged spiked drink 3) Back calculations of breath/ blood alcohol levels to the time of accident or other incident from 8.7 µg %/20mg% and above	Documented in House method using mathematical calculations	Hethrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Blood / Urine (Preserved, Unpreserved)	Identification and quantification of alcohol (ethanol) (>10mg/100ml)	Documented in House method EFS-TM-058 using: - GC-FID	Teddington
	Detection and quantification of alcohol in relation to the Road Traffic Act (>10mg/100ml)	Documented in House method EFS-TM-2248 using: - GC-FID	Teddington
Blood (Preserved, Unpreserved)	Detection and quantitation of drugs in relation to s5A of the Road Traffic Act 1988 (as amended) and The Drug Driving (Specified Limits) (England and Wales) Regulations 2014:  Delta-9-tetrahydrocannabinol (THC) (2 µg/L) 11-nor-Delta-9-tetrahydrocannabinolic acid (THC-acid) (5-50 µg/L)	Documented in House method EFS-TM-1704 using: - Solid Phase Extraction - GC-MS-MS	Teddington Heathrow
Blood (Preserved, Unpreserved) (cont'd)	Detection and quantitation of drugs in relation to s5A of the Road Traffic Act 1988 (as amended) and The Drug Driving (Specified Limits) (England and Wales) Regulations 2014:  Amphetamine (250 µg/L) Benzoylcegonine (50 µg/L) Clonazepam (50 µg/L) Cocaine (10 µg/L) Diazepam (550 µg/L) Flunitrazepam (300 µg/L) Ketamine (20 µg/L) Lorazepam (100 µg/L) Lysergic Acid Diethylamide – LSD (1µg/L) Methadone (500 µg/L) Methylamphetamine (10 µg/L) Methylenedioxymethamphetamine – MDMA (10 µg/L) 6-Monoacetylmorphine (5 µg/L) Morphine (80 µg/L) Oxazepam (300 µg/L) Temazepam (1000 µg/L)	Documented in House method EFS-TM-1812 (Teddington) and EFS-TM-3144 (automated) using: - Protein precipitation - Solid Phase Extraction - LC-MS-MS	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood (Preserved/ Unpreserved)	Confirmation and Quantification of the following drugs; (Cut-off; Concentration range)  6-Monoacetylmorphine (0.25 ng/mL; 0.5–25 ng/mL) Alprazolam 2.5 ng/mL; 5–250 ng/mL Amphetamine (10 ng/mL; 20–1000 ng/mL) Buprenorphine (0.25 ng/mL; 1–25 ng/mL) Butylone (2.5 ng/mL; 5–250 ng/mL) Benzoylecgonine (10 ng/mL; 20–1000 ng/mL) Benzylpiperazine* (confirmation only) (20 ng/mL) Cocaethylene (2.5 ng/mL; 5–250 ng/mL) Clonazepam (5 ng/mL; 5–250 ng/mL) Cocaine (2.5 ng/mL; 5–50 ng/mL) Codeine (2.5 ng/mL; 5–250 ng/mL) Chlorophenylpiperazine (2.5 ng/mL; 5–250 ng/mL) Dihydrocodeine (2.5 ng/mL; 5–250 ng/mL) Diazepam (25 ng/mL; 50–2500 ng/mL) Desmethyldiazepam (25 ng/mL; 50–2500 ng/mL) Flunitrazepam (10 ng/mL; 20–1000 ng/mL) Ketamine (2.5 ng/mL; 5–250 ng/mL) Lorazepam (2.5 ng/mL; 5–250 ng/mL) LSD (0.25 ng/mL; 0.5–25 ng/mL) Methamphetamine (2.5 ng/mL; 5–250 ng/mL) MDA (10 ng/mL; 20–1000 ng/mL) MDMA (2.5 ng/mL; 5–250 ng/mL) Methadone (25 ng/mL; 50–2500 ng/mL)	Documented In-House method EFS-TM-3144 (automated) using;  - Protein precipitation - Solid Phase Extraction - LC-MS-MS	Heathrow





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood (Preserved/ Unpreserved)	Confirmation and Quantification of the following drugs (cont'd) (Cut-off; Concentration range)  MDPV (2.5 ng/mL; 5–250 ng/mL) Methylethcathinone (2.5 ng/mL; 5–250 ng/mL) Mephedrone (2.5 ng/mL; 5–250 ng/mL) Methylone (2.5 ng/mL; 5–250 ng/mL) Morphine (2.5 ng/mL; 5–250 ng/mL) Oxazepam (10 ng/mL; 20–1000 ng/mL) Phenazepam (2.5 ng/mL; 5–250 ng/mL) Temazepam (25 ng/mL; 50–2500 ng/mL) TFMPP (2.5 ng/mL; 5–250 ng/mL) Tramadol (10 ng/mL; 20–1000 ng/mL) Trazodone (5ng/mL) (confirmation only) (Heathrow only)) Zopiclone (5 ng/mL; 5–250 ng/mL)	Documented In-House method EFS-TM-3144 (automated) using;  - Protein precipitation - Solid Phase Extraction - LC-MS-MS	Heathrow
Blood (Preserved, Unpreserved)	Presumptive screening for the presence of drugs of abuse (Cut-off; Concentration range)  Drug types/groups: Cannabinoids (10µg/L; 5-50µg/L)	Documented in house method EFS-TM-2058 using:  - Solid Phase Extraction - GC-MS-MS	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Blood (Preserved, Unpreserved) (cont'd)	<p>Presumptive screening for the presence of drugs of abuse (Cut-off NaOH; Bicarbonate):</p> <p>Amitriptyline (5ng/mL; 2.5ng/mL)            Amphetamine (5ng/mL; 12.5ng/mL)            Benzylpiperazine (25ng/mL; 250ng/mL)            Butylone (10ng/mL; 10ng/mL)            Caffeine (500ng/mL; 500ng/mL)            Chlorophenylpiperazine (25ng/mL; 25ng/mL)            Chlorphenamine (2.5ng/mL; 2.5ng/mL)            Chlorpromazine (10ng/mL; 10ng/mL)            Citalopram (5ng/mL; 5ng/mL)            Clozapine (5ng/mL; 5ng/mL)            Cocaine (10ng/mL; 5ng/mL)            Codeine (25ng/mL; 25ng/mL)            Cyclizine (2.5ng/mL; 2.5ng/mL)            Desipramine (10ng/mL; 10ng/mL)            Desmethyldiazepam (DMD) (50ng/mL; 50ng/mL)            Dextropropoxyphene (2.5ng/mL; 2.5ng/mL)            Diazepam (50ng/mL; 50ng/mL)            Diphenhydramine (2.5ng/mL; 2.5ng/mL)            Dosulepin (2.5ng/mL; 2.5ng/mL)            Dothiepin            Fentanyl (2.5ng/mL; 2.5ng/mL)            Fluoxetine (50ng/mL; 20ng/mL)            Fluvoxamine (200ng/mL; 200ng/mL)            Zopiclone (50ng/mL; 50ng/mL)</p>	<p>Documented in House method EFS-TM-617 using:</p> <ul style="list-style-type: none"> <li>- Liquid-Liquid extraction</li> <li>- GC-MS</li> </ul>	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Urine (Preserved, Unpreserved)	<u>Forensic Analysis</u> (cont'd)  Presumptive screening for the presence of drugs of abuse (Cut-off NaOH; Bicarbonate ):  Amitriptyline (2.5ng/mL;2.5ng/mL) Amphetamine (5ng/mL;12.5ng/mL) Benzylpiperazine (25ng/mL;250ng/mL) Butylone (10ng/mL;10ng/mL) Caffeine (500ng/mL;500ng/mL) Chlorophenylpiperazine (10ng/mL;10ng/mL) Chlorphenamine (2.5ng/mL;2.5ng/mL) Chlorpromazine (5ng/mL;10ng/mL) Citalopram (5ng/mL;5ng/mL) Clozapine (5ng/mL;5ng/mL) Cocaine (25ng/mL;10ng/mL) Codeine (25ng/mL;25ng/mL) Cyclizine (2.5ng/mL;2.5ng/mL) Desipramine (5ng/mL;5ng/mL) Desmethyldiazepam (DMD) (50ng/mL;50ng/mL) Dextropropoxyphene (2.5ng/mL;2.5ng/mL) Diazepam (50ng/mL;50ng/mL) Diphenhydramine (2.5ng/mL;2.5ng/mL) Dosulepin (2.5ng/mL;2.5ng/mL) Fentanyl (2.5ng/mL;2.5ng/mL) Fluoxetine (20ng/mL;20ng/mL) Fluvoxamine (200ng/mL;200ng/mL) Hydroxyzine (50ng/mL;50ng/mL) Imipramine (2.5ng/mL;2.5ng/mL) Ketamine (2.5ng/mL;2.5ng/mL)	Documented in House method EFS-TM-617 using:  - Liquid-Liquid extraction GC-MS	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Urine (Preserved, Unpreserved)	<u>Forensic Analysis</u> (cont'd)  Presumptive screening for the presence of drugs of abuse (Cut-off NaOH; Bicarbonate ):  Lamotrigine (50ng/mL;50ng/mL) Mephedrone (10ng/mL;25ng/mL) Methadone (5ng/mL;5ng/mL) Methylamphetamine (12.5ng/mL;12.5ng/mL) Methylenedioxypropylamphetamine (MDPV) (10ng/mL;10ng/mL) Methylethcathinone (MEC) (10ng/mL;10ng/mL) Methylone (10ng/mL;25ng/mL) MDMA (3,4-methylenedioxy-N-methylamphetamine) (5ng/mL;5ng/mL) Midazolam (5ng/mL;5ng/mL) Mirtazapine (5ng/mL;5ng/mL) Naphyrone (10ng/mL;10ng/mL) Nicotine (5ng/mL;5ng/mL) Nortriptyline (25ng/mL;25ng/mL) Olanzapine(5ng/mL;5ng/mL) Oxycodone(25ng/mL;25ng/mL) Paroxetine (50ng/mL;50ng/mL) Pentylone (5ng/mL;5ng/mL) Pethidine (2.5ng/mL;2.5ng/mL) PMMA (para-Methoxy-N-methylamphetamine) (5ng/mL;5ng/mL) Procyclidine (5ng/mL;5ng/mL) Promethazine (12.5ng/mL;5ng/mL) Propranolol (50ng/mL;50ng/mL) Quetiapine (200ng/mL;200ng/mL) Sertraline (10ng/mL;10ng/mL) Tramadol (5ng/mL;5ng/mL) Trazodone (50ng/mL;50ng/mL) Trifluoromethylphenylpiperazine (2.5ng/mL;2.5ng/mL) Venlafaxine (10ng/mL;10ng/mL) Zolpidem (2.5ng/mL;2.5ng/mL) Zopiclone (50ng/mL;50ng/mL)	Documented in House method EFS-TM-617 using:  - Liquid-Liquid extraction GC-MS	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood/Urine (Preserved, Unpreserved)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Presumptive screening for the presence of drugs of abuse (Cut-off Blood;Urine )</p> <p>-7-Aminoclonazepam (0.005mg/L; 0.005mg/L) 7-Aminoflunitrazepam (0.001mg/L; 0.002mg/L) 7-Aminonitrazepam (0.005mg/L; 0.005mg/L) Alprazolam (0.001mg/L; 0.002mg/L) Amobarbital (2mg/L; 2mg/L) Bromazepam (0.001mg/L; 0.002mg/L) Chlordiazepoxide (0.005mg/L; 0.005mg/L) Clobazam (0.005mg/L; 0.005mg/L) Clonazepam (0.001mg/L; 0.001mg/L) Demoxepam (0.005mg/L; 0.005mg/L) Desalkylflurazepam (0.005mg/L; 0.005mg/L) Desmethyldiazepam (0.005mg/L; 0.005mg/L) Diazepam (0.005mg/L; 0.005mg/L) Diclazepam (0.001mg/L; 0.002mg/L) Etizolam (0.001mg/L; 0.001mg/L) Flubromazolam (0.001mg/L; 0.001mg/L) Flunitrazepam (0.001mg/L; 0.001mg/L) Flurazepam (0.001mg/L; 0.001mg/L) Lorazepam (0.001mg/L; 0.002mg/L)</p>	<p>Documented in house method EFS-TM-1903 using:</p> <ul style="list-style-type: none"> <li>-</li> <li>- Protein precipitation</li> <li>- Solid-phase extraction</li> <li>- UPLC/QExactive Orbitrap-MS</li> </ul>	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Blood/Urine (Preserved, Unpreserved)	<p>Presumptive screening for the presence of drugs of abuse (Cut-off Blood;Urine )</p> <p>Analgesic and Anti-Inflammatory Group:</p> <ul style="list-style-type: none"> <li>- Baclofen (Blood 0.1 mg/L; Urine 0.1 mg/L)</li> <li>- Diclofenac (1 mg/L; 1 mg/L)</li> <li>- Furosemide (1 mg/L; 1mg/L)</li> <li>- Ibuprofen (5 mg/L; 5 mg/L)</li> <li>- Naproxen (5 mg/L; 5 mg/L)</li> <li>- Paracetamol (5 mg/L; 25 mg/L)</li> <li>- Salicylic Acid (1 mg/L; 1 mg/L)</li> <li>- Warfarin (0.25 mg/L; 0.25 mg/L)</li> </ul> <p>Anticonvulsant Group</p> <ul style="list-style-type: none"> <li>- Carbamazepine (1 mg/L; 1 mg/L)</li> <li>- Gabapentin (1mg/L; 1 mg/L)</li> <li>- Levetiracetam (10 mg/L; 20 mg/L)</li> <li>- Phenytoin (1mg/L; 1 mg/L)</li> <li>- Pregabalin (1mg/L; 1 mg/L)</li> <li>- Primidone (1mg/L; 2 mg/L)</li> <li>- Topiramate (1 mg/L; 1 mg/L)</li> <li>- Valproic Acid (5 mg/L; 5 mg/L)</li> <li>- Zonisamide (1 mg/L; 1 mg/L)</li> </ul> <p>Others</p> <ul style="list-style-type: none"> <li>- Methylphenidate (0.1 mg/L; 0.1 mg/L)</li> <li>- Ethylphenidate (0.001 mg/L; 0.005 mg/L)</li> <li>- Ritalinic Acid (0.005 mg/L; 0.005 mg/L)</li> <li>- Theophylline (10 mg/L; 10 mg/L)</li> </ul>	<p>Documented in house method EFS-TM-1903 using:</p> <ul style="list-style-type: none"> <li>- Protein precipitation</li> <li>- Solid-phase extraction</li> <li>- UPLC/QExactive Orbitrap-MS</li> </ul>	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood/Urine (Preserved, Unpreserved)	<u>Forensic Analysis</u> (cont'd)  Presumptive screening for the presence of drugs of abuse (Cut-off Blood;Urine) cont'd  Lormetazepam (0.001mg/L; 0.001mg/L) Midazolam (0.001mg/L; 0.002mg/L) Nifoxipam (0.001mg/L; 0.001mg/L) Nitrazepam (0.005mg/L; 0.005mg/L) Oxazepam (0.005mg/L; 0.002mg/L) Phenazepam (0.005mg/L; 0.005mg/L) Penobarbital (2mg/L; 2mg/L) Pentobarbital (2mg/L; 2mg/L) Quinalbarbitone (secobarb) (2mg/L; 2mg/L) Sildenafil (0.01mg/L; 0.01mg/L) Tadalafil (0.02mg/L; 0.02mg/L) Temazepam (0.005mg/L; 0.005mg/L) Thiopental (2mg/L; 2mg/L) Triazolam (0.001mg/L; 0.001mg/L) Vardenafil (0.01mg/L; 0.01mg/L) Zaleplon (0.002mg/L; 0.004mg/L) Zolpidem (0.001mg/L; 0.001mg/L) Zopiclone (0.001mg/L; 0.002mg/L)	Documented in house method EFS-TM-1903 using:  - Solid-phase extraction - UPLC/QExactive Orbitrap-MS	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Blood (Preserved, Unpreserved) (cont'd)	Confirmation (above specified cut-off) of the following drugs (cut-off): EDDP (0.005mg/L) Cathinone (0.00125mg/L) Methylone (0.005mg/L) 7-Aminonitrazepam (0.001mg/L)	Documented In-House Method EFS-TM-1713 using: - Protein precipitation - Solid-phase extraction - LC-MS-MS	Teddington Heathrow
Blood (Preserved, Unpreserved)	Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range)  Amphetamines Amphetamine (0.00125mg/L; 0.005-0.4mg/L) Methylamphetamine (0.00125mg/L; 0.005-0.4mg/L) MBDB (0.00125mg/L; 0.005-0.4mg/L) MDA (0.005mg/L; 0.025-0.4mg/L) MDEA (0.00125mg/L; 0.005-0.4mg/L) MDMA (0.00125mg/L; 0.005-0.4mg/L) MDPV (0.00125mg/L; 0.005-0.4mg/L) PMA (0.00125mg/L; 0.005-0.4mg/L) PMMA (0.00125mg/L; 0.005-0.4mg/L)  Cathinones Butylone (0.00125mg/L; 0.005-0.4mg/L) Mephedrone (0.00125mg/L; 0.005-0.4mg/L) Methylethcathinone (0.00125mg/L; 0.005-0.4mg/L) Pentylone (0.00125mg/L; 0.005-0.4mg/L)	Documented In-House Method EFS-TM-1713 using:  - Protein precipitation - Solid-phase extraction - LC-MS-MS	Teddington Heathrow





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood (Preserved, Unpreserved)	<u>Forensic Analysis</u> (cont'd)  Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range)  Opiates/Opioids 6-monoacetylmorphine (6MAM) (0.00025mg/L; 0.001-0.08mg/L) Buprenorphine (0.00025mg/L; 0.001-0.08mg/L) Codeine (0.00125mg/L; 0.005-0.4mg/L) Dihydrocodeine (0.00125mg/L; 0.005-0.4mg/L) Fentanyl (0.000125mg/L; 0.0005-0.04mg/L) Methadone (0.00125mg/L; 0.005-0.4mg/L) Morphine (0.00125mg/L; 0.005-0.4mg/L) Naloxone (0.001mg/L; 0.005-0.08mg/L) Noscipine(0.00125mg/L; 0.005-0.4mg/L) Oxycodone(0.00125mg/L; 0.005-0.4mg/L) Oxymorphine (0.00125mg/L; 0.005-0.4mg/L)	Documented In-House Method EFS-TM-1713 using:	Teddington Heathrow
Blood (Preserved, Unpreserved) (cont'd)	Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range)  Papaverine(0.00125mg/L; 0.005-0.4mg/L) Tramadol (0.005mg/L; 0.025-0.4mg/L)  Cocaine group Benzoylecgonine (0.00125mg/L; 0.005-0.4mg/L) Cocaethylene (0.00125mg/L; 0.005-0.4mg/L)	Documented In-House Method EFS-TM-1713 using:  - Protein precipitation - Solid-phase extraction - LC-MS-MS	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood (Preserved, Unpreserved) (cont'd)	<u>Forensic Analysis</u> (cont'd)  Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range) (cont'd)  Cocaine (0.00125mg/L; 0.005-0.4mg/L) Benzodiazepines 7-aminoclonazepam (0.001mg/L; 0.005-0.08mg/L) 7-aminoflunitrazepam (0.001mg/L; 0.005-0.08mg/L) Alprazolam (0.001mg/L; 0.005-0.08mg/L) Bromazepam (0.001mg/L; 0.005-0.08mg/L) Chlordiazepoxide (0.00125mg/L; 0.005-0.4mg/L) Clobazam (0.00125mg/L; 0.005-0.4mg/L) Clonazepam (0.001mg/L; 0.005-0.08mg/L) Demoxepam (0.00125mg/L; 0.005-0.4mg/L) Desalkylflurazepam (0.005mg/L; 0.001-0.08mg/L) Desmethyldiazepam (0.00125mg/L; 0.005-0.4mg/L) Diazepam (0.00125mg/L; 0.005-0.4mg/L) Diclazepam (0.00025mg/L; 0.001-0.08mg/L) Etizolam (0.001mg/L; 0.005-0.08mg/L) Flunitrazepam (0.00025mg/L; 0.001-0.08mg/L) Flurazepam (0.00025mg/L; 0.001-0.08mg/L) Lorazepam (0.001mg/L; 0.005-0.08mg/L) Lormetazepam (0.001mg/L; 0.005-0.08mg/L) Midazolam (0.001mg/L; 0.005-0.08mg/L)	Documented In-House Method EFS-TM-1713 using:  - Protein precipitation - Solid-Phase extraction - LC-MS-MS	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood (Preserved, Unpreserved) (cont'd)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range) (cont'd)</p> <p>Nitrazepam (0.001mg/L; 0.005-0.08mg/L) Oxazepam (0.00125mg/L; 0.005-0.4mg/L) Phenazepam (0.00125mg/L; 0.005-0.4mg/L) Temazepam (0.00125mg/L; 0.005-0.4mg/L) Triazolam (0.001mg/L; 0.005-0.08mg/L)</p> <p>Ephedrines Ephedrine (0.00125mg/L; 0.005-0.4mg/L) Norephedrine (0.00125mg/L; 0.005-0.4mg/L) Norpseudoephedrine (0.00125mg/L; 0.005-0.4mg/L) Pseudoephedrine (0.00125mg/L; 0.005-0.4mg/L)</p> <p>Ketamine (0.00125mg/L; 0.005-0.4mg/L) Norketamine (0.00125mg/L; 0.005-0.4mg/L)</p> <p>Piperazines Benzylpiperazine (0.005mg/L; 0.025-0.4mg/L) Chlorophenylpiperazine (0.00125mg/L; 0.005-0.4mg/L) Trifluoromethylphenylpiperazine (0.00125mg/L; 0.005-0.4mg/L)</p>	<p>Documented In-House Method EFS-TM-1713 using:</p> <ul style="list-style-type: none"> <li>- Protein precipitation</li> <li>- Solid-Phase extraction</li> <li>- LC-MS-MS</li> </ul>	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Blood (Preserved, Unpreserved) (cont'd)	Confirmation and Quantitative Analysis of the following drugs (Cut-off Limit; Concentration Range)  Z Drugs Zaleplon (0.001mg/L; 0.005-0.08mg/L) Zolpidem (0.00025mg/L; 0.001-0.08mg/L) Zopiclone (0.00025mg/L; 0.001-0.08mg/L)	Documented In-House Method EFS-TM-1713 using:  - Protein precipitation - Solid-phase extraction - LC-MS-MS	Teddington Heathrow
Blood/Urine (Preserved, Unpreserved)	Qualitative analysis (above specified cut-off limit) of the following drugs (cut-off limit):  Amphetamine type Methylethcathinone (0.01mg/L) Amphetamine, (0.01mg/L) Benzylpiperazine, (0.01mg/L) Butylone, (0.01mg/L) Cathinone, (0.01mg/L) Ephedrine, (0.01mg/L) Chlorophenylpiperazine (CPP), (0.01mg/L) MDA, (0.01mg/L) MDMA, (0.01mg/L) MDPV, (0.01mg/L) Mephedrone, (0.01mg/L) Methylamphetamine, (0.01mg/L) Methylone, (0.01mg/L) Naphyrone, (0.01mg/L) Norephedrine, (0.01mg/L) Pentylone, (0.01mg/L) PMA, (0.01mg/L) PMMA, (0.01mg/L) TFMPP (0.01mg/L)	Documented In-House Method EFS-TM-1711 using:  - Protein precipitation - Solid-phase extraction - LC-MS-MS	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood/Urine (Preserved, Unpreserved) (cont'd)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Confirmation of drugs of abuse</p> <p>Opioids Fentanyl, (0.0005mg/L) Buprenorphine, (0.0025mg/L) 6-MAM, (0.0025mg/L) Morphine, (0.005mg/L) Codeine, (0.005mg/L) Dextropropoxyphene, (0.01mg/L) Dihydrocodeine (DHC), (0.005mg/L) EDDP, (0.005mg/L) Methadone, (0.005mg/L) Oxycodone, (0.005mg/L) Oxymorphone, (0.005mg/L) Pethidine, (0.01mg/L) Pholcodine, (0.01mg/L) Tramadol (0.01mg/L)</p> <p>Cocaine Cocaine, (0.005mg/L) Benzoylecgonine (0.01mg/L)</p> <p>Benzodiazepine type Clonazepam, (0.005mg/L) Nitrazepam, (0.005mg/L) Zaleplon, (0.005mg/L) Zolpidem, (0.005mg/L) Zopiclone, (0.005mg/L) 7-Aminoflunitrazepam (0.005mg/L) Alprazolam, (0.005mg/L) Lorazepam, (0.005mg/L) Midazolam, (0.005mg/L) Chlordiazepoxide, (0.01mg/L) Demoxepam, (0.01mg/L) Desmethyldiazepam, (0.01mg/L) Diazepam, (0.01mg/L) Oxazepam, (0.01mg/L) Phenazepam, (0.01mg/L) Temazepam (0.01mg/L)</p>	<p>Documented In-House Method EFS-TM-1711 using:</p> <ul style="list-style-type: none"> <li>- Protein precipitation</li> <li>- Solid-phase extraction</li> <li>- LC-MS-MS</li> </ul>	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Blood/Urine (Preserved, Unpreserved) (cont'd)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Confirmation of drugs of abuse (above specified cut-off limit):</p> <p>Antidepressant Amitriptyline, (0.01mg/L) Citalopram, (0.01mg/L) Desipramine, (0.01mg/L) Dosulepin (Dothiepin), (0.01mg/L) Duloxetine, (0.005mg/L) Fluoxetine, (0.1mg/L) Fluvoxamine, (0.01mg/L) Imipramine, (0.01mg/L) Mirtazapine, (0.01mg/L) Nortriptyline, (0.01mg/L) Paroxetine, (0.01mg/L) Sertraline, (0.01mg/L) Trazodone, (0.01mg/L) Venlafaxine (0.01mg/L)</p> <p>Antihistamine Chlorpheniramine, (0.01mg/L) Cyclizine, (0.01mg/L) Diphenhydramine, (0.01mg/L) Hydroxyzine, (0.01mg/L) Promethazine (0.01mg/L)</p> <p>Antipsychotic Chlorpromazine, (0.025mg/L) Clozapine, (0.025mg/L) Olanzapine, (0.025mg/L) Quetiapine, (0.025mg/L)</p> <p>Beta Blocker Atenolol (0.05mg/L) Propranolol (0.01mg/L)</p> <p>Other Ketamine, (0.01mg/L) Lamotrigine, (0.05mg/L) Procyclidine, (0.01mg/L) Caffeine (5mg/L)</p>	<p>Documented In-House Method EFS-TM-1711 using:</p> <ul style="list-style-type: none"> <li>- Protein precipitation</li> <li>- Solid-phase extraction</li> <li>- LC-MS-MS</li> </ul>	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Urine (Preserved, Unpreserved)	<u>Forensic Analysis</u> (cont'd)  Confirmation of drugs of abuse (above specified cut-off limit):  Amphetamines Amphetamine (1.25ng/mL) MBDB (1.25ng/mL) MDA (1.25ng/mL) MDEA (1.25ng/mL) MDMA (1.25ng/mL) PMA (1.25ng/mL) PMMA (1.25ng/mL) Benzylpiperazine (1.25ng/mL) CPP (1.25ng/mL) TFMPP (1.25ng/mL) Ephedrine (1.25ng/mL) Norephedrine (1.25ng/mL) Norpseudoephedrine (1.25ng/mL) Pseudoephedrine (1.25ng/mL) Methamphetamine (1.25ng/mL) Methylone (1.25ng/mL)  Cathinones Cathinone (1.25ng/mL) Mephedrone (1.25ng/mL) Pentylone (1.25ng/mL) MDPV (1.25ng/mL) Methylethcathinone (1.25ng/mL) Butylone (1.25ng/mL)  Opioids Fentanyl (0.125ng/mL) Buprenorphine (0.25ng/mL) 6-MAM (0.25ng/mL) Morphine (1.25ng/mL) Codeine (1.25ng/mL) Dihydrocodeine (DHC) (1.25ng/mL) Methadone (1.25ng/mL) Oxycodone (1.25ng/mL) Oxymorphone (1.25ng/mL) Tramadol (1.25ng/mL) Naloxone (0.25ng/mL) Noscapine (1.25ng/mL) Papaverine (1.25ng/mL)	Documented In-House Method EFS-TM-1713 using:  - Protein precipitation - Solid-phase Extraction - LC-MS-MS	Teddington Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)  Urine (Preserved, Unpreserved)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Confirmation of drugs of abuse (above specified cut-off limit)::</p> <p>Benzodiazepine type Clonazepam (0.25ng/mL) Nitrazepam (0.25ng/mL) Zolpidem (0.25ng/mL) Zopiclone (0.25ng/mL) 7-Aminoflunitrazepam (0.25ng/mL) 7-Aminonitrazepam (0.25ng/mL) Alprazolam (0.25ng/mL) Lorazepam (0.25ng/mL) Midazolam (0.25ng/mL) Chlordiazepoxide (1.25ng/mL) Demoxepam (1.25ng/mL) Desmethyldiazepam (1.25ng/mL) Diazepam (1.25ng/mL) Oxazepam (1.25ng/mL) Phenazepam (1.25ng/mL) Temazepam (1.25ng/mL) 7-Aminoclonazepam (0.25ng/mL) Bromazepam (0.25ng/mL) Clobazam (1.25ng/mL) Desalkylflurazepam (1.25ng/mL) Diclazepam (0.25ng/mL) Etizolam (0.25ng/mL) Flunitrazepam (0.25ng/mL) Flurazepam (0.25ng/mL) Lormetazepam (0.25ng/mL) Triazolam (0.25ng/mL)</p> <p>Cocaine Cocaine (1.25ng/mL) Cocaethylene (1.25ng/mL) Benzoylecgonine (1.25ng/mL)</p> <p>Other Ketamine (1.25ng/mL) Norketamine (1.25ng/mL) EDDP (1.25ng/mL) Zaleplon (0.25ng/mL)</p>	<p>Documented In-House Method EFS-TM-1713 using:</p> <p>-Protein precipitation -Solid-phase extraction -LC-MS-MS</p>	Teddington Heathrow





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BODY FLUIDS and TISSUES (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Blood	Identification and quantification of carbon monoxide via carboxyhaemoglobin	Documented In-House Method EFS-TM-1585 using: - UV/visible spectrophotometer	Heathrow
Blood	Identification and quantification of Fluoride	Documented In-House Method EFS-TM-621 using: - Ion-selective electrode	Teddington Heathrow
Urine	Identification and quantification of Fluoride	Documented In-House Method EFS-TM-621 using: - Ion-selective electrode	Heathrow
Blood	Confirmation and Quantitative Analysis of the following drugs (Concentration Range) Paracetamol (10-500mg/L) Salicylic Acid (20-1000mg/L)	Documented in-house method EFS-TM-2267 using: - Protein precipitation - HPLC	Heathrow
Urine	Identification and quantification of GHB (Gamma-Hydroxybutyrate) (concentration range 3-150mg/L)	Documented in-house method EFS-TM-2244 using: - LCMSMS	Teddington
DIGITAL DEVICES AND DATA	<u>Forensic Analysis</u>		
Computers			
Computers and digital storage devices - Hard disk drives - Solid state drives - Memory cards - USB flash drives - Compact discs	Physical capture and preservation of data	Documented in-house method EFS-DDFM-2443 using: - Guidance EnCase - AccessData FTK Imager - X-Ways Forensics - Guidance Tableau TD3 - Guidance Tableau T35u - Guidance Tableau T8	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Computers and digital storage devices - Hard disk drives - Solid state drives	Physical capture and preservation of data	Documented in-house method EFS-DDFM-2443 using: - BlackBag - MacQuisition	Teddington
Computers and digital storage devices - Digital versatile discs - Digital cameras - Floppy disks	Physical capture and preservation of data	Documented in-house method EFS-DDFM-2443 using: - Guidance EnCase	Teddington
Computers and digital storage devices - Microsoft Windows Tablets	Physical capture and preservation of data	Documented in-house method EFS-DDFM-2443 using: - Guidance EnCase - AccessData FTK Imager - WinFE	Teddington
Data associated with the following: - Hard disk drives - Solid state drives - Memory cards - USB flash drives - Microsoft Windows	Screening of digital media for the following: - Digital Images - Digital video - Emails - Documents - Web history	Documented in-house method EFS-DDFM-2374 using: - ADF Triage-Investigator - Guidance Tableau T35u - Guidance Tableau T8	Teddington
Data associated with the following: - Microsoft Windows - macOS - Linux/Unix	Processing and analysis of data	Documented in-house method EFS-DDFM-2444 using: - Guidance EnCase - AccessData FTK - Magnet AXIOM	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Mobile Phones			
Mobile phone handsets and tablets associated with the following operating systems: - Google Android - Non-smartphone proprietary systems	Physical capture and preservation of data	Documented in-house method EFS-DDFM-1003 using: - MSAB XRY - Cellebrite UFED 4PC - Cellebrite UFED Touch2	Birmingham
Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Google Android - Non-smartphone proprietary systems	Logical capture and preservation of data	Documented in-house method EFS-DDFM-1003 using: - MSAB XRY - Cellebrite UFED 4PC - Cellebrite UFED Touch2 - Oxygen Forensics Detective	Birmingham
Mobile phone handsets and tablets associated with the following operating systems: - Apple iOS - Google Android - Non-smartphone proprietary systems	Processing of data	Documented in-house method EFS-DDFM-1003 using: - MSAB XRY - MSAB XAMN - Cellebrite UFED Physical Analyzer - Oxygen Forensics Detective	Birmingham
(U)SIM cards	Logical capture and preservation of data	Documented in-house method EFS-DDFM-1002 using: - Quantaq Solutions USIMdetective - MSAB XRY - Cellebrite UFED Touch2	Birmingham



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DIGITAL DEVICES AND DATA (cont'd)	<u>Forensic Analysis</u> (cont'd)		
(U)SIM cards	Processing of data	Documented in-house method EFS-DDFM-1002 using: - MSAB XRY - MSAB XAMN - Cellebrite UFED Physical Analyzer	Birmingham
Memory cards associated with mobile phone handsets and tablets	Physical capture and preservation of data	Documented in-house method EFS-DDM-1004 using: - Guidance EnCase	Birmingham
Satellite navigation systems associated with the following manufactures / systems: - Garmin - TomTom	Physical capture and preservation of data	Documented in-house method EFS-DDM-1010 using: - Guidance EnCase - Forensic Navigation TomTology - AccessData FTK Imager	Teddington
Satellite navigation systems associated with the following manufactures / systems: - Garmin - TomTom	Processing of data	Documented in-house method(s) using: - Guidance EnCase - Forensic Navigation TomTology	Teddington



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DAMAGE  Damage (Clothing and Fabric)	<u>Forensic Analysis</u>		
	<u>Related Opinions and Interpretations</u>  Examination, assessment and evaluation of a damage item, comparison of damage with suspected instrument (excluding firearms) to determine the likelihood the suspected instrument caused the damage.  Examination, assessment and evaluation of a damage item	Documented In-House Method Method EFS-BM-050 using: - Visual examination - Microscopy  Documented In-House Methods using: - Visual examination - Microscopy	Culham Birchwood Park Tamworth  Wakefield
DOCUMENTS  Handwriting (Roman script)	<u>Forensic Analysis</u>		
	The examination of submitted items to compare handwriting from known and suspect sources to establish links and/or authorship	Documented in house method EFS-QDM-1096 using: - Visual examination - Low power microscopy	Heathrow
	Signatures	The examination of submitted items to compare signatures from known and suspect sources to establish links and/or authorship	Documented in house method EFS-QDM-1096 using: - visual examination - low power microscopy
Paper and other material	Detection and enhancement of indented marks made by handwriting	Documented in house method using EFS-QDM-1096: -Oblique lighting -Low power microscopy -ESDA	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DOCUMENTS (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Documents	Detection of alterations and decipherment of altered or obliterated entries - Ink examination	Documented in house methods EFS-QDM-1575 using: - lighting techniques, - visual examination - microscopy - VSC	Heathrow
Inks	Comparison of inks	Documented in house method EFS-QDM-1575 using: - VSC - Lighting techniques - visual examination - low power microscopy	Heathrow
DRUGS (and materials suspected of containing drugs)	<u>Forensic Analysis</u>  Legal classification of controlled drugs (Misuse of Drugs Act 1971)  Identification of cannabis products	Documented in house method EFS-DM-001 using: - Duquenois Levine Colour test (Negms test) - Microscopy - Thin-layer chromatography (TLC) (Teddington only)	Tamworth Wakefield Lambeth Heathrow
	Determination of Tetrahydrocannabinol (THC) in Cannabis, cannabis resin and cannabis products	Documented in house method EFS-DM-009 using: - GC-FID	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DRUGS (cont'd) (and materials suspected of containing drugs) Drugs of Abuse	<u>Forensic Analysis</u> (cont'd)  Screening for the presence of:  Amphetamine Methylamphetamine Diamorphine Ecstasy types Opiates  Cocaine  Ketamine	Documented In-House method EFS-DM-007 using Spot tests: - Marquis colour test  - Acidified Cobalt Thiocyanate colour test  Modified Cobalt Thiocyanate colour test	Tamworth Wakefield Lambeth  Tamworth Wakefield  Lambeth
Drugs of Abuse	Screening for the presence of - Amphetamine - Methylamphetamine - Ring substituted amphetamines - Diamorphine - Cocaine - Methadone	Documented In-House method EFS-DM-034 using: - Thin layer chromatography (TLC)	Heathrow
	Identification of: - Amphetamine - Cocaine - Codeine - Diamorphine - Diazepam - Dihydrocodeine - Ephedrine - Ketamine - Methadone - Methamphetamine - Methylenedioxyamphetamine (MDA) - Methylenedioxymethylamphetamine (MDMA) - Methylenedioxyethylamphetamine (MDEA) - Nitrazepam (not Heathrow) - Temazepam (not Heathrow)	Documented In-House method EFS-DM-002 using: - GC-MS	Tamworth Wakefield Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DRUGS (cont'd) (and materials suspected of containing drugs)	<u>Forensic Analysis (cont'd)</u>		
	Identification of: - Amphetamine - Methylamphetamine - Diamorphine - Methylenedioxymethylamphetamine (MDMA) - Cocaine	Documented In-House method EFS-DM-002 using: GC-MS	Lambeth
	Identification of: - Amphetamine - Methylamphetamine - Diamorphine - Ring-substituted amphetamines - Cocaine - Cocaine hydrochloride - Ketamine hydrochloride (Lambeth only)	Documented In-House method EFS-DM-035 using: - FT-IR	Tamworth Wakefield Lambeth Heathrow
	Identification of: - Lysergide	Documented In-House method EFS-DM-034 using: - TLC	Heathrow
	Identification of: - Opium (raw and prepared)	Documented In-House method EFS-DM-809 using: - Visual examination - TLC - GC-MS	Heathrow
	Semi-Quantitative: - Diamorphine - Cocaine	Documented In-House method EFS-DM-1091 using single point calibration: - GC-MS	Lambeth Heathrow
Quantitation of: - Amphetamine - Methylamphetamine - Methylenedioxymethylamphetamine (MDMA) - Cocaine - Diamorphine	Documented In-House method EFS-DM-3210 using: - HP-LC	Heathrow	





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
DRUGS (cont'd) (and materials suspected of containing drugs)	<u>Forensic Analysis</u> (cont'd)		
	Recovery and identification of drug traces from drug paraphernalia and packaging	Documented in house method using: - solvent washing - dry recovery with swabs and swabbing	Wakefield
	Identification of additives and diluents commonly associated with drugs - Caffeine - Paracetamol - Glucose - Lactose - Sucrose - Levamisol - Lignocaine - Phenacetin - Benzocaine - Procaine	Documented in house method EFS-DM-035 using: - GC-MS - FTIR	Wakefield
	Identification of characteristically marked proprietary pharmaceuticals, illicit copies and other drugs products	Documented in house method using: - Visual comparison of appearance, markings, dimensions with reference materials, data collections and descriptions in authoritative texts	Wakefield
	Identification of Nitrous Oxide gas	Documented in house method EFS-DM-2268 using - FTIR	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FIBRES  Man-made fibres, Natural (animal/vegetable) fibres	<u>Forensic Analysis</u>		
	Recovery of fibres for contingency purposes from clothing and objects	Documented in house method EFS-SM-2804 using: - Visual examination - Low power microscopy - Taping (not Leeds)	Culham Leeds Birchwood Park Tamworth Wakefield
	Search and recovery of fibres from clothing and objects for analysis ( <i>including tapings</i> )	Documented in house method EFS-SM-2804 and EFS-MM-070 using: - Visual examination, - Low power microscopy and screening, - Fibre recovery (taping) - Mounting	Tamworth
	Identification of fibre type	Documented in house method using: - High power microscopy - Polarised light microscopy - FT-IR (Man-made at Tamworth only) (EFS-MM-1212)	Culham Tamworth
	Comparison of fibres	Documented in house method EFS-MM-071 using: - Polarised light microscopy - Comparison microscopy	Culham Tamworth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FIBRES (cont'd)  Man-made fibres, Natural (animal/vegetable) fibres	<u>Forensic Analysis (cont'd)</u>  Spectroscopic analysis of fibres in the visible range for the purpose of comparison of fibres  <u>Opinion and Interpretation</u>  The evaluation of the significance of any matching features between the suspect and reference/control fibre to determine the likelihood of the suspect fibre coming from a specific source	Documented in house method using: - Visible microspectrophotometry  Documented in house method EFS-MM-2057	Tamworth  Culham Tamworth
FIREARMS  Ammunition	<u>Forensic Analysis (cont'd)</u>  Examination of discharged ammunition components to determine the number of guns used.  Examination of cartridges to determine if ammunition has been loaded into a firearm  Comparison of spent ammunition to suspect guns	Documented In house methods using: - Comparison microscopy  Documented In house methods using: - Microscopy - Comparison microscopy  Documented In house methods using: - Comparison microscopy	Leeds  Leeds  Leeds
Ammunition	Ammunition and component identification and legal classification	Documented In house method using: - Weighing - Length measurement - Use of known samples or standard reference data.	Leeds



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FIREARMS (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Firearms	Firearm and firearm component part identification and legal classification (Firearms Act 1968)	Documented In house method using: - Comparison with known samples, reference standards and publications	Leeds
Firearms	Firearm identification from class marks present on ammunition components	In house method using: - Comparison with known samples and use of reference databases.	Leeds
Firearms	Trigger pull measurement	In house method using: - Dead Weights	Leeds
Firearms	Determination of Kinetic Energy of projectiles	Documented In house method using: - Chronograph and balance	Leeds
Firearms	Accidental discharge testing	In house method using: - Impact and drop tests	Leeds
Firearms	Range of fire determination	In house method using: - Test firing with appropriate weapon/ammunition combination and target material to assess range of fire - Comparison of test patterns to exhibits.	Leeds
Firearms	Test Firing to assess the functionality of weapons and/or ammunition.	Documented In house method using: - Suspect or reference guns and ammunition	Leeds
Firearms	Test Firing to generate test samples of ammunition for comparison to exhibits	Documented In house method using: - Suspect or reference guns and ammunition	Leeds



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<b>FIREARMS (cont'd)</b>	<u>Forensic Analysis (cont'd)</u>		
Firearms	Test Firing to generate test samples of ammunition for inclusion in the NABIS database	Documented In house methods meeting the requirements of NABIS	Leeds
Articles suspected of being damaged by firearms	Presumptive Testing for the presence of Lead	Documented In house methods using: - Spot tests (Sodium Rhodizonate Bashinsky transfer method or Sodium Rhodizonate direct application method) for lead	Leeds
Electrical Shock Devices	Identification, classification and function test	Documented In house method using: - Visual examination, function testing and measurement of spark gap	Leeds
<b>FLAMMABLE LIQUIDS (FIRE ACCELERANTS)</b>	<u>Forensic Analysis</u>		
Material Recovered from and associated with Fire Scenes			
Common fire accelerant liquids	Examination and analysis of the following flammable liquids - Petrol - Paraffin - Turpentine substitute - White spirit - Diesel - Alcohols (methanol and ethanol)	Documented in house method EFS-CM-1712, 682 using: - TENAX - ATD-GCMS	Tamworth
Debris and materials recovered from fires and suspected fire scenes	Recovery of potential fire accelerants	Documented in-house method using: - TENAX - ATD-GCMS	Tamworth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FLAMMABLE LIQUIDS (FIRE ACCELERANTS) (cont'd)	<u>Forensic Analysis</u> (cont'd)  Analysis and identification of common fire accelerants: <ul style="list-style-type: none"> <li>- Petrol</li> <li>- Paraffin</li> <li>- Turpentine substitute</li> <li>- White Spirit</li> <li>- Diesel</li> <li>- Alcohols (methanol and ethanol)</li> </ul>	Documented in house method using <ul style="list-style-type: none"> <li>- TENAX</li> <li>- ATD-GCMS</li> </ul>	Tamworth
	Comparison of common fire accelerants	Documented in house method using <ul style="list-style-type: none"> <li>- ATD-GCMS</li> </ul>	Tamworth
GLASS	<u>Forensic Analysis</u>  Search and Recovery of glass fragments from clothing and objects	Documented in house methods EFS-CM-325 and EFS-CM-333 using: <ul style="list-style-type: none"> <li>- Visual examination microscopy</li> <li>- Appropriate recovery</li> </ul>	Tamworth
	Physical characterisation of glass	Documented in house method using: <ul style="list-style-type: none"> <li>- UV Illumination (EFS-CM-400)</li> <li>- Refractive index determination by oil immersion (GRIM), (EFS-CM-334)</li> <li>- Low power and interference microscopy (EFS-CM-336)</li> <li>- Re-annealing by tube furnace (EFS-CM-337)</li> <li>- elemental analysis by SEM-EDX (EFS-CM-1597)</li> </ul>	Tamworth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
GLASS (cont'd)	<p><u>Forensic Analysis</u> (cont'd)</p> <p>Chemical characterisation of glass (Soda Lime Glass)</p> <p>Comparison of recovered glass fragments to control samples recovered from crime scenes</p> <p><u>Opinion and Interpretation</u></p> <p>The evaluation of the significance of matching and non-matching features between the suspect and reference/control samples</p>	<p>Documented in house method using</p> <ul style="list-style-type: none"> <li>- SEM-EDX (Elements: O, Na, Mg, Al, Si, K, Ca, Fe) (EFS-CM-1597)</li> </ul> <p>Documented in house method (EFS-CM-668)</p>	<p>Tamworth</p> <p>Tamworth</p>
<p>nox SHOT RESIDUE (GSR/FDR)</p> <p>Any Material Including type of matrix Bore Wipes</p> <p>Recovered Material</p>	<p><u>Forensic Analysis</u></p> <p>Recovery of in-organic gunshot residues (primer)</p> <p>Identification of in-organic gunshot residues (primer)</p> <p>Opinions and Interpretations</p> <p>Identification (type) and comparison of recovered GSR particles, including with a suspected source</p>	<p>Documented in house method (EFS-GSRM-634 and EFS-GSRM-642) using:</p> <ul style="list-style-type: none"> <li>- Carbon coated aluminium stubs</li> </ul> <p>Documented in house method using:</p> <ul style="list-style-type: none"> <li>- SEM/EDX (EFS-GSRM-113, 623, 716, 1133, 2046)</li> </ul>	<p>Tamworth</p> <p>Tamworth</p> <p>Tamworth</p>



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
LACHRYMATORS	<p><u>Forensic Analysis</u></p> <p>Recovery of lachrymators material</p> <p>Identification of</p> <ul style="list-style-type: none"> <li>- Capsaicin (Pepper Spray)</li> <li>- Dihydrocapsaicin (Pepper Spray)</li> <li>- PAVA</li> <li>- CS</li> <li>- CN</li> </ul> <p>Legal Classification of devices (Firearms Act 1968)</p> <p>Analysis to determine the nature of the contents and whether the item fits the description of a Prohibited Weapon</p>	<p>Documented in house methods using:</p> <ul style="list-style-type: none"> <li>- Activation</li> <li>- Swabbing</li> <li>- Direct sampling</li> </ul> <p>Documented in house method using:</p> <ul style="list-style-type: none"> <li>- GCMS</li> </ul>	<p>Teddington Tamworth</p> <p>Teddington Tamworth</p> <p>Teddington Tamworth</p>
<p>MARKS AND IMPRESSIONS</p> <p>Footwear</p> <p>Footwear</p>	<p><u>Forensic Analysis</u></p> <p>Enhancement of footwear marks recovered from scenes</p> <p>Production of test marks from suspect footwear</p>	<p>Documented in house method using:</p> <ul style="list-style-type: none"> <li>- Gel lifting</li> <li>- Digital capture photography</li> </ul> <p>Documented in house method using:</p> <ul style="list-style-type: none"> <li>- Powdering Methods</li> <li>- 3-D test impressions (sand)</li> <li>- Wet media (Black powder soap/swarfega mix)</li> </ul>	<p>Tamworth</p> <p>Tamworth</p>





10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
MARKS AND IMPRESSIONS (cont'd)	<u>Forensic Analysis (cont'd)</u>		
Footwear mark (physically or image)	Assessment, Comparison and evaluation of footwear with scene marks	Documented In-House method EFS-CM-406 using: <ul style="list-style-type: none"> <li>- Visual examination</li> <li>- Low power microscopy</li> </ul>	Tamworth
Footwear	<u>Opinion and Interpretation</u>		
Footwear	The evaluation of the significance of any matching and non-matching features between the footwear scene impression and reference/control footwear marks	Documented In-House methods EFS-CM-1332 using: <ul style="list-style-type: none"> <li>- Personal experience</li> <li>- Database</li> </ul>	Tamworth
Toolmarks	Enhancement of toolmarks	Documented in house method EFS-CM-346 using: <ul style="list-style-type: none"> <li>- Casting</li> <li>- Digital capture/photography</li> </ul>	Leeds
Toolmarks	Production of Test Marks from suspect items	Documented in house method EFS-CM-346 using: <ul style="list-style-type: none"> <li>- Casting</li> <li>- Digital capture/photography</li> </ul>	Leeds
Toolmarks	Comparison of submitted marks or marks made from suspect items with marks left at scene	Documented In-House methods EFS-CM-346 using: <ul style="list-style-type: none"> <li>- Visual examination</li> <li>- Low power microscopy</li> <li>- Comparison microscopy</li> <li>- Dimensional measurements</li> <li>- Photography</li> </ul>	Leeds
Toolmarks	<u>Opinion and Interpretation</u>		
Toolmarks	The evaluation of the significance of any matching and non-matching features between the tool scene impression and reference/control toolmarks	Documented In-House methods EFS-CM-346 using: <ul style="list-style-type: none"> <li>- Personal experience</li> </ul>	Leeds



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
OILS	<u>Chemical/Physical Tests and Related Opinions and Interpretations</u>	Documented In-House Methods:	
Hydrocarbon oils	Coumarin	Fluorescence spectroscopy	Teddington
Hydrocarbon oils	Quantification of Coumarin present in Road fuel	Documented in-house method EFS-HCO-3466 using GC-MS	Teddington
Hydrocarbon oils	Statutory Markers: Quinizarin, CI solvent red 19 CI Solvent red 24 CI Solvent yellow 124 CI Solvent blue 79 CI Solvent orange 2	EFS-HCO-2099 HPLC with diode array detection Preparation of standards and reference standards method	Teddington
Hydrocarbon oils	Low level Statutory Markers: Quinizarin, CI Solvent red 24 CI Solvent yellow 124 CI Solvent blue 79 CI Solvent orange 2	EFS-HCO-2100 HPLC with diode array detection Preparation of standards and reference standards method	Teddington
Hydrocarbon oils	Statutory Marker: Accutrace S10	EFS-HCO-2098 Deans Switch GC-MS	Teddington
NOXIOUS SUBSTANCES (Acids, Bases and Bleaches)	<u>Forensic Analysis</u> Qualitative analysis of commonly - encountered acids and bases including; Ammonia - Sulphuric acid - Hydrochloric acid - Nitric acid - Oxidising agents	Documented in house method EFS-CM-2970 and EFS-CF-2911 utilising pH	Tamworth



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
PAINTS	<u>Forensic Analysis</u>  Search and recovery of paint and paint fragments from clothing and objects for analysis	Documented in house method (EFS-CM-325) using: - Visual examination - Low power microscopy	Tamworth
	Comparison of recovered and control samples	Documented in house method using: - FTIR (EFS-MM-1213) - Comparison Microscopy (EFS-CM-341)	Tamworth
	<u>Opinion and Interpretation</u>  The evaluation of the significance of any matching and non-matching features between the suspect and reference/control paint samples	Documented in house method EFS-CM-2798	
WORKPLACE DRUG TESTING  Human urine (Workplace Drug Testing)	Analysis of regulated drugs:  Screening for Drugs of Abuse: Opiates, Oxycodone, Buprenorphine, Benzoyllecgonine, THC metabolites, Methaqualone, Propoxyphene, Amphetamine including Ecstasy groups, Methadone, Barbiturates, Benzodiazepines, Phencyclidine, LSD Ketamine 6-mono-acetylmorphine	Documented In-House Method EFS-WDT-2168:  Beckman Coulter A5810 analyser	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
<p><b>WORKPLACE DRUG TESTING (cont'd)</b></p> <p>Human urine (Workplace Drug Testing)</p>	<p>Forensic Analysis (cont'd)</p> <p>Confirmation and Quantitation of (Cut-off; Concentration range):</p> <p>THC metabolite (15ng/ml; 5-200ng/ml)</p> <p>Barbiturates; Amobarbital (150ng/ml; 50-1000ng/ml) Phenobarbital (150ng/ml; 50-1000ng/ml) Pentobarbital (150ng/ml; 50-1000ng/ml) Secobarbital (150ng/ml; 50-1000ng/ml)</p>	<p>Documented In-house methods:</p> <p>Solid phase extraction followed by GC-MS (EFS-WDT-2522)</p> <p>Solid phase extraction followed by GC-MS (EFS-WDT-2513)</p>	<p>Teddington Heathrow</p> <p>Teddington Heathrow</p>
<p>Human urine (Workplace Drug Testing)</p>	<p>Amphetamine (200ng/ml; 50-4000ng/ml) Methamphetamine (200ng/ml; 50-4000ng/ml) MDA (200ng/ml; 50-4000ng/ml) MDMA (200ng/ml; 50-4000ng/ml) MDEA (200ng/ml; 50-4000ng/ml) MBDB (200ng/ml; 50-4000ng/ml)</p> <p>Confirmation and Quantitation of (Cut-off; Concentration range):</p> <p>Benzoylcegonine (100ng/ml; 20-2000ng/ml) Benzodiazepines: Nordiazepam (100ng/ml; 20-1000ng/ml) Oxazepam (100ng/ml; 20-1000ng/ml) Lorazepam (100ng/ml; 20-1000ng/ml) Temazepam (100ng/ml; 20-1000ng/ml)</p>	<p>Solid phase extraction followed by GC-MS (5-EFS-WDT-2512)</p> <p>Documented In-house Methods:</p> <p>Solid phase extraction followed by GC-MS and GC-MSMS (EFS-WDT-3224 and 2515)</p>	<p>Teddington Heathrow</p> <p>Teddington Heathrow</p>



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
WORKPLACE DRUG TESTING (cont'd)	<u>Forensic Analysis</u> (cont'd)		
Human urine (Workplace Drug Testing)	Confirmation and Quantitation of: (Cut-off; Concentration range):  Buprenorphine (2ng/ml; 0.5-20ng/ml) Nor-buprenorphine (2ng/ml; 0.5-20ng/ml)	Documented In-house methods:  Solid phase extraction followed by GC-MS and GC-MSMS (EFS-WDT-2167)	Teddington Heathrow
	Opiates Dihydrocodeine Codeine Morphine 6-mono acetylmorphine Hydrocodone Hydromorphone (confirmation only) Oxycodone Oxymorphone	Solid phase extraction followed by GC-MS-MS (EFS-WDT-2520)	Teddington Heathrow
Human Urine (Workplace Drug Testing)	Nor-Propoxyphene (300ng/ml; 50-1000ng/ml) Methadone (250ng/ml; 20-1000ng/ml) Phencyclidine (25ng/ml; 5-200ng/ml) EDDP (75ng/ml; 20-1000ng/ml)	Solid phase extraction followed by GC-MS and GC-MS-MS (EFS-WDT-3308)	Teddington Heathrow
	LSD	Solid phase extraction followed by LC-MS-MS (EFS-WDT-2155)	Teddington
	Nor-ketamine Ketamine	Solid phase extraction followed by LC-MS-MS (EFS-WDT-2181)	
Neat oral fluid and oral fluid collected using the Quantisal or Oral-Eze device (Workplace Drug testing)	Screening of: Amphetamines Methamphetamines Benzodiazepines Cannabis Cocaine metabolites Methadone Opiates	Solid Phase Extraction followed by GC-MS-MS using Beckman Coulter A5810 analyser (EFS-WDT-2168)	Heathrow



10007  
Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**Eurofins Forensic Services Limited**  
**Issue No: 065 Issue date: 30 September 2021**

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Neat oral fluid and oral fluid collected using the Quantisal or Oral-Eze device (Workplace Drug testing)	Confirmation and quantitation of: Amphetamines: Amphetamine Methamphetamine 3,4-methylenedioxyamphetamine(MDA) Methylenedioxymethamphetamine (MDMA) Methyldiethanolamine (MDEA) N-methyl-1,3 Benzodioxolylbutanamine(MBDB)	Solid Phase Extraction followed by GC-MS-MS (EFS-WDT-2523)	Teddington Heathrow
Neat oral fluid and oral fluid collected using the Quantisal or Oral-Eze device	Confirmation and quantitation of: Cannabis: Delta-9-tetrahydrocannabinol (THC) Benzodiazepines: Lorazepam Nordiazepam Oxazepam Temazepam Cocaine Benzoyllecgonine Opiates: Morphine Codeine Dihydrocodeine 6-mono-acetylmorphine Methadone (Oral-Eze only)	Solid Phase Extraction followed by GC-MS-MS (EFS-WDT-2166)	Teddington Heathrow
BOVINE, CAPRINE, OVINE TESTING  Bovine, Ovine and Caprine brainstem	Detection of abnormal prion protein PrP <sup>res</sup>	EU Approved method by immunoassay using the Biorad test kit with purification using the semi-automated NSP system and TeSeE purification kit following the short assay protocol	Birchwood Park
END			