

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



1502

Accredited to
ISO/IEC 17025:2017

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 Issue date: 02 January 2024

155 Hardgate Road
Glasgow
G51 4LS

Contact: Lorna Mitchell
Tel: +44 (0)141 440 2201
Fax: +44 (0)141 440 0820
E-Mail: Lorna.mitchell@ukhsa.gov.uk
Website: www.UKHSA-protectionservices.org.uk

Testing performed by the Organisation at the locations specified below

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address 155 Hardgate Road Glasgow G51 4LS Local contact Lorna Mitchell Tel: +44 (0)141 440 2201 Fax: +44 (0)141 440 0820 Email: Lorna.mitchell@phe.gov.uk Website: www.phe-protectionservices.org.uk	Radiochemistry Chemistry	A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Address 155 Hardgate Road Glasgow G51 4LS Local contact Lorna Mitchell	Radiation Monitoring and Sampling	B



1502
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 **Issue date:** 02 January 2024

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
WATERS ENVIRONMENTAL MATERIALS (Soil, Vegetation, Biota, Air filters), FOOD AND FOODSTUFFS INDUSTRIAL EFFLUENTS and ACID LEACHABLE DETERMINANDS FROM INDUSTRIAL SOLIDS	<u>Radiological Testing</u>	Documented In-House Methods:	
	Total alpha activity relative to: Americium-241 (^{241}Am)	Technical Manual Sections 4.6 sample preparation; 7.2 Gas flow proportional counting 7.3 Solid state counting	A
	Total beta activity relative to: Caesium-137 (^{137}Cs) or to Strontium-90 (^{90}Sr)	Technical Manual Sections 4.7 sample preparation; 7.2 Gas flow proportional counting 7.3 Geiger-Muller counting	A
	Gamma spectrometry (Energy Range: 59keV-2MeV)	Technical Manual Section 7.1 using HP-Ge Gamma Ray spectrometry	A
	Tritium (^3H)	Technical Manual Section 4.1 Total tritium by combustion and liquid scintillation. Inorganic or total tritium by distillation and liquid scintillation	A
	Carbon-14 (^{14}C)	Technical Manual Section 4.13 by combustion and liquid scintillation	A
	Sulfur-35 (^{35}S)	Technical Manual Sections 4.15 (liquids) and 4.16 (solids) by chemical separation and liquid scintillation	A
	Strontium-90 (^{90}Sr)	Technical Manual Section 4.2 & 4.9 by chemical separation and beta particle counting	A
	Technetium-99 (^{99}Tc)	Technical Manual Section 4.17 by chemical separation and beta particle counting	A
	Polonium-210 (^{210}Po)	Technical Manual Section 4.14 by chemical separation and alpha particle spectrometry	A



1502
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 Issue date: 02 January 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
WATERS ENVIRONMENTAL MATERIALS (Soil, Vegetation, Biota, Air filters), FOOD AND FOODSTUFFS INDUSTRIAL EFFLUENTS and ACID LEACHABLE DETERMINANDS FROM INDUSTRIAL SOLIDS	<u>Radiological Testing</u> (cont'd)	Documented In-House Methods:	
	Sample preparation	Technical Manual Section 4.11	A
	Thorium Isotopes ^{232}Th , ^{230}Th , ^{228}Th	Technical Manual Section 4.10 by chemical separation and alpha particle spectrometry	A
	Plutonium Isotopes $^{240+239}\text{Pu}$, ^{238}Pu	Technical Manual Section 4.4 by chemical separation and alpha particle spectrometry	A
	Uranium Isotopes ^{238}U , ^{235}U , ^{234}U	Technical Manual Section 4.3 by chemical separation and alpha particle spectrometry	A
LOW SPECIFIC ACTIVITY SCALES	Americium-241 (^{241}Am)	Technical Manual Section 4.5 by chemical separation and alpha particle spectrometry	A
	Gamma spectrometry (Energy Range: 59keV-2MeV)	Technical Manual Section 7.1 using HP-Ge Gamma Ray Spectrometry	A
	Polonium-210 (^{210}Po)	Technical Manual Section 4.14 by chemical separation and alpha particle spectrometry	A
WATER AND LIQUID EFFLUENTS	Curium Isotopes ^{242}Cm , $^{243+244}\text{Cm}$	Technical Manual Section 4.5 by chemical separation and alpha particle spectrometry	A
NON REGULATORY DRINKING WATER, INDUSTRIAL LIQUIDS AND TRADE EFFLUENTS	Beta activity against a single label standard; H-3	Technical Manual Section 4.20 by direct liquid scintillation	A
URINE	Plutonium Isotopes $^{240+239}\text{Pu}$, ^{238}Pu	Technical Manual Section 4.4 by chemical separation and alpha particle spectrometry	A



1502
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 Issue date: 02 January 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
URINE	<u>Radiological and Chemical Testing</u>	Documented In-House Methods:	
	Uranium Isotopes ^{238}U , ^{235}U , ^{234}U ,	Technical Manual Section 4.3 by chemical separation and alpha particle spectrometry	A
	Americium-241 (^{241}Am)	Technical Manual Section 4.5 by chemical separation and alpha particle spectrometry	A
URINE	Uranium (natural or ^{238}U)	Technical Manual Section 8.1 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry)	A
GROUNDWATER	Be, Cr, Co, Ni, Cu, Zn, Cd, As, V, U, Ti, Pb	Technical Manual Section 8.2 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry)	A
	Hg	Technical Manual Section 8.3 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry)	A
Groundwater, Soils and Seaweed	Technetium-99 (^{99}Tc)	Technical Manual Section 8.8 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry)	A
SOIL	Be, Cr, Co, Ni, Cu, Zn, Cd, As, V, U, Ti, Pb	Technical Manual Section 8.2, 8.4 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry) using solid sample hotplate digestion	A
	Hg	Technical Manual Section 8.3, 8.4 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry) using solid sample hotplate digestion	A
SOIL (Contaminated with oil)	Hg	Technical Manual Section 8.3, 8.4 by ICP-MS (Inductively Coupled Plasma - Mass Spectrometry) using solid sample hotplate digestion	A



1502
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 **Issue date:** 02 January 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
WASTEWATER, effluent samples	<u>Radiological Testing</u>	Documented In-House Methods to meet the requirements of the Environment Agency MCERTS performance standard for Organisations Undertaking Radioanalytical Testing of Environmental and Waste Waters	
	Total alpha activity relative to: Americium-241 (^{241}Am)	Technical Manual Sections 4.6 and 7.3 using Gas flow proportional alpha/beta counter	A
	Gamma spectrometry (Energy Range: 59keV-2MeV)	Technical Manual Section 7.1 using HP-Ge Gamma ray spectrometry	A
	Tritium (^3H)	Technical Manual Section 4.1 and 7.5 by liquid scintillation counting	A
	Strontium-90 (^{90}Sr)	Technical Manual Section 4.2 & 7.3 by Gas flow proportional alpha/beta counter	A
	Technetium-99 (^{99}Tc)	Technical Manual Section 8.8 and 7.7 by Inductively Coupled Plasma - Mass Spectrometry	A
	Plutonium-241 (^{241}Pu)	Technical Manual Section 4.4 and 7.5 by liquid scintillation counting	A
	Plutonium Isotopes $^{240+239}\text{Pu}$, ^{238}Pu	Technical Manual Section 4.4 by chemical separation and 7.6 by alpha particle spectrometry	A



1502
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

United Kingdom Health Security Agency (UKHSA) Glasgow

Issue No: 035 **Issue date:** 02 January 2024

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ENVIRONMENTAL MONITORING SITES	<u>Radiological Monitoring</u>		
	Gamma-ray air kerma rates	Technical Manual Section 6.2 based on HMIP Technical Guidance Note M5, HMSO 1995	B
	<u>Sampling</u>	Documented In-House Methods in the Technical Manual:	
	Soil	Sections 6.1 and 6.3	B
	Sediment (inter-tidal zone)	Sections 6.1 and 6.4	B
	Vegetation	Sections 6.1 and 6.5	B
	Waters (including surface, estuarine, saline, leachate/borehole)	Sections 6.1 and 6.6	B
	Shellfish (inter-tidal zone)	Sections 6.1 and 6.7	B
	Seaweed	Sections 6.1 and 6.8	B
END			