

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



1614

Accredited to
ISO/IEC 17025:2005

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Quarryside Business Park
Off Holmethorpe Industrial Estate
Thornton Side
Redhill
Surrey
RH1 2LJ

Contact: Mr R P Fryer
Tel: +44 (0)1737-765432
Fax: +44 (0)1737-765431
E-Mail: bitslab@btconnect.com
Website: www.bits-testlab.co.uk

Testing performed at the above address only

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
PLATFORM FLOORS - full access floor systems	Concavity and convexity	PSA MOB PF2PS/SPU Section T1.00 March 1992
	Twist	PSA MOB PF2PS/SPU Section T2.00 March 1992
	Panel squareness	PSA MOB PF2PS/SPU Section T3.00 March 1992
	Small scale fire	PSA MOB PF2PS/SPU Section T20.00 March 1992
	Thermal properties	PSA MOB PF2PS/SPU Section T20a.00 March 1992
	Pull off strength of edge strip	PSA MOB PF2PS/SPU Section T4.00 March 1992
	Safety factor load (loads from 4.5 to 36kN)	PSA MOB PF2PS/SPU Section T11.00 March 1992
	Pedestal strength - horizontal load (loads from 9 to 50kgf)	PSA MOB PF2PS/SPU Section T15.00 March 1992
	Pedestal strength - vertical load (loads from 8.1 to 18kN)	PSA MOB PF2PS/SPU Section T16.00 March 1992
	300mm square loading	PSA MOB PF2PS/SPU Section T7.00 March 1992
25mm square point loading	PSA MOB PF2PS/SPU Section T8.00 March 1992	
25mm square point loading on perimeter cut panel edge	PSA MOB PF2PS/SPU Section T8a.00 March 1992	



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
PLATFORM FLOORS - full access floor systems (cont'd)	Four point loading	PSA MOB PF2PS/SPU Section T9.00 March 1992
	Uniformly distributed load	PSA MOB PF2PS/SPU Section T10.00 March 1992
	Pedestrian dynamic load	PSA MOB PF2PS/SPU Section T14.00 March 1992
	Effect of temperature	PSA MOB PF2PS/SPU Section T17.00 March 1992
	Effect of humidity	PSA MOB PF2PS/SPU Section T18.00 March 1992
	Free play in pedestal	PSA MOB PF2PS/SPU Section T5.00 March 1992
	Air leakage rate	PSA MOB PF2PS/SPU Section T6.00 March 1992
	Soft body impact	PSA MOB PF2PS/SPU Section T12.00 March 1992
	Hard body impact	PSA MOB PF2PS/SPU Section T13.00 March 1992
PLATFORM FLOORS - partial access floor systems	Concavity and convexity: Removable access panels	PSA MOB PF2PS/SPU Section T22.00 March 1992
	Panel levels and panel flatness: Fixed panels	PSA MOB PF2PS/SPU Section T23.00 March 1992
	Twist: Removable access panels	PSA MOB PF2PS/SPU Section T24.00 March 1992
	Panel squareness: Removable access panels	PSA MOB PF2PS/SPU Section T25.00 March 1992
	Small scale fire	PSA MOB PF2PS/SPU Section T41.00 March 1992
	Thermal properties	PSA MOB PF2PS/SPU Section T41a.00 March 1992
	Pull off strength of edge strip	PSA MOB PF2PS/SPU Section T26.00 March 1992



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
PLATFORM FLOORS - partial access floor systems (cont'd)	Pedestal strength - horizontal load (loads from 9 to 50kgf)	PSA MOB PF2PS/SPU Section T35.00 March 1992
	Pedestal strength - vertical load (loads from 8.1 to 18kN)	PSA MOB PF2PS/SPU Section T36.00 March 1992
	Safety factor load (loads from 4.5 to 36kN)	PSA MOB PF2PS/SPU Section T39.00 March 1992
	300mm square loading	PSA MOB PF2PS/SPU Section T29.00 March 1992
	25mm square point loading	PSA MOB PF2PS/SPU Section T30.00 March 1992
	Uniformly distributed load	PSA MOB PF2PS/SPU Section T31.00 March 1992
	Pedestrian dynamic load	PSA MOB PF2PS/SPU Section T34.00 March 1992
	Effect of temperature	PSA MOB PF2PS/SPU Section T37.00 March 1992
	Effect of humidity	PSA MOB PF2PS/SPU Section T38.00 March 1992
	Free play in pedestal	PSA MOB PF2PS/SPU Section T27.00 March 1992
	Air leakage rate	PSA MOB PF2PS/SPU Section T28.00 March 1992
	Soft body impact	PSA MOB PF2PS/SPU Section T32.00 March 1992
	Hard body impact	PSA MOB PF2PS/SPU Section T33.00 March 1992
AIR TERMINAL DEVICES - floor mounted	Static concentrated load Impact load Dynamic testing - rolling load	BS EN 13264:2001



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
THERMAL INSULATING PRODUCTS for building applications	Length and width	BS EN 822:2013
	Determination of water vapour transmission properties	BS EN 12086:2013
	Determination of short term water absorption by partial immersion, Method A and B	BS EN 1609:2013
	Determination of long term water absorption by immersion, Method 1A, 1B, 2A and 2B	BS EN 12087:2013
	Determination of compressive behaviour	BS EN 826:2013
	Determination of the apparent density	BS EN 1602:2013
	Determination of dimensional stability under specified temperature and humidity conditions	BS EN 1604:2013
	Determination of linear dimensions of test specimens	BS EN 12085:2013
HOMOGENEOUS MATERIALS	Determination of bending behaviour, Method B	BS EN 12089:2013
	Thermal conductivity Temperature range: 0°C to 80°C Thermal resistance equal to or greater than 0.3m ² .K/W & specimen range thickness ≥ 0.1 m with an uncertainty of measurement not better than ± 3%	BS EN 12667:2001 BS EN 12664:2001 using heat flow meter method
CELLULAR PLASTICS	Impenetrable volume Vi by method 2:Volume expansion	BS EN ISO 4590:2016
FLEXIBLE SHEET MATERIALS	Permeability to water vapour	BS 3177:1959



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
POLYMER AND REINFORCED TUBES AND PIPES	Internal constant pressure using air, water or inert gases in the temperature range 5°C to 100°C (max pressure up to 150 bar)	ISO 1167-1: 2006 ISO 1167-2: 2006 BS EN 1401-1:2009 Clauses 4.2 & 4.3 BS 7291-1:2010, Clause 6.3 BS 7291-2:2010, Clause 4.2.2 BS 7291-3:2010, Clause 4.2.2
	Pneumatic pressure leak test on tapping tee caps	GIS/PL2-4: 2008 Annex G
	Resistance to pull-out of assembled joints	BS 7291-2:2010, Clause 5.4.1 BS 7291-3:2010, Clause 5.4.1
	Resistance to cyclic pressure shock	BS 7291-1:2010, Clause 6.5
THERMOPLASTIC PIPES AND FITTINGS	Resistance to thermal cycling	BS 7291-1:2010, Annex C Methods documented in Water Regulations Advisory Scheme - Test and Acceptance Document 5-50-01 Test Code Sheet: 1212.6, Issue 4, Jan 2000
END		



Accredited to
ISO/IEC 17025:2005

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Building Investigation and Testing Services (Surrey) Ltd

Issue No: 021 Issue date: 28 June 2017

Testing performed at main address only

Accreditation for the purpose of Notified Body Activity taking into account EA2/17 and relevant requirements of ISO 17025

Directive / Regulation	Conformity Assessment procedure/ Module/article	Category of products or individual products	Essential requirements: Product specification / Properties/Standards
The Construction Products Regulation (EU) No 305/2011	Testing Laboratory Attestation System 3	Thermal insulating products (1/2) : - Thermal insulating products (factory-made products and products intended to be formed in-situ) (any) 99/91/EC	EN 13162:2012 + A1 2015 EN 13163:2012 + A1 2015 EN 13164:2012 + A1 2015 EN 13165:2012 + A2 2016 EN 13166:2012 + A2 2016 EN 13167:2012 + A1 2015 EN 13168:2012 + A1 2015 EN 13169:2012 + A1 2015 EN 13170:2012 + A1 2015 EN 13171:2012 + A1 2015 EN 14315-1:2013 EN 14318-1:2013
END			