


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 1649 Accredited to ISO/IEC 17025:2017	Office for Product Safety and Standards (Part of the Department for Business, Energy and Industrial Strategy)	
	Issue No: 022 Issue date: 12 May 2022	
NMO Stanton Avenue Teddington Middlesex TW11 0JZ	Contact: Mr M Panesar Tel: +44 (0)20 8943 7246 Fax: +44 (0)20 8943 7270 E-Mail: mannie.panesar@beis.gov.uk Website: www.gov.uk/opss	
Testing performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
NMO Stanton Avenue Teddington Middlesex TW11 0JZ Local contact As above	Lottery Ball testing	A

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Camelot Group plc The National Lottery Tolpitts Lane Watford WD1 8RN Local contact As above	Lottery Ball testing	B



1649

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Office for Product Safety and Standards
(Part of the Department for Business, Energy and Industrial Strategy))

Issue No: 022 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
FOAM PLASTIC BALLS	<u>Mass</u> From 11 g to 13 g	Documented In-House Procedures NMO document QP 2231	A, B
	<u>Dimension</u> Diameter	Documented In-House Procedures NMO document QP 2231	A, B
END			