


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO/IEC 17025:2017	Eurofins Hursley Limited	
	Issue No: 066 Issue date: 02 April 2020	
	Trafalgar House Trafalgar Close Chandlers Ford Eastleigh SO53 4BW	Contact: Mr Andrew Coombes Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 E-Mail: andycoombes@eurofins.com Website: www.eurofins.co.uk/hursley
Testing performed by the Organisation at the locations specified below		

Flexible Scope

The Flexible Scope applies to the laboratory's accreditation to ISO/IEC17025:2017 for Civil and Military EMC testing activities in accordance with the standards listed on the schedule for EMC Testing, carried out at site A.

The scope may also include tests on the same or similar product types against standards, or customer-specified methods that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined in this Schedule.

Information about flexible scopes of accreditation is available in UKAS document GEN 4.

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details		Activity	Location code
Address Trafalgar Close Chandler's Ford Eastleigh Hampshire SO53 4BW	Local contact Mr Andrew Coombes Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 Email: andycoombes@eurofins.com Website: www.eurofins.co.uk/hursley	EMC Testing	A



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Computers and Peripherals Domestic Appliances: Electrical Electrical/Electronic Products Electro-Mechanical Devices IT Equipment Measuring Equipment Medical/Dental Equipment Office Equipment: Electrical Radio and TV Equipment Security Equipment Telecommunications Equipment Luminaires	1 CIVIL EMC TESTS 1.1 Conducted Emissions 9 kHz to 30 MHz LISN Method and Annex B method in place of radiated emissions	EN 55011:2009 + A1:2010 EN 55011:2016 EN 55011:2016 + A1:2017 CISPR 11:2009 + A1:2010 CISPR 11:2015 + A1:2016 EN 55014-1:2006 including Amendment A1:2009 and A2:2011 EN 55014-1:2017 CISPR 14-1:2005 + A1:2008+ A2:2011 CISPR 14-1:2016 EN 55015:2013 EN 55015:2013 including Amendment A1:2015 CISPR 15:2013 + A1:2015 EN 55022:2010 CISPR 22:2008 FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:2014 VCCI V-3/2010.04 VCCI V-4/2013.04 AS/NZS CISPR 11 AS/NZS CISPR 14.1 AS/NZS CISPR 15 AS/NZ CISPR 32 CNS 13438:2006 CNS 13783-1:2004 CNS 13803:2003 SANS/SABS 222:2006	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	<p>1 CIVIL EMC TESTS</p> <p>1.1 Conducted Emissions 9 kHz to 30 MHz</p>	<p>EN 55032:2012 CISPR 32:2012 EN 55032:2015 (excluding outdoor home satellite receivers) CISPR 32:2015 (excluding outdoor home satellite receivers)</p>	
	<p>1.2 Radiated Emissions Electric Field 30 MHz to 40 GHz</p> <p>Magnetic Field 10 kHz to 30 MHz</p> <p>Magnetic Field LLA 9 kHz to 30 MHz</p> <p>Electric Field 30 MHz to 40 GHz</p>	<p>EN 55011:2009+ A1:2010 EN 55011:2016 EN 55011:2016 +A1:2017 CISPR 11:2009 + A1:2010 CISPR 11:2015 + A1:2016</p> <p>EN 55014-1:2006 including Amendment A1:2009 and A2:2011 EN 55014-1:2017 CISPR 14-1:2016</p> <p>EN 55015:2013 EN 55015:2013 including Amendment A1:2015 CISPR 15:2013 + A1:2015 EN 55015:2019</p> <p>EN 55022:2010 CISPR 22:1985 inc 1993 A1:1995 and A2:1996 CISPR 22:2008</p> <p>FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:2003 ANSI C63.4:2014</p> <p>VCCI V-4/2013.04</p> <p>AS/NZS CISPR 11 AS/NZS CISPR 14.1 AS/NZS CISPR 15 AS/NZS CISPR 32</p>	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	1 CIVIL EMC TESTS		
	1.2 Radiated Emissions (cont'd) Electric Field 30 MHz to 40 GHz	EC Directive 95/54/EC, Annex 7 and 8 CNS 13438:2006 CNS 13783-1:2004 CNS 13803:2003 SANS/SABS 222:2006 CISPR 32:2012 EN 55032:2012 EN 55032:2015 (excluding outdoor home satellite receivers) CISPR 32:2015 (excluding outdoor home satellite receivers)	A
	1.3 Discontinuous Emissions (Clicks) 10 kHz to 30 MHz	EN 55014-1:2006 including Amendment A1:2009 and A2:2011 EN 55014-1:2017 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016	A
	1.4 Interference Power Measurements 30 MHz to 300 MHz	EN 55014-1:2006 including Amendment A1:2009 EN 55014-1:2017 inc A1:2011 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016	A
1.5 Conducted RF Immunity 150 kHz to 230 MHz up to 10 Vrms	EN 61000-4-6:2014 IEC 61000-4-6:2013	A	



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.6 Radiated RF Immunity 10 Vm ⁻¹ 26 MHz to 6 GHz 20 Vm ⁻¹ 26 MHz to 3000 MHz	IEC 801-3:1984 ENV 50204:1995 EN 61000-4-3:2006 including Amendment A1:2008 & A2:2010 IEC 61000-4-3:2006 including Amendment A1:2007 & A2:2010 EN 50121-4:2006 EN 50121-4:2016	A
	1.7 Immunity to Fast Transients/ Bursts up to 4.5 kV	EN 61000-4-4:2012 IEC 61000-4-4:2012	A
	1.8 Immunity to Mains Surge up to 6 kV	EN 61000-4-5:2014 inc A1:2017 IEC 61000-4-5:2014 inc A1:2017	A
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.9 Mains Harmonic Emissions 50 Hz to kHz	EN 61000-3-2:2014 IEC 61000-3-2:2013 IEC 61000-3-2:2018* *(excluding Class C equipment)	A
	1.10 Mains Flicker Emissions	EN 61000-3-3:2013 inc A1:2019 IEC 61000-3-3:2013 IEC 61000-3-3:2013 inc A1:2017	A
	1.11 Electrostatic Discharge up to 30 kV	EN 61000-4-2:2009 IEC 61000-4-2:2008	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.12 Voltage Dips, Interruptions and Variations	EN 61000-4-11:2004 EN 61000-4-11:2004 inc A1:2017 IEC 61000-4-11:2004 inc A1:2017 EN 61000-4-11:2019	A
	1.13 Power-Frequency Magnetic Fields (Immunity) Field strength: up to 30 A/m	EN 61000-4-8:2010 IEC 61000-4-8:2009	A
	1.14 Pulse Magnetic Immunity Field strength: 1000 A/m	EN 61000-4-9:2016 IEC 61000-4-9:2016 EN 61000-4-9:2004 IEC 61000-4-9:1993	A
	1.15 Damped Oscillatory Magnetic Field Immunity 100 kHz and 1 MHz	EN 61000-4-10:2017 IEC 61000-4-10:2016	A
	1.16 Ring Wave Immunity 100 kHz at up to 6 kV	EN 61000-4-12:1996 EN 61000-4-12:2007 IEC 61000-4-12:2006	A
	1.17 Interharmonic immunity	EN 61000-4-13:2003+A2:2016 IEC 61000-4-13:2002 inc A1:2009 & A2:2015	A
	1.18 Damped Oscillatory Wave immunity 100 kHz and 1 MHz Slow waves only Up to 6 kV	EN 61000-4-18:2006 EN 61000-4-18:2006+A1:2010 IEC 61000-4-18:2006	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Maritime Navigation and Radio Communication Equipment	1.19 Immunity to Close Proximity Radiated Fields 30 kHz, 134.2 kHz and 13.56 MHz	EN 61000-4-39:2017 (methods covering spot frequencies as required in prA1:2019 of EN 60601-1-2:2015 only)	A
	1.20 EMC Tests	IEC 60945:2002 Ed.4 DNVGL-CG-0339:2015 DNV 2.4 IEC 60533:2015	A
Household Products Luminaires	1.21 Electro-Magnetic field emissions relating to Human Exposure 10 Hz to 10 MHz	EN 50366:2003 including Amendment A1:2006 EN 62233:2008 Time Domain Evaluation Method EN 62493:2010	A
Electrical / electronic equipment mounted in ships where Compass is present	1.22 Compass safe distance	IEC 60945:2002 EN 60945:2002	A
As listed on Page 2	1.23 EMC Tests These generic and product specific standards are included but limited to those referenced standards that are explicitly listed in Sections 1.1 to 1.19 of this Schedule.	IEC 61000-6-2:2005 IEC 61000-6-4:2006+A1:2010 EN 61000-6-1:2019 IEC 61000-6-1:2016 EN 61000-6-2:2005 EN 61000-6-2:2019 IEC 61000-6-2:2016 EN 61000-6-3:2007 including Amendment A1:2011 EN 61000-6-4:2007 including Amendment A1:2011 IEC 61000-6-4:2006 including Amendment A1:2010 EN 61000-6-4:2019 IEC 61000-6-4:2018	A



Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited
Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.23 EMC Tests (cont'd)	EN 55024:2010 excluding Psophometric tests EN 55024:2010 + A1:2015 (excluding Psophometric tests) CISPR 24: 2010 + A1:2015 (excluding Psophometric tests) EN 50091-2:1995 EN 55014-1:2017 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016 EN 55014-2:2015 CISPR 14-2:2015 EN 60601-1-2:2001 EN 60601-1-2:2007 EN 60601-1-2:2015 + prA1:2019 IEC 60601-1-2:2014 EN 61204-3:2000 IEC 61204-3:2000 EN 61326-1:2013 EN 61326-2-3:2006	A
7	CIVIL EMC TESTS (cont'd) 1.22 EMC Tests (cont'd)	EN 301 489-1:V2.2.0:2017 EN 301 489-3:V2.1.1:2017 EN 301 489-17:V3.2.0:2017 EN 50130-4:2011 including Amendment A1:2014 EN 50131-1:1997 EN 50293:2012 EN 60730-1:2001 Sections 26 EN 60669-2-1:2004 Section 26 EN 60669-2-1:2004+A12:2011 EN 61547:2009 IEC 61547:2009 EN 54-21:2006* EN 50136-2-1:1998* *the radiated immunity test is accredited for frequencies of 80 MHz and above. EN 50270:2015 (excluding DC power port EN 61000-4-29 tests)	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.22 EMC Tests (cont'd)	KN 32:2013 KN 35:2013 (excluding psophometric tests) KN 61000-6-1:2017 KN 61000-6-2:2017 KN 61000-6-3:2012 -6 KN 61000-6-4:2012 -6 KN 11:2017-12 KN 14-1:2017 KN 14-2:2017 KN 61547:2012-6 KN 32:2015-12 KN 35:2015-12 CISPR 35:2016 EN 55035:2017 EN 50121-3-2:2016 (excluding clause 1.2) EN 60669-2-1:2004 + A1:2010	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS 2.1 Conducted Emissions: Power, Control and Signal Leads: DC to 400 MHz	DEF STAN 59-41:Issue 5, DCE01 and DCE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE01 and DCE02 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DCE01.B, DCE02.B DEF STAN 59-411 Part 3 Iss 2 DCE01.B, DCE02.B MIL STD 461D, E & F CE 101 & CE 102	A
	2.2 Radiated Emissions: Electric Field: 10 kHz to 18 GHz	DEF STAN 59-41:Issue 5, DRE01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE01 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DRE01.B DEF STAN 59-411 Part 3 Iss 2 DRE01.B MIL STD 461D, E & F RE 102 & RE103	A
	2.3 Radiated Emissions: Magnetic Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5, DRE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE02 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DRE02.B DEF STAN 59-411 Part 3 Iss 2 DRE02.B MIL STD 461D, E & F RE101	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.4 Exported Transients Power Lines	DEF STAN 59-41:Issue 5 DCE03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE03	A
	2.5 Conducted Susceptibility: Primary Power Lines, 20 Hz - 50 kHz	DEF STAN 59-41:Issue 5 DCS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS01 DEF STAN 59-411 Part 3 Iss 1 DCS01.B DEF STAN 59-411 Part 3 Iss 2 DCS01.B MIL STD 461D, E & F CS101	A
	2.6 Conducted Susceptibility: Power, Control and Signal Lines including Bulk Current Injection 10 kHz to 400 MHz	DEF STAN 59-41:Issue 5 DCS02 and DCS03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS02 and DCS03 DEF STAN 59-411 Part 3 Iss 1 DCS02.B & DCS03.B DEF STAN 59-411 Part 3 Iss 2 DCS02.B & DCS03.B MIL STD 461D, E & F CS106, CS109 CS114 & CS 115	A
2.7 Damped Sinusoidal Transients Cables and Power Leads 10 kHz to 100 MHz	MIL STD 461D, 461E & 461F CS 116	A	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.8 Radiated Susceptibility: Magnetic Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5 DRS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS01 DEF STAN 59-411 Part 3 Iss 1 DRS01.B DEF STAN 59-411 Part 3 Iss 2 DRS01.B MIL STD 461D, E & F RS101	A
	2.9 Radiated Susceptibility: Electric Field: 150 kHz to 1 GHz Maximum Field Strength: 20 V/m 1 GHz to 18 GHz Maximum Field Strength: 10 V/m	DEF STAN 59-41:Issue 5 DRS02.3 SEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS02.3 DEF STAN 59-411 Part 3 Iss 1 DRS02.B DEF STAN 59-411 Part 3 Iss 2 DRS02.B MIL STD 461D, E & F RS103	A
2.10 Electrostatic Discharge	DEF STAN 59-41:Issue 5, DCS10 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS10 DEF STAN 59-411 Part 3 Iss 1 DCS10.B DEF STAN 59-411 Part 3 Iss 2 DCS10.B MIL STD 461G, CS118 RTCA DO 160D, E, F, G Section 25	A	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.11 Magnetostatic Field Susceptibility 4000 A/m	DEF STAN 59-411:Part 3 Iss 1 DRS03 DEF STAN 59-411:Part 3 Iss 2 DRS03	A
	2.12 Compass safe distance	DO 160F Section 15	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
UNINTENTIONAL RADIATORS	SECTION 3 EU US MRA Accredited Scope FCC test requirements Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz	ANSI C63.4-2014 FCC CFR 47 Part 15 B	A
INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT Consumer ISM Equipment	Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz	FCC MP-5 (February 1986), FCC CFR 47 Part Part 18	A
INTENTIONAL RADIATORS BELOW 26.5 GHz	Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz Radio tests as per standard. Includes but not limited to: Peak transmit power Emission bandwidth / Occupied BW Modulation Power spectral density Band edge tests Permitted Frequency range In-band unwanted emissions Out-of-band emissions Spurious Emissions Reaction time Frequency and Time Stability	ANSI C63.10-2013 FCC CFR 47 Part 15 C	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins Hursley EMC Services Limited

Issue No: 066 Issue date: 02 April 2020

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
General Requirements for Compliance of Radio Apparatus	SECTION 4 Canadian MRA ISED Scope of Accreditation Conducted and Radiated Tests 9 kHz to 40 GHz	RSS-Gen Issue 5:2018 (Amendment 1: March 2019) ANSI C63.4:2014 ANSI C63.10:2013	A
Licence-Exempt Radio Apparatus: Category I Equipment	Conducted and Radiated Tests 9 kHz to 40 GHz Conducted Emissions Radiated Emissions Radiated Power Occupied Bandwidth Frequency Stability Antenna Port Conducted Emissions Band Edge	RSS-210 Issue:2016 (Amendment November 2017)	A
Digital Transmission Systems (DTS), Frequency Hopping Systems (FHS) and Licence-Exempt Local Area Network (LE-LAN) Devices	Conducted and Radiated Tests 9 kHz to 40 GHz	RSS-247 Issue 2:2017 excluding DFS testing	A
	Facilities for EMC: Screened enclosures, anechoic lined with 3 m turntable 2 enclosures each, 10 m x 6 m x 4 m 1 enclosure, 11 m x 7 m x 6 m Open area test site: 3 m, 10 m and 30 m range 5 m turntable in enclosed area with 4 m x 2 m doors		
END			