


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 1871 Accredited to ISO/IEC 17025:2017	Eurofins E&E Hursley Limited	
	Issue No: 073 Issue date: 12 May 2022	
	Trafalgar House Trafalgar Close Chandlers Ford Eastleigh SO53 4BW	Contact: Mr Andrew Coombes Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 E-Mail: andycoombes@eurofins.com Website: www.eurofins.co.uk/hursley
Testing performed by the Organisation at the locations specified below		

Flexible Scope

The Flexible Scope applies to the laboratory's accreditation to ISO/IEC17025:2017 for Civil and Military EMC testing activities in accordance with the standards listed on the schedule for EMC Testing, carried out at site A.

The scope may also include tests on the same or similar product types against standards, or customer-specified methods that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of measurement.
- (2) The method or standard does not require measurements to be made outside the parametric boundaries defined in this Schedule.

Information about flexible scopes of accreditation is available in UKAS document GEN 4.

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
Address Trafalgar Close Chandler's Ford Eastleigh Hampshire SO53 4BW	Local contact Mr Andrew Coombes Tel: +44 (0)23 8027 1111 Fax: +44 (0)23 8027 1144 Email: andycoombes@eurofins.com Website: www.eurofins.co.uk/hursley	EMC Testing A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
Computers and Peripherals Domestic Appliances: Electrical Electrical/Electronic Products Electro-Mechanical Devices IT Equipment Measuring Equipment Medical/Dental Equipment Office Equipment: Electrical Radio and TV Equipment Security Equipment Telecommunications Equipment Luminaires	1 CIVIL EMC TESTS 1.1 Conducted Emissions 9 kHz to 30 MHz LISN Method and Annex B method in place of radiated emissions	EN 55011:2009 + A1:2010 EN 55011:2016 EN 55011:2016 + A1:2017 EN 55011:2016 + A11:2020 CISPR 11:2009 + A1:2010 CISPR 11:2015 + A1:2016 EN 55014-1:2006 + A1:2009 + A2:2011 EN 55014-1:2017 EN 55014-1:2017 + A11:2020 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016 CISPR 14-1:2020 EN IEC 55014-1:2021 EN 55015:2013 EN 55015:2013 + A1:2015 CISPR 15:2013 + A1:2015 CISPR 15:2018 EN IEC 55015:2019 + A11:2020 EN 55022:2010 CISPR 22:2008 FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:2014 + 4a:2017 ICES-001 Issue 5 ICES-003 Issue 7	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	1 CIVIL EMC TESTS 1.1 Conducted Emissions 9 kHz to 30 MHz	EN 55032:2012 EN 55032:2015 (excluding outdoor home satellite receivers) EN 55032:2015 + A11:2020 (excluding outdoor home satellite receivers) CISPR 32:2015 (excluding outdoor home satellite receivers)	A
	1.2 Radiated Emissions Electric Field 30 MHz to 40 GHz Magnetic Field 10 kHz to 30 MHz Magnetic Field LLA 9 kHz to 30 MHz Electric Field 30 MHz to 40 GHz	EN 55011:2009 + A1:2010 EN 55011:2016 EN 55011:2016 + A1:2017 EN 55011:2016 + A11:2020 CISPR 11:2009 + A1:2010 CISPR 11:2015 + A1:2016 EN 55014-1:2006 + A1:2009 + A2:2011 EN 55014-1:2017 EN 55014-1:2017 + A11:2020 CISPR 14-1:2016 CISPR 14-1:2020 EN IEC 55014-1:2021 EN 55015:2013 EN 55015:2013 + A1:2015 CISPR 15:2013 + A1:2015 EN 55015:2019 CISPR 15:2018 EN IEC 55015:2019 + A11:2020 EN 55022:2010 CISPR 22:1985 + 1993 + A1:1995 + A2:1996 CISPR 22:2008 FCC/CFR 47:Part 15 FCC/CFR 47:Part 18 ANSI C63.4:2014 + 4a:2017	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	1 CIVIL EMC TESTS		
	1.2 Radiated Emissions (cont'd) Electric Field 30 MHz to 40 GHz	ICES-001 Issue 5 ICES-003 Issue 7 EN 55032:2012 EN 55032:2015 (excluding outdoor home satellite receivers) EN 55032:2015 + A11:2020 (excluding outdoor home receivers) CISPR 32:2015 (excluding outdoor home satellite receivers)	A
	1.3 Discontinuous Emissions (Clicks) 10 kHz to 30 MHz	EN 55014-1:2006 + A1:2009 + A2:2011 EN 55014-1:2017 EN 55014-1:2017 + A11:2020 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016 CISPR 14-1:2020	A
	1.4 Interference Power Measurements 30 MHz to 300 MHz	EN 55014-1:2006 + A1:2009 + A2:2011 EN 55014-1:2017 EN 55014-1:2017 + A11:2020 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016 CISPR 14-1:2020	A
1.5 Conducted RF Immunity 150 kHz to 230 MHz up to 10 Vrms	EN 61000-4-6:2014 IEC 61000-4-6:2013	A	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.6 Radiated RF Immunity 26 MHz to 1 GHz @ 20V/m 1 GHz to 6 GHz @ 10V/m	EN 61000-4-3:2006 + A1:2008 + A2:2010 IEC 61000-4-3:2006 + A1:2007 + A2:2010 EN IEC 61000-4-3:2020	A
	1.7 Immunity to Fast Transients/ Bursts up to 4.5 kV	EN 61000-4-4:2012 IEC 61000-4-4:2012	A
	1.8 Immunity to Mains Surge up to 6 kV	EN 61000-4-5:2014 + A1:2017 IEC 61000-4-5:2014 + A1:2017	A
	1.9 Mains Harmonic Emissions 50 Hz to kHz	EN 61000-3-2:2014 IEC 61000-3-2:2013 EN IEC 61000-3-2:2019 EN IEC 61000-3-2:2019 + A1:2021 IEC 61000-3-2:2018	A
	1.10 Mains Flicker Emissions	EN 61000-3-3:2013 + A1:2019 EN 61000-3-3:2013 + A1:2019 + A2:2021 IEC 61000-3-3:2013 IEC 61000-3-3:2013 + A1:2017	A
1.11 Electrostatic Discharge up to 30 kV	EN 61000-4-2:2009 IEC 61000-4-2:2008	A	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd)		
	1.12 Voltage Dips, Interruptions and Variations	EN 61000-4-11:2004 EN 61000-4-11:2004 + A1:2017 IEC 61000-4-11:2004 + A1:2017	A
	1.13 Power-Frequency Magnetic Fields (Immunity) Field strength: up to 30 A/m	EN 61000-4-8:2010 IEC 61000-4-8:2009	A
	1.14 Pulse Magnetic Immunity Field strength: 1000 A/m	EN 61000-4-9:2016 IEC 61000-4-9:2016	A
	1.15 Damped Oscillatory Magnetic Field Immunity 100 kHz and 1 MHz	EN 61000-4-10:2017 IEC 61000-4-10:2016	A
	1.16 Interharmonic immunity	EN 61000-4-13:2003 + A2:2016 IEC 61000-4-13:2002 + A1:2009 + A2:2015	A
1.17. Immunity to conducted, common mode disturbances 0 Hz to 150 kHz	EN 61000-4-16:2016	A	



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.18 Immunity to Close Proximity Radiated Fields 30 kHz, 134.2 kHz and 13.56 MHz	EN 61000-4-39:2017 (methods covering spot frequencies as required in EN 60601-1-2:2015 + A1:2021 IEC 60601-1-2:2014 + A1:2020	A
Maritime Navigation and Radio Communication Equipment	1.19 EMC Tests	IEC 60945:2002 Ed.4 EN 60945:2002 Ed 4 DNVGL-CG-0339:2015 DNVGL-CG-0339:2019 IEC 60533:2015 IACS UR-E10 Rev.7	A
Household Products Luminaires	1.20 Electro-Magnetic field emissions relating to Human Exposure 10 Hz to 10 MHz	EN 62233:2008 Time Domain Evaluation Method EN 62493:2010	A
Electrical / electronic equipment mounted in ships where Compass is present	1.21 Compass safe distance	IEC 60945:2002 EN 60945:2002	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	<p>1.22 EMC Tests</p> <p>These generic and product specific standards are included but limited to those referenced standards that are explicitly listed in Sections 1.1 to 1.21 of this Schedule.</p>	<p>EN 61000-6-1:2007 IEC 61000-6-1:2016 EN IEC 61000-6-1:2019</p> <p>EN 61000-6-2:2005 IEC 61000-6-2:2016 EN IEC 61000-6-2:2019</p> <p>EN 61000-6-3:2007 + A1:2011 EN IEC 61000-6-3:2021</p> <p>EN 61000-6-4:2007 + A1:2011 IEC 61000-6-4:2006 + A1:2010 EN 61000-6-4:2019 IEC 61000-6-4:2018</p> <p>EN IEC 61000-6-8:2020</p> <p>EN 55024:2010 excluding Psophometric tests</p> <p>EN 55014-1:2017 CISPR 14-1:2005 + A1:2008 + A2:2011 CISPR 14-1:2016 CISPR 14-1:2020 EN IEC 55014-1:2021</p> <p>EN 55014-2:2015 CISPR 14-2:2015 CISPR 14-2:2020 EN IEC 55014-2:2021</p> <p>EN 60601-1-2:2007 EN 60601-1-2:2015 EN 60601-1-2:2015 + A1:2021</p> <p>IEC 60601-1-2:2014 IEC 60601-1-2:2014 + A1:2020</p>	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	CIVIL EMC TESTS (cont'd) 1.22 EMC Tests (cont'd)	EN 61204-3:2000 EN 61326-1:2013 EN 61326-1:2021 EN 61326-2-3:2006 IEC 61326-2-6:2013 EN 61326-2-6:2013 EN 301 489-1:V2.2.3 EN 301 489-3:V2.2.0 EN 301 489-17:V3.2.4 EN 50130-4:2011 + A1:2014 EN 50293:2012 EN 60730-1:2001 Sections 26 EN 60669-2-1:2004 Section 26 EN 60669-2-1:2004 + A1:2010 EN 60669-2-1:2004 + A12:2011 EN 61547:2009 IEC 61547:2009 EN 50270:2015 (excluding DC power port EN 61000-4-29 tests) KS C 9832:2019 KS C 9835:2019 (excluding psophometric tests) KS C 9610-6-1:2019 KS C 9610-6-2:2019 KS C 9610-6-3:2017 KS C 9610-6-4:2017 KS C 9811:2019 KS C 9814-1:2020 KS C 9814-2:2020 KS C IEC 60601-1-2:2020 KN 9547:2020 CISPR 35:2016 EN 55035:2017 EN 55035:2017 + A11:2020 EN 50121-3-2:2016 (excluding clause 1.2) EN 50121-3-2:2016 + A1:2019 EN 50121-4:2016 + A1:2019	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	<p>2 MILITARY AND AEROSPACE EMC TESTS</p> <p>2.1 Conducted Emissions: Power, Control and Signal Leads: DC to 400 MHz</p>	<p>DEF STAN 59-41:Issue 5, DCE01 and DCE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE01 and DCE02</p> <p>RTCA/DO-160D, E & F and G:Section 21</p> <p>DEF STAN 59-411 Part 3 Iss 1 DCE01.B, DCE02.B DEF STAN 59-411 Part 3 Iss 2 DCE01.B, DCE02.B DEF STAN 59-411 Part 3 Iss 3 DCE01.B, DCE02.B</p> <p>MIL STD 461D, E, F, G CE 101 & CE 102</p>	A
	<p>2.2 Radiated Emissions: Electric Field: 10 kHz to 18 GHz</p>	<p>DEF STAN 59-41:Issue 5, DRE01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE01</p> <p>RTCA/DO-160D, E & F and G:Section 21</p> <p>DEF STAN 59-411 Part 3 Iss 1 DRE01.B DEF STAN 59-411 Part 3 Iss 2 DRE01.B DEF STAN 59-411 Part 3 Iss 3 DRE01.B</p> <p>MIL STD 461D, E, F, G RE 102 & RE103</p>	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 2.3 Radiated Emissions: Magnetic Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5, DRE02 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRE02 RTCA/DO-160D, E & F and G:Section 21 DEF STAN 59-411 Part 3 Iss 1 DRE02.B DEF STAN 59-411 Part 3 Iss 2 DRE02.B DEF STAN 59-411 Part 3 Iss 3 DRE01.B MIL STD 461D, E, F, G RE101	A
	2.4 Exported Transients Power Lines	DEF STAN 59-41:Issue 5 DCE03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCE03 DEF STAN 59-411 Part 3 Iss 1 DCE03 DEF STAN 59-411 Part 3 Iss 2 DCE03 DEF STAN 59-411 Part 3 Iss 3 DCE03	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	<p>2 MILITARY AND AEROSPACE EMC TESTS (cont'd)</p> <p>2.5 Conducted Susceptibility: Primary Power Lines, 20 Hz - 50 kHz</p>	<p>DEF STAN 59-41:Issue 5 DCS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS01</p> <p>DEF STAN 59-411 Part 3 Iss 1 DCS01.B DEF STAN 59-411 Part 3 Iss 2 DCS01.B DEF STAN 59-411 Part 3 Iss 3 DCS01.B</p> <p>MIL STD 461D, E, F, G CS101</p>	A
	<p>2.6 Conducted Susceptibility: Power, Control and Signal Lines including Bulk Current Injection</p> <p>10 kHz to 400 MHz</p>	<p>DEF STAN 59-41:Issue 5 DCS02 and DCS03 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS02 and DCS03</p> <p>DEF STAN 59-411 Part 3 Iss 1 DCS02.B & DCS03.B DEF STAN 59-411 Part 3 Iss 2 DCS02.B & DCS03.B DEF STAN 59-411 Part 3 Iss 3 DCS02.B & DCS03.B</p> <p>MIL STD 461D, E & F CS106, MIL STD 461D, E, F, G CS109, CS114 & CS 115</p>	A
	<p>2.7 Damped Sinusoidal Transients Cables and Power Leads 10 kHz to 100 MHz</p>	<p>MIL STD 461D, E, F, G CS 116</p>	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd) 2.8 Radiated Susceptibility: Magnetic (H) Field: 20 Hz to 100 kHz	DEF STAN 59-41:Issue 5 DRS01 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS01 DEF STAN 59-411 Part 3 Iss 1 DRS01.B DEF STAN 59-411 Part 3 Iss 2 DRS01.B DEF STAN 59-411 Part 3 Iss 3 DRS01.B MIL STD 461D, E, F, G RS101	A
	2.9 Radiated Susceptibility: Electric (E) Field: 150 kHz to 2 MHz Maximum Field Strength: 20 V/m 2 MHz to 18 GHz Maximum Field Strength: 50 V/m	DEF STAN 59-41:Issue 5 DRS02.3 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DRS02.3 DEF STAN 59-411 Part 3 Iss 1 DRS02.B DEF STAN 59-411 Part 3 Iss 2 DRS02.B DEF STAN 59-411 Part 3 Iss 3 DRS02.B MIL STD 461D, E, F, G RS103	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
As listed on Page 2	2 MILITARY AND AEROSPACE EMC TESTS (cont'd)		
	2.10 Electrostatic Discharge	DEF STAN 59-41:Issue 5, DCS10 DEF STAN 59-41:Part 3, Section 3, Issue 1:2003 DCS10 DEF STAN 59-411 Part 3 Iss 1 DCS10.B DEF STAN 59-411 Part 3 Iss 2 DCS10.B DEF STAN 59-411 Part 3 Iss 3 DCS10.B MIL STD 461G, CS118 RTCA DO 160D, E, F, G Section 25	A
	2.11 Magnetic Field (DC) Susceptibility 4000 A/m	DEF STAN 59-411:Part 3 Iss 1 DRS03 DEF STAN 59-411:Part 3 Iss 2 DRS03 DEF STAN 59-411:Part 3 Iss 3 DRS03	A
	2.12 Compass safe distance	DO 160F Section 15	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
UNINTENTIONAL RADIATORS	SECTION 3 EU US MRA Accredited Scope FCC test requirements Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz	ANSI C63.4-2014 + 4a-2017 FCC CFR 47 Part 15 B	A
INDUSTRIAL, SCIENTIFIC AND MEDICAL EQUIPMENT Consumer ISM Equipment	Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz	FCC MP-5 (February 1986), FCC CFR 47 Part 18	A
INTENTIONAL RADIATORS BELOW 26.5 GHz	Conducted Emissions 9 kHz to 30 MHz Radiated Emissions 9 kHz to 40 GHz Radio tests as per standard. Includes but not limited to: Peak transmit power Emission bandwidth / Occupied BW Modulation Power spectral density Band edge tests Permitted Frequency range In-band unwanted emissions Out-of-band emissions Spurious Emissions Reaction time Frequency and Time Stability	ANSI C63.10-2013 FCC CFR 47 Part 15 C	A



1871

Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Eurofins E&E Hursley Limited

Issue No: 073 Issue date: 12 May 2022

Testing performed by the Organisation at the locations specified

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
General Requirements for Compliance of Radio Apparatus	SECTION 4 Canadian MRA ISED Scope of Accreditation Conducted and Radiated Tests 9 kHz to 40 GHz	RSS-Gen Issue 5:2018 (Amendment 2: February 2021) ANSI C63.4:2014 + 4a-2017 ANSI C63.10:2013	A
Licence-Exempt Radio Apparatus: Category I Equipment	Conducted and Radiated Tests 9 kHz to 40 GHz Conducted Emissions Radiated Emissions Radiated Power Occupied Bandwidth Frequency Stability Antenna Port Conducted Emissions Band Edge	RSS-210 Issue 10:2019	A
Digital Transmission Systems (DTS), Frequency Hopping Systems (FHS) and Licence-Exempt Local Area Network (LE-LAN) Devices	Conducted and Radiated Tests 9 kHz to 40 GHz	RSS-247 Issue 2:2017 excluding DFS testing	A
	Facilities for EMC: Commercial chambers 2 SAC enclosures each, 3m measurement distance 1 FAR enclosure, 11 m x 7 m x 6 m 3m measurement distance Military chambers 2 SAC enclosures, 1m measurement distance		
END			