


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>2420</p> <p>Accredited to ISO/IEC 17025:2017</p>	<h3>NAS Laboratories Limited</h3> <p>Issue No: 026 Issue date: 01 February 2022</p>	
	<p>Unit 2 49 Main Avenue Brackla Industrial Estate Bridgend CF31 2AZ</p>	<p>Contact: Mr K Wheeler Tel: +44 (0)1656 750096 Fax: +44 (0)1656 669855 E-Mail: enquiries@nasltd.co.uk Website: www.nasltd.co.uk</p>
<p>Testing performed by the Organisation at the locations specified below</p>		

Locations covered by the organisation and their relevant activities

Laboratory locations:

Location details	Activity	Location code
<p>Address Unit 2 49 Main Avenue Brackla Industrial Estate Bridgend CF31 2AZ</p> <p>Local contact Mr K Wheeler Tel: +44 (0)11656 750096 Fax: +44 (0)1656 669855 Email: k.wheeler@nasltd.co.uk Website: www.nasltd.co.uk</p>	<p>Health and Hygiene Head Office</p> <p>Asbestos – All Support Functions</p>	A
<p>Address Fuel Compound Jersey Airport St Peter Jersey JE3 7BP</p> <p>Local contact Mr K Wheeler Tel: +44 (0)1534 746110 Fax: +44 (0)1481 252017 Email: k.wheeler@nasltd.co.uk Website: www.nasltd.co.uk</p>	<p>Health and Hygiene Asbestos – Support Functions:</p> <ul style="list-style-type: none"> • Quality Audit • Contract Review • Scheduling • Personnel • Equipment • Reporting 	B
<p>Address Les Reines Forest Guernsey GY8 0JD</p> <p>Local contact Mr K Wheeler Tel: +44 (0)1481 263167 Email: k.wheeler@nasltd.co.uk Website: www.nasltd.co.uk</p>	<p>Health and Hygiene Asbestos – Support Functions:</p> <ul style="list-style-type: none"> • Quality Audit • Contract Review • Scheduling • Personnel • Equipment • Reporting 	D



2420
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

NAS Laboratories Limited
Issue No: 026 Issue date: 01 February 2022

Testing performed by the Organisation at the locations specified

Site activities performed away from the locations listed above:

Location details	Activity	Location code
Client Premises	Health and Hygiene	E - South Wales F - Jersey H - Guernsey



2420
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

NAS Laboratories Limited
Issue No: 026 Issue date: 01 February 2022

Testing performed by the Organisation at the locations specified

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
ASBESTOS FIBRES IN AIR	<u>Health and Hygiene</u>	Health and Safety Executive - Asbestos: The Analysts' Guide (HSG 248) – 2021	
	Sampling of air for fibre counting	Documented In-House Method N-3 based on HSG 248	E, F, H
	Fibre counting	Documented In-House Method N-3, Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	A, B, D, E, F, H
ASBESTOS IN BULK MATERIALS including materials and products suspected of containing asbestos	4 Stage Clearance Process	Documented In-House Method N-3, Membrane Filter Method using Phase Contrast Microscopy (PCM) based on HSG 248	E, F, H
	Sampling of bulk materials for subsequent identification of asbestos	Documented In-House Method N-4 based on HSG 248	E, F, H
	Identification of: Amosite Chrysotile Crocidolite Fibrous Actinolite Fibrous Anthophyllite Fibrous Tremolite	Documented In-House Method N-2 using stereo-microscopy, polarised light optical microscopy and dispersion staining based on HSG 248	A, B, D
END			