


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

| | | |
|--|---|---|
|  <p>UKAS TESTING</p> <p>4456</p> <p>Accredited to ISO/IEC 17025:2017</p> | <p>Celtic Food Laboratories Ltd</p> <p>Issue No: 012 Issue date: 11 October 2020</p> | |
| | <p>Rizla House Severn Road Treforest Industrial Estate Rhondda Cynon Taf CF37 5SP</p> | <p>Contact: Danielle Bromley Tel: +44 (0)1443 843847 E-Mail: danielle@celticfoodlab.com</p> |
| <p>Testing performed at the above address only</p> | | |

DETAIL OF ACCREDITATION

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used |
|---|---|--|
| FOOD, FOOD STUFFS AND ENVIRONMENTAL SWABS | <u>Microbiological Tests</u> | Documented In-House Methods |
| | Enumeration of: | |
| | Aerobic Colony Count | CM001 based on BS EN ISO 4833-1:2013 |
| | Coliforms at 37°C (presumptive) | CM002 based on BS ISO 4832:2006 |
| | Enterobacteriaceae (presumptive) | CM003 based on BS EN ISO 21528-2:2017 |
| | <i>Escherichia coli</i> (β-glucuronidase positive) | CM006 based on BS ISO 16649-2:2001 |
| | Coagulase positive Staphylococcus including <i>Staphylococcus aureus</i> (confirmed) | CM004 based on BS EN ISO 6888-1:1999+A2 :2018 |
| | <i>Listeria monocytogenes</i> and <i>Listeria</i> spp, including species identification | CM007B based on BS EN ISO 11290-2:2017 |
| | Moulds | CM005 based on BS ISO 21527-1:2008 |
| Yeasts | CM005 based on BS ISO 21527-1:2008 | |
| <i>Pseudomonas</i> spp (presumptive) | CM011 based on BS EN ISO 13720:2010 | |



4456
Accredited to
ISO/IEC 17025:2017

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Celtic Food Laboratories Ltd
Issue No: 012 Issue date: 11 October 2020

Testing performed at main address only

| Materials/Products tested | Type of test/Properties measured/Range of measurement | Standard specifications/ Equipment/Techniques used |
|--|--|--|
| FOOD, FOOD STUFFS AND ENVIRONMENTAL SWABS (cont'd) | <u>Microbiological Tests</u> (cont'd) Detection of: <i>Listeria monocytogenes</i> and <i>Listeria</i> spp, including species identification <i>Salmonella</i> spp (confirmed) | Documented In-House Methods CM007 based on BS EN ISO 11290-1:2017 confirmation by bioMérieux API Listeria CM008 based on BS EN ISO 6579-1:2017+A1:2020 confirmation by bioMérieux API 20E and serology |
| End | | |