


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <b>8347</b> Accredited to <b>ISO/IEC 17025:2017</b>	<b>P.N. Daly Ltd</b>	
	<b>Issue No: 011</b>	<b>Issue date: 09 February 2021</b>
	<b>Butterworth Hall Works</b> Charles Lane Milnrow Rochdale Lancashire OL16 3PA	<b>Contact: John Vaughan</b> Tel: +44 (0)7974 455354 E-Mail: <a href="mailto:j.vaughan@pndaly.co.uk">j.vaughan@pndaly.co.uk</a> Website: <a href="http://www.pndaly.co.uk">www.pndaly.co.uk</a>
<b>Testing performed by the Organisation at the locations specified</b>		

### Locations covered by the organisation and their relevant activities

#### Laboratory locations:

Location details	Activity	Location code
<b>Address</b> P.N.Daly Ltd Opposite Unit 6 Maybrook Industrial Estate Maybrook Road Walsall Wood Walsall WS8 7DG	<b>Local contact</b> Mr J. Vaughan Tel: +44 (0)7974 455354	Construction materials laboratory testing Management and Administrative support.  WS8

#### Site activities performed away from the locations listed above:

Location details	Activity	Location code
All locations suitable for the activities listed	Construction materials site sampling and testing	Site A



8347

Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**P.N. Daly Ltd**

**Issue No: 011 Issue date: 09 February 2021**

**Testing performed by the Organisation at the locations specified**

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
BITUMINOUS MIXTURES for roads and other paved areas	Maximum Density	BS EN 12697-5 :2018	WS8
	Bulk Density - sealed specimen	BS EN 12697-6 :2020	WS8
	Air Voids Content	BS EN 12697-8 :2018	WS8
	Sampling of finished material - core cutting method	BS EN 12697-27:2017	WS8
	Determination of the thickness of bituminous pavement	BS EN 12697-36:2003	Site A WS8
	Identification of bituminous material	Documented In-house Method LMS/M0001	Site A WS8
	Dynamic cone penetrometer	Documented in-house method, LMS/M0015. DMRB Volume 7, Section 3, Part 2, HD29/08 (Withdrawn)	Site A
REINSTATEMENT OF OPENINGS IN HIGHWAYS	Dynamic cone penetrometer	Documented in-house method, LMS/M0015. Design Manual for Roads and Bridges CS229 Revision 0	Site A
	Maximum Density	Based on the New Roads and Street Works Act (1991) (Specification for the reinstatement of openings in the Highways or Roads (SROH) 2nd edition: June 2002 and 3rd edition: April 2010 (SROR) 2nd edition: June 2002 and 3rd edition: June 2012  BS EN 12697-5 :2018	WS8



Accredited to  
ISO/IEC 17025:2017

**Schedule of Accreditation**  
issued by  
**United Kingdom Accreditation Service**  
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

**P.N. Daly Ltd**

**Issue No: 011 Issue date: 09 February 2021**

**Testing performed by the Organisation at the locations specified**

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used	Location Code
REINSTATEMENT OF OPENINGS IN HIGHWAYS (cont'd)	Bulk Density - sealed specimen	BS EN 12697-6 :2020	WS8
	Air Voids Content	BS EN 12697-8 :2018	WS8
	Sampling of finished material - core cutting method	BS EN 12697-27:2017	Site A
	Determination of the thickness of bituminous pavement	BS EN 12697-36:2003	WS8
	Identification of bituminous material	Documented In-house Method LMS/M0001	Site A WS8
Visual inspection of reinstatements in the highways.	Documented In-house Method LMS/M0002	Site A	

END