Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK



8613

Accredited to ISO/IEC 17025:2017

Ex Veritas Limited

Issue No: 010 Issue date: 09 November 2022

Units 16 - 18 Abenbury Way Wrexham Industrial Estate

Wrexham LL13 9UZ

United Kingdom

Contact: Stuart Muir Tel: +44 (0) 8458 622447 Fax: +44 (0) 845 862 2426

Email: s.muir@exveritas.com Website: www.exveritas.com

Testing performed at the above address only

DETAIL OF ACCREDITATION

Flexible Scope

The laboratory is accredited to ISO/IEC17025:2017 for testing activities in accordance with the standards included on this schedule. This may also include tests on the same or similar product types against standards, or customerspecified methods, that are not specifically listed in this Schedule, providing that:

- (1) The method or standard does not introduce new principles of testing / measurement.
- (2) The method or standard does not require testing / measurements to be made outside the parametric boundaries defined within the standard specifications already accredited and detailed within this Schedule of Accreditation.

Information about flexible scopes of accreditation is available on the UKAS website.

Assessment Manager: RC3 Page 1 of 5



Schedule of Accreditation issued by

United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Ex Veritas Limited

Issue No: 010 Issue date: 09 November 2022

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used*
SECTION 1 ELECTRICAL PRODUCT TESTS		
Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in potentially Explosive Atmospheres		
Electrical apparatus for explosive	Construction, safety and marking	IEC 60079-0:2017 EN 60079-0:2018
gas atmospheres General requirements	Thermal Stability min temp - 50 °C max temp 450 °C	IEC 60079-0:2011 EN 60079-0:2012/A11:2013
	Max enclosure size for Thermal	IEC 60079-0:2007 (withdrawn)
	Stability test 100 x 900 x 900 mm	Excluding: Resistance to light
Tests for Apparatus in Flameproof	Construction, safety and marking	IEC 60079-1:2014 (Ed 7)
Enclosures (Exd)	Clause 15.1.2/15.1.3 min temp	IEC 60079-:2007 (withdrawn)
	50 °C Clause 15.2 max temp 450 °C	
Tests for Pressurised and Purged Apparatus (Exp)	Construction, safety and marking	IEC 60079-2:2014 (Ed 6) IEC 60079-2:2007 (withdrawn)
Tests for Sand Filled Apparatus (Exq)	Construction, safety and marking	IEC 60079-5:2015 IEC 60079-5:2007 (withdrawn)
Tests for Oil Immersed Apparatus (Exo)	Construction, safety and marking	IEC 60079-6:2015 IEC 60079-6:2007 (withdrawn)
Tests for Increased Safety	Construction, safety and marking	IEC 60079-7:2015 IEC 60079-7:2006
Apparatus (Exe)		Excluding:
		Thermal performance testing of electrical machines
Tests for Intrinsically Safe Apparatus, Associated Apparatus and Systems (Exi)	Construction, safety and marking	IEC 60079-11:2011
Tests for Electrical Apparatus for Explosive Atmospheres. Construction and use of of rooms or buildings protected by pressurization	Construction, safety and marking	IEC 60079-13:2010 IEC 60079-13:2017

Assessment Manager: RC3 Page 2 of 5



Schedule of Accreditation issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Ex Veritas Limited

Issue No: 010 Issue date: 09 November 2022

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used*		
SECTION 1 ELECTRICAL PRODUCT TESTS (cont'd)				
Tests for Electrical Apparatus for Explosive Atmospheres with Type of Protection n (Exn)	Construction, safety and marking	IEC 60079-15:2010 IEC 60079-15:2019		
Tests for Encapsulated Apparatus (Exm)	Construction, safety and marking	IEC 60079-18:2015 IEC 60079-18:2009 (withdrawn)		
Intrinsically safe electrical systems	Construction, safety and marking	IEC 60079-25:2010		
Special requirements for construction, Test and Marking of Electrical Apparatus of Equipment Group II, Category 1G	Construction, safety and marking	IEC 60079-26:2014 Excluding ;- Clause 4.1.3.2b), vibration stress test.		
Group I, Category M1 equipment intended to remain functional in atmospheres endangered by firedamp and/or coal dust	Construction, safety and marking	EN 50303:2000		
Electrical apparatus for explosive gas atmospheres. Fieldbus intrinsically safe concept (FISCO) and fieldbus non-incendive concept (FNICO)	Construction, safety and marking	IEC 60079-27:2008		
Protection of equipment and transmission systems using optical radiation	Construction, safety and marking	IEC 60079-28:2015 IEC 60079-28:2006 Excluding;- Clause 6, ignition test		
Equipment dust ignition protection by enclosure "t"	Construction, safety and marking	IEC 60079-31:2014 IEC 60079-31:2008 (withdrawn)		
Electrostatics hazards — Tests	Construction, safety and marking	EN 60079-32-2:2015 IEC 60079-32-2:2015		
Equipment protection by special protection "s"	Construction, safety and marking	PD CLC/TR 60079-33:2015		

Assessment Manager: RC3 Page 3 of 5



Schedule of Accreditation issued by

United Kingdom Accreditation Service 2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Ex Veritas Limited

Issue No: 010 Issue date: 09 November 2022

Testing performed at main address only

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used*
SECTION 1 ELECTRICAL PRODUCT TESTS (cont'd)		
Electrical apparatus for use in the presence of combustible dust: Type of protection 'pD'	Construction, safety and marking	IEC 61241-4:2001 (withdrawn)
SECTION 2 NON-ELECTRICAL PRODUCT TESTS		
Non-Electrical Apparatus, Systems, Components, Accessories and Enclosures for use in Potentially Explosive Atmospheres	Tests similar to those indicated above for electrical equipment	
Basic Methods and Requirements	Construction, safety and marking	ISO/IEC 80079-36:2016 EN 13463-1:2009
Protection by flow restricting enclosure "fr"	Construction, safety and marking	EN 13463-2:2004
Protection by flameproof enclosure 'd'	Construction, safety and marking	EN 13463-3:2005
Protection by control of ignition source "b"	Construction, safety and marking	EN 13463-6:2005
Protection by liquid immersion "k"	Construction, safety and marking	EN 13463-8:2003
Non-electrical equipment for use in explosive atmospheres - Non-electrical type of protection constructional safety 'c', control of ignition sources 'b', liquid immersion 'k'	Construction, safety and marking	ISO/IEC 80079-37:2016
SECTION 3 INGRESS PROTECTION TESTS		
Enclosures for Electrical Equipment	IP1X Protected against solid objects greater than 50 mm diameter	IEC 60529:2013, Amd 2 IEC 60529:2001, Amd 1

Assessment Manager: RC3 Page 4 of 5



Schedule of Accreditation issued by

United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Ex Veritas Limited

Issue No: 010 Issue date: 09 November 2022

Testing performed at main address only

IP2X Protected against solid objects greater than 12 mm diameter IP3X Protected against solid objects greater than 2.5 mm diameter IP4X Protected against solid objects greater than 1.0 mm diameter IP5X Dust Protected Excluding: Objects greater than 2.000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 mm Max weight: 140 kg IP73 Protected against spraying water IPX4 Protected against splashing water IPX5 Protected against water jets	s/ sed*
objects greater than 12 mm diameter IP3X Protected against solid objects greater than 2.5 mm diameter IP4X Protected against solid objects greater than 1.0 mm diameter IP5X Dust Protected Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 mm Max weight: 140 kg IPX3 Protected against spraying water IPX4 Protected against splashing water	
objects greater than 2.5 mm diameter IP4X Protected against solid objects greater than 1.0 mm diameter IP5X Dust Protected Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IPX3 Protected against spraying water IPX4 Protected against splashing water	
objects greater than 1.0 mm diameter IP5X Dust Protected Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IPX3 Protected against spraying water IPX4 Protected against splashing water	
Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IP6X Dust Tight Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IPX3 Protected against spraying water IPX4 Protected against splashing water	
Excluding: Objects greater than 2000 x 1000 x 1000 mm Max weight: 140 kg IPX3 Protected against spraying water IPX4 Protected against splashing water	
water IPX4 Protected against splashing water	
water	
IPX5 Protected against water lets	
/ to etectod against mater jots	
IPX6 Protected against heavy seas	
IPX7 Protected against the effects of immersion Excluding: X7 Objects greater than 1000 x 650 x 850 mm	
IPX8 Protected against the effects of immersion	

^{*}Where IEC or EN standards have exact equivalents in BS, EN or BS EN Standards, these are also included in the accreditation

Assessment Manager: RC3 Page 5 of 5