


Draft - Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 9682 Accredited to IQIPS Standard	Manchester University NHS Foundation Trust	
	Issue No: 005	Issue date: 04 March 2021
	Audiology (Hearing and Balance) Centre Peter Mount Building Manchester Royal Infirmary Oxford Road Manchester M13 9WL	Contact: Martin O'Driscoll Tel: +44 (0)161 276 4417 E-Mail: martin.odriscoll@mft.nhs.uk Website: https://mft.nhs.uk/
Examinations performed by the Organisation at the locations specified below		

Locations covered by the organisation and their relevant activities

Service locations:

Primary location details	Activity	Location code	
Address with full postcode Audiology (Hearing and Balance) Centre Peter Mount Building Manchester Royal Infirmary Oxford Road Manchester M13 9WL	Local contact Martin O'Driscoll	Audiology	A
Audiology Trafford General Hospital Moorside Road Davyhulme Manchester M41 5SL	Greg Nassar	Audiology	B
Audiology Altrincham General Hospital Railway Street Altrincham WA14 2RQ	Greg Nassar	Audiology	C
Audiology Royal Manchester Children's Hospital Oxford Road Manchester M13 9WL	Martin O'Driscoll	Audiology	D





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 **Issue date:** 04 March 2021

Examinations performed by the Organisation at the locations specified below

DETAIL OF ACCREDITATION

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Adult Hearing Services Assessment: Otoscopy History Taking Pure Tone Audiometry Tympanometry & Reflex Testing Loudness Discomfort Levels	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33	A
Audiology	Adult Hearing Services Rehabilitation: COSI Impression Taking Hearing Aid Fitting Real Ear Measurement Real Ear To Coupler Differences Hearing Aid Diagnostics and Adjustments Unaided & Aided Sound Field Thresholds BKB sentences or other speech material AB Wordlists	Aurical Fitting system Aurical Hearing aid test box Otosuite Astera sound field testing system with speech module	A
Audiology	Complex Adult Services Assessment: Otoscopy History Taking Pure Tone Audiometry Tympanometry & Reflex Testing Loudness Discomfort Levels Visual Reinforcement Audiometry Performance Test Play Audiometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system	A





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Complex Adult Services Assessment (cont'd): Otoacoustic Emissions Tests – Transient Evoked Otoacoustic Emissions Tests – Distortion Product Cortical Electric Response Audiometry BKB Sentences or other speech material	Interacoustics TITAN TE and DP OAE HEARLAB CERA evoked potential system Otosuite Astera sound field testing system with speech module	A
Audiology	Complex Adult Services Rehabilitation: COSI Impression Taking Hearing Aid Fitting Real Ear Measurement Real Ear To Coupler Differences Hearing Aid Diagnostics and Adjustments Unaided & Aided Sound Field Thresholds	Auroscope Aurical Fitting system Aurical Hearing aid test box Otosuite Astera sound field testing system with speech module Bone anchored hearing aid fitting software from Cochlear and Oticon medical	A





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Complex Adult Services Balance: Dizziness Handicap Inventory Caloric Irrigation Test Videonystagmography Dix-Hallpike for BPPV Posturography Vestibular Rehabilitation	Interacoustics Otoaccess VNG System. Hortmann Water caloric irrigator -Aquamatic II. Air caloric - Interacoustics AirFX Interacoustics Rotational Chair. Neurocom EQUITEST posturography system	A
Audiology	Paediatric Audiology Services – Assessments: Otoscopy History taking Pure tone audiometry Tympanometry & Reflex testing with interpretation of results Visual Reinforcement Audiometry Performance Test McCormick Toy Test Manchester Picture test Play Audiometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system Automated McCormick Toy Test	A





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Complex Paediatric Audiology Services – Assessment: Otoscopy History taking Auditory Brainstem Response – Threshold Otoacoustic Emissions Tests – Transient Evoked Otoacoustic Emissions Tests – Distortion Product Bone Anchored Hearing Aid Assessment Cochlear Microphonic Testing (CMT) High Frequency Probe Tone Tympanometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system Automated McCormick Toy Test Biologic Nav Pro EP system ILO 92 OAE system	A
Audiology	Paediatric Audiology Services – Rehabilitation: Otoscopy Impression taking Hearing Aid Fitting Real Ear Measurement Real Ear to Coupler Differences Hearing Aid Diagnostics and Adjustment Unaided & Aided Testing PEACH or other Questionnaire	Auroscope Audiometers: Aurical and Astera. VRA system Automated McCormick Toy Test	A
Audiology	Complex Paediatric Audiology Services – Rehabilitation: Otoscopy Bone Anchored Hearing Aid Fitting	Auroscope BAHA fitting system with software	A





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 **Issue date:** 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Adult Hearing Services Assessment: Otoscopy History Taking Pure Tone Audiometry Tympanometry & Reflex Testing Loudness Discomfort Levels	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33	B
Audiology	Adult Hearing Services Rehabilitation: COSI Impression Taking Hearing Aid Fitting Real Ear Measurement Real Ear To Coupler Differences Hearing Aid Diagnostics and Adjustments Unaided & Aided Sound Field Thresholds BKB sentences or other speech material AB Wordlists	Aurical Fitting system Aurical Hearing aid test box Otosuite Astera sound field testing system with speech module	B
Audiology	Paediatric Audiology Services – Assessments: Otoscopy History taking Pure tone audiometry Tympanometry & Reflex testing with interpretation of results Visual Reinforcement Audiometry Performance Test McCormick Toy Test Manchester Picture test Play Audiometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system Automated McCormick Toy Test	B





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 **Issue date:** 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Complex Paediatric Audiology Services – Assessment: Otoscopy History taking Auditory Brainstem Response – Threshold Cochlear Microphonic Testing (CMT) High Frequency Probe Tone Tympanometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 Biologic Nav Pro EP system ILO 92 OAE system	B
Audiology	Paediatric Audiology Services – Rehabilitation: Otoscopy Impression taking Hearing Aid Fitting Real Ear Measurement Real Ear to Coupler Differences Hearing Aid Diagnostics and Adjustment Unaided & Aided Testing PEACH or other Questionnaire	Auroscope Audiometers: Aurical and Astera. Aurical Fitting system Aurical Hearing aid test box VRA system Automated McCormick Toy Test	B
Audiology	Adult Hearing Services Assessment: Otoscopy History Taking Pure Tone Audiometry Tympanometry & Reflex Testing Loudness Discomfort Levels	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33	C





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Adult Hearing Services Rehabilitation: COSI Impression Taking Hearing Aid Fitting Real Ear Measurement Real Ear To Coupler Differences Hearing Aid Diagnostics and Adjustments Unaided & Aided Sound Field Thresholds BKB sentences or other speech material AB Wordlists	Aurical Fitting system Aurical Hearing aid test box Otosuite Astera sound field testing system with speech module	C
Audiology	Paediatric Audiology Services – Assessments: Otoscopy History taking Pure tone audiometry Tympanometry & Reflex testing with interpretation of results Visual Reinforcement Audiometry Performance Test McCormick Toy Test Manchester Picture test Play Audiometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system Automated McCormick Toy Test	C





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	<p>Complex Paediatric Audiology Services – Assessment:</p> <p>Otoscopy History taking Auditory Brainstem Response – Threshold Cochlear Microphonic Testing (CMT) High Frequency Probe Tone Tympanometry</p> <p>Distortion Product High Frequency Probe Tone Tympanometry</p>	<p>Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 Biologic Nav Pro EP system ILO 92 OAE system</p> <p>GSI 33 VRA system Automated McCormick Toy Test Biologic Nav Pro EP system ILO 92 OAE and titan OAE systems</p>	C
Audiology	<p>Paediatric Audiology Services – Rehabilitation:</p> <p>Otoscopy Impression taking Hearing Aid Fitting Real Ear Measurement Real Ear to Coupler Differences Hearing Aid Diagnostics and Adjustment Unaided & Aided Testing PEACH or other Questionnaire</p>	<p>Auroscope Audiometers: Aurical and Astera. Aurical Fitting system Aurical Hearing aid test box VRA system Automated McCormick Toy Test</p>	C





9682

Accredited to
IQIPS Standard

Schedule of Accreditation
issued by
United Kingdom Accreditation Service
2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Manchester University NHS Foundation Trust

Issue No: 005 Issue date: 04 March 2021

Examinations performed by the Organisation at the locations specified below

Activity	Type of Examination/Procedure Performed	Equipment used	Location Code
Audiology	Paediatric Audiology Services – Assessments: Otoscopy History taking Pure tone audiometry Tympanometry & Reflex testing with interpretation of results Visual Reinforcement Audiometry Performance Test McCormick Toy Test Manchester Picture test Play Audiometry	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33 VRA system Automated McCormick Toy Test	D
Audiology	Complex Paediatric Audiology Services – Assessment: Otoscopy History taking Otoacoustic Emissions Tests – Transient Evoked Otoacoustic Emissions Tests –	Auroscope Audiometers: Aurical and Astera. Tympanometers: Interacoustics Titan and GSI 33	D
END			