


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 7873 Accredited to ISO/IEC 17043:2010	Sheffield Teaching Hospitals NHS Foundation Trust, operating UK NEQAS Blood Coagulation	
	Issue No: 005 Issue date: 09 April 2020	
	UK NEQAS Blood Coagulation 3rd Floor Pegasus Building 463A Glossop Road Sheffield S10 2QD United Kingdom	Contact: Ian Jennings Tel: +44 (0) 114 267 3300 Fax: +44 (0) 114 267 3309 E-Mail: ian.jennings@sth.nhs.uk Website: www.ukneqasbc.org
Proficiency Testing provided from the locations specified below		

Locations covered by the organisation and their relevant activities

<u>Location details</u>	<u>Activity</u>	<u>Location code</u>
Address UK NEQAS Blood Coagulation 3rd Floor Pegasus Building 463A Glossop Road Sheffield S10 2QD United Kingdom Local Contact Ian Jennings Tel: +44 (0) 114 267 3300 Fax: +44 (0) 114 267 3309	PT offices and main operations	A
Address Royal Hallamshire Hospital Sheffield Teaching Hospitals NHS Foundation Trust Glossop Road Sheffield South Yorkshire S10 2JF Local Contact As above	Sample preparation, including in process testing, and primary packaging.	B



7873

Accredited to
ISO/IEC 17043:2010

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Sheffield Teaching Hospitals NHS Foundation Trust, operating UK NEQAS Blood Coagulation

Issue No: 005 Issue date: 09 April 2020

Proficiency Tests provided from the locations specified

DETAIL OF ACCREDITATION

Materials/Products	Scheme Name/Type of Test/Properties Measured	Scheme Protocols/Procedures/ Techniques Used	Location Code
Lyophilised human plasma	<p>Coagulation schemes</p> <p>UK NEQAS for Blood Coagulation: Laboratory Programme – Screening tests (level 1)</p> <p>Prothrombin Time (PT)/INR (Quick and/or capillary methods)</p> <p>Prothrombin Time PT (diagnostic)</p> <p>Activated Partial Thromboplastin Time (APTT)</p> <p>Heparin Dosage Assessment (HDA)</p> <p>Heparin Assay (HA)</p> <p>Thrombin Time (TT)</p> <p>Fibrinogen evaluation</p> <p>D-Dimer</p> <p>Lupus anticoagulant</p>	See www.ukneqasbc.org for scheme details	A, B
Lyophilised human plasma	<p>UK NEQAS for Blood Coagulation: Laboratory programme – Assays (level 2)</p> <p>Factor II assay</p> <p>Factor V assay</p> <p>Factor VII assay</p> <p>Factor VIII:C assay</p> <p>Factor IX:C assay</p> <p>Factor X assay</p> <p>Factor XI assay</p> <p>Factor XII assay</p> <p>Quantitative VIII inhibitor von Willebrand factor antigen assay</p> <p>VWF:RCo (activity) assay</p> <p>VWF:CB (collagen binding) assay</p>	See www.ukneqasbc.org for scheme details	A, B



7873

Accredited to
ISO/IEC 17043:2010

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Sheffield Teaching Hospitals NHS Foundation Trust, operating UK NEQAS Blood Coagulation

Issue No: 005 Issue date: 09 April 2020

Proficiency Tests provided from the locations specified

Materials/Products	Scheme Name/Type of Test/Properties Measured	Scheme Protocols/Procedures/ Techniques Used	Location Code
Lyophilised human plasma (cont'd)	<p>Coagulation schemes (cont'd)</p> <p>UK NEQAS for Blood Coagulation: Main Scheme level 2 (cont'd) Antithrombin activity assay Antithrombin antigen assay Protein C antigen assay Protein C activity assay Protein S total and free antigen assay Protein S activity assay Activated Protein C resistance Plasminogen assay</p> <p>Molecular Coagulation schemes</p>	See www.ukneqasbc.org for scheme details	A, B
Whole blood; DNA from immortalised cell lines	<p>UK NEQAS for Blood Coagulation Factor V Leiden / Molecular Genetics of Thrombophilia Factor V Leiden & Prothrombin 20210A genetic mutation</p>	See www.ukneqasbc.org for scheme details	A, B
Whole blood; DNA from immortalised cell lines	<p>UK NEQAS for Blood Coagulation: Genetics of Heritable Bleeding and Thrombotic Disorders Genetics associated with Haemophilia (including genotyping and interpretation)</p>	See www.ukneqasbc.org for scheme details	A, B



7873

Accredited to
ISO/IEC 17043:2010

Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

Sheffield Teaching Hospitals NHS Foundation Trust, operating UK NEQAS Blood Coagulation

Issue No: 005 Issue date: 09 April 2020

Proficiency Tests provided from the locations specified

Materials/Products	Scheme Name/Type of Test/Properties Measured	Scheme Protocols/Procedures/ Techniques Used	Location Code
Lyophilised human plasma	Coagulation schemes (cont'd) UK NEQAS for Blood Coagulation: Point of Care Testing (POCT) – INR programme Point of Care Testing (POCT) – D Dimer programme Point of Care Testing (POCT) – ACT programme Point of Care Testing (POCT) – Rotem/TEG programme	See www.ukneqasbc.org for scheme details	A, B
Lyophilised human plasma	UK NEQAS for Blood Coagulation: Plasma Homocysteine Homocysteine	See www.ukneqasbc.org for scheme details	A, B
Lyophilised human plasma	DOAC (Direct Oral Anticoagulant) Assay Programme	See www.ukneqasbc.org for scheme details	A, B
Lyophilised human plasma	FXIII Assay Programme	See www.ukneqasbc.org for scheme details	A, B
Lyophilised human plasma	UK NEQAS (Blood Coagulation) ADAMTS13 assays programme	See www.ukneqasbc.org for scheme details	A, B
END			