


# Schedule of Accreditation

issued by

## United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 Accredited to ISO/IEC 17025:2017	<b>Ahmeys Limited</b>	
	Issue No: 001    Issue date: 24 September 2021	
	115 Oxford Road Oxford OX4 2EA GBR	Contact: Faheem Ahmed Tel: +44 (0)186 568 9149 E-Mail: info@ahmeysclinic.com Website: www.Ahmeysclinic.com
<b>Sampling performed at the above address only</b>		

### DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
HUMAN BODY FLUID  Combined Nasopharyngeal & Oropharyngeal (Nose & Throat) Swab	<u>Sampling with subsequent testing at a laboratory accredited to ISO 15189:2012 or ISO/IEC 17025:2017 and who is listed on the DHSC Approved List for the testing performed.</u>  For:  General Population Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods  Test to Release Day 5 Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods  Day 2 & 8 International Arrival Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods	In house method based on PHE Guidance for COVID-19 Sampling for testing purposes
END		