


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 <p>UKAS MEDICAL 22591</p> <p>Accredited to ISO 15189:2012</p>	<p>CP Medical Clinic Ltd</p> <p>Issue No: 001 Issue date: 27 October 2021</p>	
	<p>61-63 Sloane Avenue London SW3 3DH</p>	<p>Contact: Nazim Ali Tel: +44 (0) 207 5898776 E-Mail: Contact@cpmedicalclinic.com Website: www.cpmedicalclinic.com</p>
<p>Sampling performed at the above address only</p>		

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
<p>HUMAN BODY FLUID</p> <p>Combined Nasopharyngeal & Oropharyngeal (Nose & Throat) Swab</p>	<p><u>Sampling with subsequent testing at a laboratory accredited to ISO 15189:2012 or ISO/IEC 17025:2017 and who is listed on the DHSC Approved List for the testing performed.</u></p> <p>For:</p> <p>General Population Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p> <p>Test to Release 5 Day Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p> <p>Test to Release 2 and 8 Day Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods</p>	<p>In house method based on PHE Guidance for COVID-19 Sampling for testing purposes</p>
<p>END</p>		