


Schedule of Accreditation

issued by

United Kingdom Accreditation Service

2 Pine Trees, Chertsey Lane, Staines-upon-Thames, TW18 3HR, UK

 UKAS MEDICAL 22530 Accredited to ISO 15189:2012	John Bell & Croyden Limited	
	Issue No: 001 Issue date: 03 November 2021	
	50-54 Wigmore Street London W1U 2AU	Contact: Alexander Johnston Tel: +44 (0) 207 935 5555 E-Mail: alexander.johnston@johnbellcroyden.co.uk
Sampling performed at the above address only		

DETAIL OF ACCREDITATION

Materials/Products tested	Type of test/Properties measured/Range of measurement	Standard specifications/ Equipment/Techniques used
HUMAN BODY FLUIDS Combined Nasopharyngeal & Oropharyngeal (Nose & Throat) Swab	<u>Sampling with subsequent testing at a laboratory accredited to ISO 15189:2012 or ISO/IEC 17025:2017 and who is listed on the DHSC Approved List for the testing performed.</u> For: General Population Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods or antigen POCT Test to Release (TTR) Detection of SARS-CoV-2 (COVID-19) virus RNA using molecular methods	 In house method based on PHE Guidance for COVID-19 Sampling for testing purposes
END		